CLOUD COMPUTING

DIGITAL LEGACY MANAGER SYSTEM

A PROJECT REPORT

Submitted by

SANJAY KISHAN D	**230701287**
SANJEEV ADITYA	**230701292**
SANJAY KUMAR	**230701290**

MAY 2025

BONAFIDE CERTIFICATE

Certified that this project report **DIGITAL LEGACY MANAGEMENT SYSTEM** is the Bonafide work of **Students mentioned** who carried out the project work under my supervision.

SIGNATURE OF FACULTY INCHARGE

Submitted for the Practical Examination held on _____

SIGNATURE OF THE INTERNAL EXAMINER

TABLE OF CONTENTS

CHAPTER NO.	TITLE	PAGE NO.
	ABSTRACT	4
1.	INTRODUCTION	7
2.	LITERATURE REVIEW	9
3.	PROPOSED SYSTEM	15
	3.1 ARCHITECTURE DIAGRAM	17
4.	MODULES DESCRIPTION	18
	4.1 MODULE 1	
	4.2 MODULE 2	
5.	IMPLEMENTATION AND RESULTS	25
	5.1 EXPERIMENTAL SETUP	
	5.2 RESULTS	
6.	CONCLUSION AND FUTURE WORK	35
7.	REFERENCES	37

ABSTRACT

The rapid growth of cloud computing, cybersecurity, and digital transformation technologies has led to the development of intelligent systems capable of securely managing sensitive digital information and automating complex real-world processes. Among these processes, digital asset management and inheritance remain critical yet often overlooked challenges in modern digital environments. Traditional methods of storing passwords, confidential documents, financial records, photographs, and personal digital assets are not only insecure and difficult to manage but also prone to data loss, unauthorized access, and lack of inheritance mechanisms. These limitations highlight the need for a reliable, automated, and secure digital legacy management solution that can operate efficiently in cloud-based environments.

The Digital Legacy Manager proposed in this project addresses these challenges by leveraging modern cloud computing technologies, secure authentication mechanisms, and automated workflow systems. The system is designed to securely store, manage, and transfer digital assets while enabling authorized beneficiaries to access important information under predefined conditions without requiring manual intervention. By integrating cloud-native services with secure APIs and automated background processes, the system ensures security, scalability, reliability, and efficient digital asset management, making it suitable for practical deployment in modern digital ecosystems.

At the core of the system lies the process of secure asset storage and automated inheritance management. The system utilizes Microsoft Azure Blob Storage for encrypted digital asset storage, a widely used cloud storage service that provides secure, scalable, and highly available storage solutions for documents, images, videos, and confidential files.

The Azure Key Vault service plays a crucial role in securely managing application secrets, encryption keys, and sensitive credentials. Authentication is implemented using JSON Web Tokens (JWT) with refresh token rotation, ensuring secure user

sessions and controlled access to protected resources. Redis is used for token blacklisting, session management, and job queue handling, enabling efficient processing and improved application performance. The system also integrates a Dead Man's Switch mechanism using scheduled background workers. If a user remains inactive for a predefined period, the system automatically verifies release conditions and securely shares selected digital assets with authorized beneficiaries through encrypted links and email notifications.

An important aspect of this system is that it does not require complex manual infrastructure management. Instead, it utilizes containerized services provided through Docker and cloud-native deployment platforms such as Microsoft Azure and Netlify. These technologies provide scalable and reliable deployment environments capable of handling real-time operations and secure cloud integration. This approach significantly reduces deployment complexity and allows developers to focus on application functionality rather than infrastructure configuration and maintenance.

The data used in this project is managed dynamically during user interaction with the platform. Users are required to register and securely upload digital assets such as documents, credentials, and confidential files through the web interface. These assets are stored securely in cloud storage, while metadata and user information are maintained in MongoDB Atlas. During system execution, background worker services continuously monitor user activity and predefined release conditions, enabling automated asset transfer and beneficiary notification workflows.

Despite its numerous advantages, the system is not without limitations. Factors such as internet connectivity issues, cloud service downtime, unauthorized access attempts, and improper beneficiary configurations can affect system performance and security. However, these challenges are common in most cloud-based systems and can be addressed through future enhancements, such as incorporating multi-factor authentication, advanced encryption mechanisms, AI-based anomaly detection, and multi-cloud redundancy solutions.

In conclusion, the Digital Legacy Manager presented in this project demonstrates the effective application of cloud computing, containerization, cybersecurity, and automation technologies to solve a real-world problem. The system successfully automates digital asset management, enhances security, and improves reliability in inheritance workflows. By integrating secure cloud storage with automated monitoring and beneficiary management, the system provides a scalable and secure solution suitable for modern digital environments. Furthermore, the use of Docker-based deployment, cloud-native services, and automated workflows makes the system efficient, flexible, and easy to maintain. This project highlights the potential of intelligent cloud systems in transforming traditional digital asset management processes and paves the way for future innovations in secure digital inheritance and automated cloud-based services.

1. INTRODUCTION

1.1 Background and Motivation

Digital asset management and secure inheritance have become increasingly important in modern society due to the rapid growth of cloud computing, digital transformation, and online services. Individuals and organizations now store a large amount of sensitive information digitally, including passwords, financial records, legal documents, photographs, intellectual property, personal memories, cryptocurrencies, and confidential business files. While cloud platforms provide convenient access and storage capabilities, they often lack reliable mechanisms for secure digital inheritance and controlled asset transfer.

Traditionally, digital assets are stored using personal devices, cloud drives, external storage systems, or password managers. Although these methods provide accessibility, they suffer from several limitations, including lack of centralized management, poor security practices, absence of automated inheritance mechanisms, and vulnerability to unauthorized access or data loss. In many situations, important digital information becomes permanently inaccessible to family members or authorized beneficiaries after the owner becomes inactive or deceased.

With the increasing dependency on digital ecosystems, traditional methods of storing and sharing sensitive information become inefficient and unreliable. Valuable digital assets may remain locked due to forgotten credentials, lack of access permissions, or absence of secure transfer mechanisms. Furthermore, manually sharing passwords or confidential documents introduces significant privacy and security risks. Another major issue associated with traditional digital storage systems is the absence of automated workflows that can securely verify inactivity conditions and release digital assets only to authorized beneficiaries.

The rapid advancement of technology, particularly in the fields of cloud computing, cybersecurity, automation, and containerization, has opened new possibilities for solving these challenges. Cloud-native technologies and secure authentication systems have emerged as powerful tools for managing sensitive

digital information in scalable and reliable environments. They offer a secure, automated, and efficient alternative to traditional digital storage and inheritance methods. The motivation behind this project is to leverage these advancements to design a system that can securely store, manage, monitor, and transfer digital assets automatically without requiring manual intervention.

1.2 Overview of Digital Legacy Management Technology

Digital legacy management is a cloud-based approach focused on securely storing, managing, and transferring digital assets to authorized beneficiaries under predefined conditions. It involves several stages, including secure authentication, encrypted storage, beneficiary management, inactivity monitoring, and automated asset release. In this project, secure cloud storage is implemented using Microsoft Azure Blob Storage, which provides scalable and highly available storage services for confidential files and digital assets. This cloud-based approach ensures reliability, accessibility, and security for long-term digital asset management.

Once digital assets are uploaded, the system processes and organizes them using secure metadata management and database services. Authentication and authorization are implemented using JSON Web Tokens (JWT) with refresh token rotation, ensuring secure user sessions and protected API access. Redis is utilized for session handling, token blacklisting, and job queue management, improving system efficiency and security.

The system also integrates Microsoft Azure Key Vault, which securely stores application secrets, API keys, and encryption credentials. This service plays a crucial role in protecting sensitive configuration data from unauthorized access. Additionally, a background worker service developed using Node.js continuously monitors user activity and predefined release conditions through scheduled tasks.

The automated release mechanism, commonly referred to as a “Dead Man’s Switch,” enables the system to securely transfer selected digital assets to authorized beneficiaries if the user remains inactive for a specified period. Beneficiaries receive encrypted access links and email notifications through secure cloud-based communication services.

The use of cloud-native technologies and containerized services has significantly improved the scalability, reliability, and maintainability of digital management systems. Unlike traditional storage systems, which rely heavily on manual processes and isolated infrastructure, cloud-based architectures provide distributed services, automated deployment, fault tolerance, and secure data handling. These technologies allow the system to efficiently manage large volumes of sensitive data while maintaining high availability and security standards.

1.3 Problem Statement

Despite the availability of various cloud storage and password management systems, many existing solutions have significant drawbacks. Traditional storage systems are inefficient for inheritance management and lack automated mechanisms for secure asset transfer. Password sharing methods are insecure and highly vulnerable to misuse, while physical storage methods increase the risk of data loss and unauthorized access. Existing cloud platforms also have limitations, such as absence of beneficiary-based workflows, lack of inactivity monitoring, and limited automation capabilities.

Furthermore, many digital asset management systems require complex manual administration and do not provide integrated solutions for secure inheritance and controlled beneficiary access. The absence of centralized audit logging, automated release workflows, and scalable deployment mechanisms creates additional security and management challenges.

1.4 Objectives of the Project

The primary objective of this project is to develop an intelligent Digital Legacy Management System that automates the process of securely storing, managing, and transferring digital assets using cloud computing technologies. The specific objectives include:

- To design and implement a secure cloud-based digital asset management system using modern web technologies
- To develop a secure authentication and authorization module using JWT and

refresh token rotation

- To create a user-friendly asset upload and vault management system for securely storing confidential digital information
- To implement beneficiary management and automated digital inheritance workflows
- To integrate cloud storage using Microsoft Azure Blob Storage for secure and scalable data management
- To implement Azure Key Vault for secure secret and credential management
- To develop a background worker service for inactivity monitoring and automated asset release
- To ensure the system operates efficiently and securely under real-time cloud environments

---

1.5 Scope of the Project

The scope of this project includes the development of a complete cloud-based Digital Legacy Management System that can be deployed in real-world environments. The system is designed to operate using modern web browsers and cloud infrastructure without requiring specialized hardware. It supports secure digital asset storage, automated inactivity monitoring, beneficiary management, and controlled asset transfer workflows.

The project includes frontend development using React.js, backend API development using Node.js and Express.js, secure cloud integration using Microsoft Azure services, database management using MongoDB Atlas, and Redis-based session handling. Docker containerization is used to simplify deployment and improve scalability across multiple environments.

The system also supports automated CI/CD deployment pipelines using GitHub Actions, enabling continuous integration, testing, and deployment to cloud platforms. The project primarily focuses on security, scalability, automation, and reliability while providing a practical solution for modern digital legacy management challenges.

2. LITERATURE REVIEW

The field of digital asset management and cloud-based inheritance systems has witnessed significant advancements over the past few decades, evolving from simple local storage mechanisms to highly sophisticated cloud-native platforms integrated with automation, cybersecurity, and distributed computing technologies. Early approaches to digital storage primarily focused on local file systems, external storage devices, and password-protected archives that allowed users to manually organize and secure their personal information. Although these methods were widely adopted due to their simplicity and accessibility, they suffered from limitations such as lack of centralized management, vulnerability to hardware failures, unauthorized access, and absence of secure inheritance mechanisms.

Subsequent developments introduced cloud storage technologies that enabled users to store digital information remotely through internet-based services. Platforms such as online drives and cloud storage providers improved accessibility, synchronization, and scalability by allowing data to be accessed from multiple devices and locations. While these systems addressed several limitations of traditional storage methods, they still struggled with secure digital inheritance, automated beneficiary access, and controlled transfer of confidential information under real-world conditions. Another notable advancement was the introduction of password managers and encrypted vault systems, which focused on securely storing credentials and sensitive information. Despite these improvements, traditional digital storage solutions relied heavily on manual administration and lacked the automation required for modern digital legacy management.

A major breakthrough in secure cloud computing was achieved with the development of distributed cloud infrastructure and scalable storage services.

Technologies such as Microsoft Azure, Amazon Web Services, and Google Cloud Platform introduced highly available and fault-tolerant cloud architectures capable of securely managing large volumes of sensitive information in real time. These platforms became widely adopted due to their scalability, reliability, and integrated security services, forming the foundation for many modern cloud-based applications. However, while these platforms provided secure storage and infrastructure services, they had limitations in handling automated digital inheritance workflows and beneficiary-based access management.

The emergence of containerization and cloud-native application development revolutionized the field of digital systems by enabling applications to run consistently across multiple environments. Docker introduced lightweight container technology that simplified application deployment, dependency management, and scalability. This innovation allowed developers to build modular microservice architectures, resulting in improved maintainability and deployment efficiency for distributed applications, including secure asset management systems.

Modern digital management systems leverage secure authentication and authorization techniques, where the goal is to ensure that only verified users and authorized beneficiaries can access protected resources. This approach is implemented using technologies such as JSON Web Tokens (JWT), OAuth2 authentication, refresh token rotation, and role-based access control mechanisms. As a result, systems can securely manage user identities while protecting sensitive data from unauthorized access.

The development of cloud-native services has further accelerated the adoption of automated digital legacy technologies. Services such as Microsoft Azure Blob Storage provide secure and scalable cloud storage capabilities for digital

assets, while Azure Key Vault offers centralized management of secrets, API keys, and encryption credentials. Similarly, Redis-based caching and session management systems improve application performance and security by handling token blacklisting, session tracking, and background job queues. These services abstract the complexity of infrastructure management, making it easier for developers to build secure applications without extensive expertise in distributed cloud systems.

Several research studies have explored the application of cloud computing and cybersecurity technologies in digital asset management systems. These studies highlight the advantages of automated systems in improving security, reducing manual administration, enabling remote accessibility, and preventing unauthorized access. However, they also identify challenges such as cloud security threats, internet dependency, scalability issues, and infrastructure management complexities. Some approaches have attempted to address these challenges by incorporating advanced encryption mechanisms, multi-factor authentication, automated monitoring systems, and distributed deployment architectures to improve reliability and robustness.

Recent trends in digital legacy management research focus on improving security, automation, and scalability through the use of cloud-native architectures, container orchestration, and automated deployment pipelines. These approaches aim to enable real-time monitoring, automated asset release, and secure inheritance management across distributed cloud environments. Additionally, there is growing interest in enhancing privacy and reliability by implementing technologies such as blockchain verification, anomaly detection, and end-to-end encryption.

In the context of this project, the literature review demonstrates the progression from traditional storage methods to modern cloud-native digital

inheritance systems. The use of Docker-based microservices, secure cloud storage, Azure Key Vault integration, JWT authentication, Redis session handling, and automated worker services represents a practical and effective solution for digital legacy management. By leveraging existing research and technologies, the proposed system achieves a balance between security, scalability, automation, and ease of deployment, making it suitable for real-world applications.

The evolution of cloud-native systems has also been influenced by advancements in hardware infrastructure and distributed computing capabilities. Earlier digital management systems were constrained by limited storage capacities, network reliability, and computational resources, which restricted the complexity of applications that could be implemented. However, with the advent of scalable cloud infrastructure, distributed databases, and high-performance virtualization technologies, it became feasible to deploy highly available applications capable of handling large-scale secure operations. This shift enabled developers to move from isolated storage systems to interconnected cloud platforms that support automation, scalability, and real-time monitoring.

Another important aspect highlighted in the literature is the role of automation in improving the efficiency of digital legacy systems. Continuous Integration and Continuous Deployment (CI/CD) pipelines have become widely used for automating testing, deployment, and infrastructure management. Tools such as GitHub Actions enable developers to automate Docker image building, security auditing, and deployment to cloud services, significantly reducing operational overhead and improving system reliability. The availability of such automation frameworks has been instrumental in enabling rapid development and deployment of secure cloud applications.

The literature also emphasizes the importance of security and monitoring techniques in enhancing system performance and reliability. Encryption mechanisms, secure API gateways, audit logging, and inactivity monitoring are commonly used to protect sensitive digital information. These techniques help reduce the impact of cyber threats and ensure that digital assets remain protected while still being accessible to authorized beneficiaries. In modern cloud-based systems, monitoring and automation play a crucial role in maintaining reliability without significantly increasing infrastructure complexity.

3. PROPOSED SYSTEM

The proposed system presents an intelligent and automated solution for secure digital asset management and inheritance using cloud computing technologies integrated with containerized microservices and automated workflows. The system is designed to eliminate the limitations of traditional storage and inheritance methods by providing a secure, scalable, and efficient mechanism for storing, managing, monitoring, and transferring digital assets in real time. By combining cloud computing, cybersecurity, automation, and distributed architecture, the system ensures reliability, scalability, and ease of use in practical environments such as personal digital management and organizational data preservation.

The overall architecture of the system consists of several interconnected components that work together to perform the tasks of secure authentication, digital asset storage, beneficiary management, inactivity monitoring, automated asset release, and cloud deployment. The process begins with user registration and authentication, where users securely create accounts and configure their digital vaults. User credentials and session tokens are managed securely using JWT authentication and Redis-based token handling. Digital assets such as confidential documents, credentials, financial records, and personal files are uploaded and stored securely using Microsoft Azure Blob Storage.

Once the assets are uploaded, the system processes and organizes metadata using MongoDB Atlas. The uploaded files are associated with the corresponding user account and stored in structured cloud storage containers, creating a scalable and organized digital vault system that serves as the reference for future access and inheritance workflows. This architecture is dynamically managed, allowing new users and assets to be added without

affecting the overall system infrastructure.

During system execution, the backend API continuously manages user requests and asset operations through secure RESTful services developed using Node.js and Express.js. Authentication tokens are validated using Redis-backed session management and role-based access control mechanisms. Sensitive application secrets and API credentials are protected using Azure Key Vault, ensuring secure handling of confidential information throughout the application lifecycle.

The automated inheritance module activates through a background worker service that continuously monitors user activity using scheduled tasks. This worker service implements a “Dead Man’s Switch” mechanism using Node.js cron jobs. If a user remains inactive for a predefined period, the system verifies release conditions and beneficiary configurations. Once the conditions are satisfied, selected digital assets are securely shared with authorized beneficiaries through encrypted download links and automated email notifications using SendGrid services.

The proposed system also incorporates cloud-native deployment and containerization techniques to improve scalability and maintainability. Docker containers are used to package the frontend, backend, worker service, MongoDB, and Redis components into isolated environments. These containers ensure consistent execution across development, testing, and production systems. Continuous Integration and Continuous Deployment pipelines are implemented using GitHub Actions to automate testing, Docker image building, security auditing, deployment to Azure App Services, deployment of worker services to Azure Container Instances, and frontend deployment to Netlify.

In addition to its core functionalities, the system is designed with user-

friendliness in mind. The user interface is developed using React.js with Zustand state management, providing a modern and responsive web experience. The dashboard allows users to upload assets, manage beneficiaries, monitor vault status, and review audit logs through intuitive interfaces and graphical visualizations.

Despite its advantages, the proposed system has certain limitations. Its performance may be affected by factors such as internet connectivity issues, cloud service outages, incorrect beneficiary configurations, or cyberattack attempts targeting cloud infrastructure. However, these limitations can be mitigated through improvements in security mechanisms, multi-cloud redundancy, advanced monitoring systems, and enhanced encryption technologies in future versions.

Overall, the proposed system offers a practical and efficient solution for digital legacy management by leveraging modern cloud computing technologies. It combines secure authentication, cloud-based storage, automated inheritance workflows, and containerized deployment to provide a scalable and secure system that addresses the shortcomings of traditional methods. The integration of pre-built cloud services and Docker-based infrastructure eliminates the need for complex manual configuration, making the system easy to deploy and maintain. By automating digital inheritance and asset management, the system not only improves security but also enhances reliability and accessibility, making it a valuable solution for individuals and organizations managing sensitive digital assets.

4.MODULES DESCRIPTION

4.1 MODULE 1: USER AUTHENTICATION MODULE

The User Authentication Module is the entry point of the system where user credentials are securely managed and verified. This module allows new users to register themselves by creating accounts using email credentials or Microsoft Azure Active Directory authentication. The user is prompted to enter required details such as name, email address, and password, after which the system securely stores the credentials using encrypted authentication mechanisms.

This module plays a crucial role in protecting sensitive digital assets and ensuring that only authorized users can access the system. Authentication is implemented using JSON Web Tokens (JWT) along with refresh token rotation to maintain secure sessions. Redis is used for token blacklisting and session management, enabling efficient authentication control and protection against unauthorized access. The module also supports role-based access control, allowing different permission levels for users and administrators. This module eliminates insecure manual authentication practices and provides a secure foundation for the entire application.

4.2 MODULE 2: DIGITAL ASSET MANAGEMENT MODULE

The Digital Asset Management Module prepares and organizes user-uploaded digital files for secure cloud storage and retrieval. Digital assets uploaded by users may include confidential documents, legal records, passwords, photographs, financial information, or personal files. Therefore, secure management and organization of these files are essential to maintain integrity and accessibility.

In this module, uploaded files are validated, categorized, and securely transferred to Microsoft Azure Blob Storage. Metadata related to each file, such as file name, owner information, upload timestamp, and access permissions, is stored in MongoDB Atlas for efficient management. Encryption and secure access mechanisms are applied to protect assets from unauthorized access. These steps ensure that the digital assets are

organized, scalable, and suitable for secure inheritance workflows. Proper asset management significantly enhances the reliability and security of the overall system.

4.3 MODULE 3: CLOUD STORAGE MODULE

The Cloud Storage Module is responsible for securely storing and retrieving digital assets within cloud infrastructure. This module uses Microsoft Azure Blob Storage to store confidential files and documents in scalable and highly available storage containers.

The Azure Blob Storage service divides data into secure cloud objects and manages redundancy, availability, and backup automatically. This method is highly reliable and suitable for large-scale cloud applications. Once a file is uploaded, its secure cloud reference and storage path are generated, and the corresponding metadata is stored in the database for future retrieval. Secure Shared Access Signature (SAS) URLs are also generated to provide temporary controlled access to files. Accurate cloud storage management is critical, as any errors in this stage can affect data security and accessibility.

4.4 MODULE 4: SECRET MANAGEMENT MODULE

The Secret Management Module securely manages sensitive application secrets, API keys, encryption credentials, and configuration data. This process is carried out using Microsoft Azure Key Vault, a cloud-native secret management service designed for secure storage and controlled access.

Each application secret is stored securely within the vault and accessed only through authenticated API requests. These secrets serve as protected credentials required for cloud integration, email services, database connections, and deployment pipelines. The centralized secret management approach improves application security by preventing sensitive information from being exposed in source code or configuration files. The secrets generated during deployment and runtime are dynamically retrieved whenever required by the application services.

4.5 MODULE 5: BENEFICIARY MANAGEMENT MODULE

The Beneficiary Management Module is responsible for managing authorized individuals who may receive access to digital assets under predefined conditions. This module allows users to add, update, and manage beneficiary details securely.

The module uses secure database operations and access validation techniques to manage beneficiary information. Invitation workflows are implemented to verify beneficiary email addresses and approval status. If predefined release conditions are satisfied, the system securely shares selected digital assets with approved beneficiaries through encrypted links and email notifications.

The beneficiary management process is designed to be secure and efficient, ensuring that only verified individuals receive access to protected assets. It also allows users to customize inheritance preferences and access permissions according to their requirements.

4.6 MODULE 6: AUTOMATED INHERITANCE MODULE

The Automated Inheritance Module monitors user activity and automates the release of digital assets when predefined conditions are satisfied. Once a user becomes inactive for a specified period, the system verifies inactivity conditions and initiates inheritance workflows.

The module continuously checks user activity using scheduled tasks implemented through Node.js cron jobs. If the inactivity threshold is exceeded, the system triggers secure asset release operations and sends notifications to authorized beneficiaries using SendGrid email services. The module includes mechanisms to prevent unauthorized or accidental releases by verifying user status and beneficiary approval before proceeding.

This module serves as the core automation component of the system and provides a reliable method for secure digital inheritance management.

4.7 MODULE 7: AUDIT LOGGING AND MONITORING MODULE

The Audit Logging and Monitoring Module records and monitors all important system activities and security-related operations. Once a user performs an action such as login, file upload, asset deletion, or beneficiary update, the event is stored in the audit log database along with timestamps and operation details.

The audit logs serve as structured records of system activity, which can be easily accessed and analyzed by administrators. This module ensures transparency, accountability, and security compliance within the application. Monitoring tools also track API usage, authentication attempts, and system performance to identify suspicious behavior or failures.

The module provides a reliable method for maintaining system integrity and improving operational security.

4.8 MODULE 8: CLOUD DEPLOYMENT AND CI/CD MODULE

The Cloud Deployment and CI/CD Module is responsible for automating application deployment, testing, and infrastructure management. This module uses Docker containers to package the frontend, backend, worker service, MongoDB, and Redis components into isolated environments.

After code updates are pushed to GitHub repositories, GitHub Actions automatically performs testing, security auditing, Docker image building, and deployment operations. The backend API is deployed to Azure App Services, worker services are deployed to Azure Container Instances, and the frontend is deployed to Netlify.

Continuous deployment ensures that the system remains updated, scalable, and reliable without requiring extensive manual configuration. Cloud deployment provides scalability, fault tolerance, and remote accessibility, making the system more flexible and robust. Administrators can monitor deployment pipelines and application status remotely without relying on local infrastructure.

5 - IMPLEMENTATION AND RESULT

5.1 Implementation

The implementation of the Digital Legacy Manager involves integrating multiple technologies and cloud-native services to achieve secure digital asset storage, automated inheritance workflows, and scalable cloud deployment. The system is developed using Node.js and React.js as the primary technologies due to their flexibility, scalability, and strong ecosystem support for modern web applications and cloud computing environments.

The core technologies used in the implementation include Express.js for backend API development, React.js for frontend development, MongoDB Atlas for database management, Redis for session handling and token management, Docker for containerization, and Microsoft Azure services for secure cloud storage and secret management. Additionally, CI/CD automation is achieved using GitHub Actions, which enables automated testing and deployment operations.

The implementation is divided into several stages, each corresponding to a specific module of the system.

5.1.1 Development Environment

The system is developed in a controlled environment with the following specifications:

Programming Language: JavaScript
Frontend Framework: React.js
Backend Framework: Node.js with Express.js
Database: MongoDB Atlas
Cache and Session Handling: Redis
Containerization: Docker
Cloud Platform: Microsoft Azure
CI/CD Platform: GitHub Actions
Deployment Platform: Netlify and Azure App Services

The use of JavaScript across both frontend and backend enables seamless integration between application components and simplifies the development process. The environment is configured using Docker containers to manage dependencies effectively and ensure consistent execution across multiple systems.

5.2 Development Environment

The development environment plays a crucial role in ensuring the smooth execution of the system. The application is built using Visual Studio Code and modern JavaScript development tools. These environments provide features such as debugging, API testing, dependency management, and automated builds, which simplify the development process.

The system relies heavily on cloud-native services such as Azure Blob Storage for secure file management, Azure Key Vault for secret protection, Redis for session management, and MongoDB Atlas for scalable database operations. These technologies work together to enable efficient implementation of secure digital legacy

workflows. In addition, Zustand is used for frontend state management, while Axios is used for API communication and token refresh handling.
The hardware requirements for the system are minimal. A standard computer with internet connectivity is sufficient to run the application. The system does not require specialized hardware, as the cloud services and containerized architecture are optimized for scalable deployment. This makes the system accessible and cost-effective for a wide range of users.

5.3 System Workflow Implementation

The system follows a well-defined workflow that begins with user registration and ends with secure cloud-based digital inheritance management. The workflow starts with account creation and secure authentication using JWT tokens. Once authenticated, users can upload digital assets such as confidential files, credentials, and personal documents.
The uploaded files are stored securely in Azure Blob Storage while metadata is maintained in MongoDB Atlas. Beneficiaries are then configured and verified through secure invitation workflows. During application execution, the worker service continuously monitors user activity and predefined release conditions.
If the inactivity threshold is exceeded, the system automatically triggers inheritance workflows, securely generating encrypted access links and notifying beneficiaries through email services. This automated workflow ensures reliability, scalability, and minimal manual intervention.

5.4 Digital Asset Dataset Creation And Management

The dataset used in the system is created dynamically through the user interaction process. Instead of relying on predefined datasets or external repositories, the system allows users to securely upload and manage their own digital assets using the web interface. This approach makes the system flexible and easy to use, as new users and assets can be added without modifying the existing infrastructure.
During asset upload, the user selects confidential files such as legal documents, passwords, photographs, financial records, or personal data. The uploaded files are securely transferred to Azure Blob Storage, while metadata such as file name, asset category, upload timestamp, ownership details, and access permissions are stored in MongoDB Atlas. This labeling and categorization method ensures that each digital asset is associated with the correct user and can be efficiently managed during inheritance workflows. The dataset is organized in a structured cloud-based storage architecture, making it easy to manage, update, and retrieve files securely.
The assets stored in the cloud are processed to generate secure references and access tokens, which are maintained in memory and database collections for quick access during system execution. This eliminates the need to repeatedly process or upload the same assets, improving the efficiency and scalability of the system.

5.5 Digital Asset Preprocessing

Digital asset preprocessing is an essential step in the implementation, as it ensures that the uploaded data is suitable for secure cloud storage and retrieval. The files uploaded by users may vary in format, size, and structure, requiring validation and preprocessing before they are stored within the cloud environment.

In addition to validation, uploaded files are categorized, renamed securely, and encrypted before being transferred to Azure Blob Storage. File metadata is normalized to maintain consistency and reduce management complexity. These preprocessing steps ensure that the assets are suitable for secure storage, efficient retrieval, and automated inheritance operations. Proper preprocessing improves the reliability, consistency, and performance of the overall system while maintaining strong security standards.

5.6 Cloud Storage Implementation

The cloud storage process is implemented using Microsoft Azure Blob Storage. This cloud service stores digital assets securely in distributed cloud containers, ensuring scalability, redundancy, and high availability. The storage system identifies and manages uploaded assets using secure object references and encrypted storage operations.

The Azure Blob Storage service is chosen for its reliability and suitability for large-scale cloud applications. It does not require extensive infrastructure management and can securely store large numbers of digital assets with minimal configuration. Once an asset is uploaded, the storage path, secure access token, and metadata are generated automatically, and the corresponding information is passed to the database for further management.

The cloud storage process ensures that digital assets remain accessible, protected, and scalable within distributed cloud environments. Accurate storage implementation is critical, as any errors in this stage can affect data integrity, availability, and security.

5.7 Secret Management Implementation

The secret management process involves securely storing and retrieving sensitive application credentials. This is achieved using Microsoft Azure Key Vault, which provides centralized protection for API keys, cloud credentials, database secrets, and encryption tokens.

The vault securely manages application secrets and allows only authenticated services to retrieve confidential information during runtime. This approach prevents sensitive data from being exposed within application source code or deployment files. The use of centralized secret management simplifies cloud integration and improves the overall security of the system.

The secrets generated during deployment and runtime are dynamically accessed whenever required by backend services, worker services, and CI/CD pipelines. The use of secure credential management improves application reliability while reducing the risk of unauthorized access and data breaches.

5.8 Beneficiary Management Implementation

The beneficiary management process involves securely handling authorized individuals who may receive access to digital assets during inheritance workflows. This process is implemented using secure API services, database operations, and email verification mechanisms.

The system allows users to add beneficiaries by entering their personal details and email addresses. Invitation emails are then generated and sent securely through SendGrid services. Once the beneficiary accepts the invitation, their status is updated within the system database. If predefined inheritance conditions are satisfied, the beneficiary receives secure access links for authorized assets.

The beneficiary management process is designed to be efficient and secure, allowing the system to handle multiple beneficiaries simultaneously. It ensures that only verified and approved individuals can access protected digital assets during inheritance operations.

5.9 Digital Asset Release Implementation

Once inheritance conditions are satisfied, the system releases digital assets by securely generating encrypted access links and notifying beneficiaries. The system checks whether the user has remained inactive for the configured period before initiating asset release operations.

The release workflow uses Redis-based job queues and background worker services to process inheritance tasks efficiently. Secure Shared Access Signature (SAS) URLs are generated for authorized files, enabling beneficiaries to temporarily access protected assets without exposing permanent credentials.

The asset release process serves as a reliable and automated method for managing digital inheritance. It can be efficiently monitored and analyzed through audit logs and administrative dashboards. The use of secure temporary links allows controlled access and improves system security during inheritance operations.

5.10 Cloud Integration Implementation

The cloud integration component of the system is implemented using services provided by Microsoft Azure. After digital assets are uploaded and metadata is processed, the system securely stores files within Azure Blob Storage and manages secrets using Azure Key Vault.

The frontend application is deployed through Netlify, while backend APIs are deployed to Azure App Services. Worker services responsible for automation and inactivity monitoring are deployed using Azure Container Instances. Docker containers are used to package all application services into isolated execution environments, ensuring consistency across development and production systems.

Cloud integration ensures that the system remains scalable, fault-tolerant, and accessible from any location. It also provides secure backup and redundancy features, making the application more reliable and flexible for long-term deployment.

5.11 Experimental Setup

The system is tested in a controlled cloud-based environment to evaluate its performance, scalability, and reliability. The testing setup includes internet-connected client systems, cloud storage infrastructure, containerized backend services, and automated worker services. Multiple users and beneficiaries are configured to test the system's ability to manage digital assets and inheritance workflows effectively.

The evaluation focuses on parameters such as security, response time, automation reliability, scalability, and cloud integration efficiency. The system is tested under various conditions, including multiple simultaneous users, large asset uploads, token expiration scenarios, and inactivity-triggered inheritance workflows, to assess its robustness and operational stability.

5.12 Results And Analysis

The results of the implementation demonstrate that the system performs effectively under normal cloud operating conditions. The authentication module successfully validates users and manages secure sessions, while the asset management module accurately stores and retrieves digital assets using Azure Blob Storage. The system achieves high reliability, particularly in stable internet and cloud environments.

The performance of the system is satisfactory, with minimal delay in processing uploads, generating secure access links, and managing inheritance workflows. The automated worker service functions reliably, and the integration with cloud storage ensures that digital assets remain securely stored and remotely accessible. However, the system's performance may be affected by factors such as internet connectivity issues, cloud outages, incorrect beneficiary configurations, or unauthorized access attempts.

The Dockerized architecture and CI/CD pipelines successfully improve deployment consistency and reduce manual configuration complexity. Automated testing and deployment workflows ensure continuous availability and reliability across multiple environments.

5.13 Conclusion Of Implementation And Results

The implementation and results of the Digital Legacy Manager demonstrate the successful integration of cloud computing, cybersecurity, automation, and containerization technologies. The system achieves secure cloud-based digital asset management and automated inheritance functionality, making it suitable for practical applications.

The use of cloud-native services simplifies deployment and improves scalability while maintaining strong security standards. The automated inheritance workflows reduce manual effort and improve reliability in managing sensitive digital information. The integration of Docker containers, CI/CD pipelines, Azure services, MongoDB Atlas, and Redis provides a scalable and efficient infrastructure for modern digital legacy management system

TESTING AND ACCURACY OF THE MACHINE LEARNING

The testing and evaluation phase of the Digital Legacy Manager is essential to ensure that the implemented cloud-based system performs reliably under different operational conditions. This phase focuses on validating the correctness, security, scalability, and efficiency of the system by analyzing how effectively it manages digital assets, beneficiary workflows, and automated inheritance processes in real-time cloud environments.

The testing process begins with preparing a secure cloud environment consisting of registered user accounts, uploaded digital assets, beneficiary configurations, and automated worker services. The system is tested using both authorized and unauthorized access attempts to assess its ability to correctly authenticate valid users and reject malicious requests.

The evaluation of the system involves multiple testing scenarios. In the first scenario, the system is tested under controlled conditions where internet connectivity is stable and cloud services are operating normally. Under these conditions, the authentication module accurately validates users, the asset management module securely uploads files, and the automated worker services successfully monitor inactivity conditions and trigger inheritance workflows.

In the second scenario, the system is tested under varying network conditions and simultaneous user requests. Changes in network latency can significantly affect the performance of distributed cloud applications. The results indicate that the system maintains reliable performance under moderate traffic conditions but may experience slight delays under extremely high workloads or unstable connectivity conditions.

Another important testing scenario involves unauthorized access attempts and invalid authentication tokens. The system demonstrates robustness in handling token expiration, blacklisted sessions, and unauthorized API requests. Redis-based session validation and JWT authentication effectively protect the system from replay attacks and unauthorized access attempts.

The security and reliability of the system are evaluated using standard software testing and cybersecurity metrics. Reliability is defined as the ability of the system to maintain secure operations without failures during inheritance workflows and cloud storage operations. The system achieves high reliability under normal cloud operating conditions, which is considered satisfactory for real-world applications.

The system also evaluates audit logging, beneficiary verification, and cloud deployment performance. False access attempts are minimized through secure token validation and role-based access control mechanisms. The implementation is designed to prioritize security and controlled access over permissiveness, ensuring that only authorized beneficiaries receive access to protected assets.

Performance testing is also conducted to measure the speed and efficiency of the system. The system processes API requests, asset uploads, and automated workflows efficiently, enabling real-time operation without noticeable delays. The use of Docker containers and optimized cloud services ensures that the system can run smoothly on standard infrastructure without requiring specialized hardware. This makes the system practical for real-world deployment in personal and organizational environments.

The integration of cloud storage using Microsoft Azure is also tested to ensure reliable data handling. The system successfully uploads, stores, and retrieves digital assets from Azure Blob Storage, and the data can be accessed securely without loss or corruption. This confirms the reliability of the cloud integration component and its suitability for long-term digital asset storage.

Overall, the testing and security evaluation demonstrate that the Digital Legacy Manager performs effectively under normal cloud conditions. The combination of secure authentication, cloud storage integration, automated inheritance workflows, and Dockerized deployment provides a balance between scalability, automation, and security, making the system suitable for real-world applications.

WORKING AND OUTPUT EXPLANATION

User Registration and Authentication Phase

The system begins with the user registration and authentication phase, where each individual must create an account before accessing the Digital Legacy Manager. The user is prompted to enter personal information such as name, email address, and password, after which the backend API securely processes the registration request. Authentication is implemented using JSON Web Tokens (JWT) and refresh token rotation mechanisms to ensure secure user sessions.

Once the account is created, the user can securely log into the system through the React.js frontend interface. Redis is used for session handling and token blacklisting to improve security and prevent unauthorized access. This phase is essential because it establishes secure identity verification and builds the user profile required for managing digital assets and inheritance workflows. The registration process is simple and allows new users to be added dynamically without requiring changes to the existing system architecture.

Digital Asset Upload and Management Phase

Once users are registered, the system enters the digital asset management phase. The user can upload confidential files such as legal documents, financial records, passwords, photographs, and personal data through the frontend dashboard. The uploaded files are processed and securely transferred to Microsoft Azure Blob Storage.

The asset management module validates the uploaded file, generates secure metadata, and stores asset-related information in MongoDB Atlas. After storing the asset, the system displays the uploaded file information along with storage status and access controls. This confirms that the system is accurately storing and managing user assets in real time.

The uploaded files are associated with the corresponding user account and organized within cloud storage containers, ensuring efficient management and retrieval of digital assets whenever required.

Beneficiary Management Output

After successful asset storage, the system allows users to configure beneficiaries who may receive access to selected digital assets during inheritance workflows. Beneficiaries are added using secure invitation forms, and invitation emails are sent through SendGrid services.

The beneficiary details are stored in MongoDB Atlas with information such as name, email address, approval status, and assigned permissions. The system also prevents duplicate beneficiary configurations for the same asset or user account, ensuring that inheritance data remains accurate and secure.

The output provided by the dashboard shows beneficiary details, invitation status, and access permissions, indicating that the system is capable of managing multiple inheritance workflows simultaneously.

Real-Time Workflow Analysis

Azure Storage Setup

The system uses Microsoft Azure Blob Storage to store digital assets securely in the cloud. A storage account is created within the Azure portal, which acts as a centralized cloud location for storing user-uploaded files and confidential information. The storage configuration includes secure access policies, redundancy mechanisms, and scalability settings to ensure reliability and data protection.

Container Creation

Inside the Azure storage account, secure cloud containers are created for storing digital assets. These containers are used to organize user-uploaded files and maintain isolation between user accounts. The access level of the containers is configured as private, ensuring that only authorized users and verified beneficiaries can access stored assets.

Docker containers are also created for backend APIs, worker services, Redis caching, and MongoDB operations. These containers provide isolated execution environments and improve scalability and deployment consistency.

Uploading Digital Assets

The system automatically uploads user-selected files to Azure Blob Storage after validating and preprocessing the assets. Each time a digital asset is uploaded, the corresponding metadata is updated within the database, and the asset becomes available for future inheritance workflows.

This ensures that the data is securely backed up within cloud infrastructure and accessible from anywhere through secure authentication mechanisms. The upload process is fully automated and requires minimal user intervention.

Data Access and Download

The uploaded files can be viewed and downloaded securely through the frontend dashboard or cloud storage interfaces. The system displays file details such as asset name, upload date, storage location, and access status. Authorized users and approved beneficiaries can generate secure download links using Shared Access Signature (SAS) tokens.

The stored assets are maintained as secure cloud objects with metadata such as file size, upload timestamps, and access permissions. Users can retrieve files whenever required for personal access, inheritance operations, or administrative management


Digital Legacy
VAULT MANAGER
NAVIGATION
Dashboard
Digital Accounts
Documents
Beneficiaries
Secure Storage
Data stored securely on Netlify Blobs infrastructure.
https://soulsyncloud.netlify.app/accounts
Your Digital Legacy
Last updated: April 16, 2026
A complete picture of your digital life, organized for those who matter most.
1
Digital Accounts
Cataloged online accounts
1
Documents & Instructions
Stored important documents
1
Trusted Beneficiaries
Designated trusted contacts
Legacy Summary
Accounts cataloged 1 entries
Documents stored 1 files
Quick Actions
Add a new account
Upload a document


Digital Legacy
VAULT MANAGER
NAVIGATION
Dashboard
Digital Accounts
Documents
Beneficiaries
Secure Storage
Data stored securely on Netlify Blobs infrastructure.
Digital Accounts
1 account cataloged
+ Add Account
All (1)
Crypto (1)
shyaam
Crypto
D.SANJAYK13@GMAIL.COM
google.com
Edit
Delete


Digital Legacy
VAULT MANAGER
NAVIGATION
Dashboard
Digital Accounts
Documents
Beneficiaries
Secure Storage
Data stored securely on Netlify Blobs infrastructure.
Documents & Instructions
1 document stored
+ Add Document
All (1)
Will & Testament (1)
Will & Testament
Ration card
my proof of identity as indian
16/4/2026
View
Delete

FUTURE WORKS

The Digital Legacy Manager developed in this project demonstrates strong performance in automating digital asset storage, inheritance management, and cloud-based security workflows. However, like any technological solution, it has scope for further improvement and enhancement. Future work can focus on increasing the security, scalability, automation, usability, and reliability of the system by incorporating advanced cloud computing and cybersecurity technologies while addressing current limitations.

One of the major areas for future improvement is enhancing the security of digital inheritance workflows under complex real-world conditions. The current system performs well in controlled cloud environments but may require additional protection mechanisms against advanced cyber threats and unauthorized access attempts. Future versions of the system can incorporate advanced encryption technologies, zero-trust architectures, and multi-factor authentication systems to improve protection against modern security attacks. Additionally, integrating AI-based anomaly detection systems can improve the ability of the platform to identify suspicious activities and unauthorized inheritance attempts.

Another important enhancement is the inclusion of blockchain-based verification mechanisms for digital inheritance operations. Currently, the system relies on centralized cloud infrastructure and secure authentication services for validating asset release conditions. By incorporating blockchain technology, the system can generate immutable transaction records and improve transparency during inheritance workflows.

The system can also be extended to support real-time distributed database management instead of relying solely on centralized cloud database services. Integrating distributed database technologies and multi-cloud infrastructure can improve fault tolerance, scalability, and disaster recovery capabilities. This would be particularly useful for organizations managing large volumes of sensitive digital assets across multiple geographical locations.

Future improvements may also focus on developing dedicated mobile applications for Android and iOS platforms. Mobile integration would improve accessibility and allow users to manage digital assets, monitor beneficiary activities, and receive inheritance notifications directly from smartphones. Push notifications and biometric authentication could further improve user experience and security.

Another potential enhancement is the implementation of end-to-end encryption for all uploaded digital assets. While the current system uses secure cloud storage and controlled access mechanisms, future versions can provide stronger client-side encryption to ensure that even cloud service providers cannot access sensitive user data.

The system may also be integrated with additional cloud platforms such as Amazon Web Services (AWS) and Google Cloud Platform (GCP) to provide multi-cloud redundancy and vendor-independent deployment options. Such improvements would increase system reliability and reduce dependency on a single cloud provider.

Future research can also focus on improving automation capabilities through intelligent workflow management and AI-driven inheritance verification. Machine learning algorithms can analyze user activity patterns and optimize inactivity monitoring processes more efficiently.

Overall, future enhancements can significantly improve the scalability, intelligence, reliability, and security of the Digital Legacy Manager, making it more suitable for large-scale enterprise environments and highly sensitive digital inheritance applications.

RESULT

The results of the Digital Legacy Manager show that the system performs effectively in automating digital asset management and inheritance workflows using cloud computing, cybersecurity, and containerization technologies. During testing in a controlled cloud environment with stable internet connectivity, the system was able to securely authenticate users using JWT-based authentication and successfully manage digital assets using Microsoft Azure Blob Storage. The automated inheritance workflow was reliable and efficient, allowing the system to operate smoothly without noticeable delays.

The system achieved high reliability under normal operating conditions. Most authorized users were successfully authenticated, and their digital assets were securely uploaded, stored, and retrieved through cloud-based services. The system also prevented unauthorized access attempts through Redis-based token validation and secure role-based access control mechanisms. This confirms that the authentication and security functionality is reliable and capable of maintaining data integrity.

The cloud integration using Microsoft Azure was successful, as the digital assets were securely uploaded and could be accessed remotely through controlled authentication workflows. This feature improves the scalability and usability of the system by allowing data to be stored safely and retrieved from different locations.

The system performed well when handling multiple simultaneous users and inheritance operations, making it suitable for real-time cloud environments such as personal digital management platforms and enterprise-level systems. However, slight performance reductions were observed under unstable internet conditions and extremely large file upload scenarios. Despite these limitations, the system maintained acceptable performance and reliability in most operating conditions.

The Dockerized architecture and CI/CD automation pipelines also functioned effectively. Automated testing, Docker image generation, deployment to Azure App Services, deployment of worker services to Azure Container Instances, and frontend deployment to Netlify were successfully completed through GitHub Actions workflows.

Overall, the results indicate that the proposed system is secure, scalable, reliable, and practical for real-world use. It successfully reduces manual management effort, improves digital inheritance security, and provides a reliable solution for modern digital legacy management.

7.REFERENCES

[1] Microsoft Corporation, “Microsoft Azure Documentation,” Microsoft Learn Platform, 2025.

[2] Docker Inc., “Docker Official Documentation,” Docker Developer Resources, 2025.

[3] MongoDB Inc., “MongoDB Atlas Cloud Database Documentation,” MongoDB Official Documentation, 2025.

[4] Redis Labs, “Redis Documentation for Caching and Session Management,” Redis Developer Resources, 2025.

[5] OpenJS Foundation, “Node.js Official Documentation,” Node.js Developer Guide, 2025.

[6] Meta Platforms Inc., “React.js Documentation,” React Developer Documentation, 2025.

[7] GitHub Inc., “GitHub Actions CI/CD Documentation,” GitHub Developer Resources, 2025.

[8] Auth0, “JSON Web Token (JWT) Introduction and Security Standards,” OAuth and Authentication Documentation, 2025.

[9] SendGrid Inc., “SendGrid Email API Documentation,” Twilio SendGrid Developer Resources, 2025.

[10] Martin Fowler, “Microservices Architecture and Cloud-Native Design Patterns,” Software Architecture Research Publications, 2024.

[11] NIST, “Cybersecurity Framework and Secure Cloud Storage Guidelines,” National Institute of Standards and Technology Publications, 2024.

[12] Amazon Web Services, “Cloud Security Best Practices and Distributed Storage Systems,” AWS Research Documentation, 2025.

[13] Google Cloud Platform, “Scalable Cloud Infrastructure and Containerized Deployment Models,” Google Cloud Documentation, 2025.

[14] Kelsey Hightower, Brendan Burns, and Joe Beda, “Kubernetes and Container Orchestration Concepts,” Cloud-Native Computing Publications, 2023.

[15] OWASP Foundation, “Web Application Security Best Practices,”