01 - Introduction to Python-Variables-Datatypes Input/Output-Formatting

Ex. No. : 1.1 Date:

Register No.: 230701309 Name: Shaun Machado K

Converting Input Strings

Write a program to convert strings to an integer and float and display its type. Sample Output:

10,<class 'int'>

10.9,<class 'float'>

For example:

Input F	Result
10	10, <class 'int'=""></class>
10.9	10.9, <class 'float'=""></class>

Program:

a=input() b=input()

c=int(a) d=float(b)

print(c,type(c),sep=",")

print("{:0.1f}".format(d),type(d),sep=",")

	10.9	10.9, <class 'float'=""></class>	10.9, <class 'float'=""></class>	
~	12 12.5	12, <class 'int'=""> 12.5,<class 'float'=""></class></class>	12, <class 'int'=""> 12.5,<class 'float'=""></class></class>	~
~	89 7.56	89, <class 'int'=""> 7.6,<class 'float'=""></class></class>	89, <class 'int'=""> 7.6,<class 'float'=""></class></class>	~
~	55000 56.2	55000, <class 'int'=""> 56.2,<class 'float'=""></class></class>	55000, <class 'int'=""> 56.2,<class 'float'=""></class></class>	~
~	2541 2541.679	2541, <class 'int'=""> 2541.7,<class 'float'=""></class></class>	2541, <class 'int'=""> 2541.7,<class 'float'=""></class></class>	~

Ex. No.	:	1.2	Date:

Register No.: 230701309 Name: Shaun Machado K

Gross Salary _____

Ramesh's basic salary is input through the keyboard. His dearness allowance is 40% of his basic salary, and his house rent allowance is 20% of his basic salary. Write a program to calculate his gross salary.

Sample Input:

10000

Sample Output:

16000

For example:

Input F	Result
10000	16000

Program:

s=int(input())
da=s*0.4 ha=s*0.2
print(int(s+da+ha))



Ex.	No.	:	1.3	Date:

Register No.: 230701309 Name: Shaun Machado K

Square Root _____

Write a simple python program to find the square root of a given floating point number. The output should be displayed with 3 decimal places.

Sample Input:

8.00

Sample Output:

2.828

For example:

Input F	Result
14.00	3.742

Program:

import math

a=float(input())

s=math.sqrt(a)

print("{:.3f}".format(s))



Ex. No.	:	1.4	Date:
EX. NO.	•	1.4	Date:

Register No.: 230701309 Name: Shaun Machado K

Gain percent

Alfred buys an old scooter for Rs. X and spends Rs. Y on its repairs. If he sells the scooter for Rs. Z (Z>X+Y). Write a program to help Alfred to find his gain percent. Get all the above-mentioned values through the keyboard and find the gain percent.

Input Format:

The first line contains the Rs X

The second line contains Rs Y

The third line contains Rs Z

Sample Input:

10000

250

15000

Sample Output:

46.34 is the gain percent.

For example:

Input F	Result
45500	30.43 is the gain percent.
500	
60000	

Program:

buys=int(input())

```
repair=int(input())
sells=int(input())
g=(((sells-(buys+repair))/(buys+repair))*100)
print("{:.2f}".format(g), "is the gain percent.")
```



Ex. No. : 1.5 Date:

Register No.: 230701309 Name: Shaun Machado K

Deposits

In many jurisdictions, a small deposit is added to drink containers to encourage people to recycle them. In one particular jurisdiction, drink containers holding one liter or less have a \$0.10 deposit and drink containers holding more than one liter have a \$0.25 deposit. Write a program that reads the number of containers of each size(less and more) from the user. Your program should continue by computing and displaying the refund that will be received for returning those containers. Format the output so that it includes a dollar sign and always displays exactly two decimal places.

Sample Input

10

20

Sample Output

Your total refund will be \$6.00.

For example:

Input F	Result
20	Your total refund will be \$7.00.
20	

Program:

a=int(input()) b=int(input()) c=a*0.1 d=b*0.25
e=c+d print("Your total refund will be
\${:.2f}.".format(e))

Г	Input	Expected	Got	
~	20 20	Your total refund will be \$7.00.	Your total refund will be \$7.00.	~
~	11 22	Your total refund will be \$6.60.	Your total refund will be \$6.60.	~
~	123 200	Your total refund will be \$62.30.	Your total refund will be \$62.30.	~
~	76 38	Your total refund will be \$17.10.	Your total refund will be \$17.10.	~

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Ex. No. : 1.6 Date:

Register No.: 230701309 Name: Shaun Machado K

Carpenter

Justin is a carpenter who works on an hourly basis. He works in a company where he is paid Rs 50 for an hour on weekdays and Rs 80 for an hour on weekends. He works 10 hrs more on weekdays than weekends. If the salary paid for him is given, write a program to find the number of hours he has worked on weekdays and weekends.

Hint:

If the final result(hrs) are in -ve convert that to +ve using abs() function The abs() function returns the absolute value of the given number.

number = -20
absolute_number = abs(number)
print(absolute_number)
Output:20

Sample Input:

450

Sample Output:

weekdays 10.38 weekend 0.38

For example:

Input F	Result
450	weekdays 10.38
	weekend 0.38

Program:

s=int(input()) a=(500-s)/130
print("weekdays {:.2f}".format(abs(a)+10))
print("weekend {:.2f}".format(abs(a)))

	 weekdays 10.38 weekend 0.38	weekdays 10.38	~
50		weekend 0.38	
	 weekdays 10.00 weekend 0.00	weekdays 10.00 weekend 0.00	~
10	weekdays 83.08 weekend 73.08	weekdays 83.08 weekend 73.08	~
6	 weekdays 58.38 weekend 48.38	weekdays 58.38 weekend 48.38	~