

Ex. No.: 4a)

Date: 12/02/2025

EMPLOYEE AVERAGE PAY

Aim:

To find out the average pay of all employees whose salary is more than 6000 and no. of days worked is more than 4.

Algorithm:

1. Create a flat file emp.dat for employees with their name, salary per day and number of days worked and save it.
2. Create an awk script emp.awk
3. For each employee record do
 - a. If Salary is greater than 6000 and number of days worked is more than 4, then print name and salary earned
 - b. Compute total pay of employee
4. Print the total number of employees satisfying the criteria and their average pay.

Program Code:

```
//emp.awk
BEGIN { print "EMPLOYEES DETAILS" }
{ # salary should be greater than 6000 and days more than 4
  if ( $2 > 6000 && $3 > 4 )
  {
    print $1, "Id:", $2 * $3
    pay = pay + $2 * $3
    count = count + 1
  }
  END {
    # action part
    print "no. of employees are =", count
    print "total pay =", pay
    print "average pay =", pay / count } }
```

Input:

JESSI	5000	5
RAM	60000	5
PRABU	8000	6
MONICA	10000	7

Sample Input:

//emp.dat – Col1 is name, Col2 is Salary Per Day and Col3 is //no. of days worked

JOE 8000 5
RAM 6000 5
TIM 5000 6
BEN 7000 7
AMY 6500 6

Output:

Run the program using the below commands

[student@localhost ~]\$ vi emp.dat
[student@localhost ~]\$ vi emp.awk
[student@localhost ~]\$ gawk -f emp.awk emp.dat.

OUTPUT :

EMPLOYEES DETAILS

JOE 40000
BEN 49000
AMY 39000
no of employees are= 3
total pay= 128000
average pay= 42666.7
[student@localhost ~]\$

EMPLOYEES DETAILS

RAM 60000

PRABU 8000

MONICA 10000

no. of employees are = 3

total pay : 78000

Average pay: 26000.

SK

Result:

~~Thus~~ the awk script to find out the average pay of all employees whose salary is more than 6000 and no. of days worked is more than 4 has been executed ²⁹ successfully