RAJALAKSHMI ENGINEERING COLLEGE RAJALAKSHMI NAGAR, THANDALAM – 602 105



CS23A34 USER INTERFACE AND DESIGN LAB

Laboratory Observation Notebook

Name: Subash Krishnan

Year/Branch/Section: II/CSE/D

Register No.: 230701345

Semester: IV

Academic Year: 2024-25

Ex. No.: 3

Register No.: 230701345 Name: Subash Krishnan A

Develop and compare CLI, GUI, and Voice User Interfaces
(VUI) for the same task and assess user satisfaction using
Python (Tkinter for GUI, Speech Recognition for VUI),
Terminal

Aim:

The aim is to develop and compare Command Line Interface (CLI), Graphical User Interface (GUI), and Voice User Interface (VUI) for the same task, and assess user satisfaction using Python (with Tkinter for GUI and Speech Recognition for VUI) and Terminal.

Procedure:

i) CLI (Command Line Interface) CLI implementation where users can add, view, and remove tasks using the terminal.

```
□tasks = []

def add_task(task):
    tasks.append(task)
    print(f"Task '{task}' added.")

def view_tasks():
    if tasks:
        print("Your tasks:")
        for idx, task in enumerate(tasks, 1):
```

```
print(f"{idx}. {task}")
       else:
              print("No tasks to show.")
def remove_task(task_number):
       if 0 < task_number <= len(tasks):
              removed_task = tasks.pop(task_number - 1)
              print(f"Task '{removed_task}' removed.")
       else: print("Invalid task number.")
def main():
       while True:
              print("\nOptions: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit")
              choice = input("Enter your choice: ")
              if choice == '1.':
                      task = input("Enter task: ")
                      add_task(task)
              elif choice == '2.':
                      view_tasks()
              elif choice == '3':
                      task_number = int(input("Enter task number to remove: "))
                      remove_task(task_number)
              elif choice == '4':
                      print("Exiting...")
                      break
              else:
                      print("Invalid choice. Please try again.")
if __name__== "__main__":
       main()
```

Output:

```
Options: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit
Enter your choice: 1.
Enter task: play badminton
Task 'play badminton' added.
Options: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit
Enter your choice: 1.
Enter task: visit rahul
Task 'visit rahul' added.
Options: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit
Enter your choice: 1.
Enter task: complete assignments
Task 'complete assignments' added.
Options: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit
Enter your choice: 2.
1. play badminton
2. visit rahul
3. complete assignments
Options: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit
Enter your choice: 3.
Enter task number to remove: 2
Task 'visit rahul' removed.
Options: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit
Enter your choice: 2.
Your tasks:
1. play badminton
2. complete assignments
```


ii) GUI (Graphical User Interface)

Tkinter to create a simple GUI for our To-Do List application.

```
□ import tkinter as tk
from tkinter import messagebox
tasks = []
def add_task():
```

```
task = task_entry.get()
       if task:
              tasks.append(task)
              task_entry.delete(0, tk.END)
              update_task_list()
       else: messagebox.showwarning("Warning", "Task cannot be empty")
def update_task_list():
       task_list.delete(0, tk.END)
       for task in tasks:
              task_list.insert(tk.END, task)
def remove_task():
       selected_task_index = task_list.curselection()
       if selected_task_index:
              task_list.delete(selected_task_index)
              tasks.pop(selected_task_index[0])
app = tk.Tk()
app.title("To-Do List")
task_entry = tk.Entry(app, width=40)
task_entry.pack(pady=10)
add_button = tk.Button(app, text="Add Task", command=add_task)
add_button.pack(pady=5)
remove_button = tk.Button(app, text="Remove Task", command=remove_task)
remove_button.pack(pady=5)
task_list = tk.Listbox(app, width=40, height=10)
task_list.pack(pady=10)
app.mainloop()
```

Output:



iii) VUI (Voice User Interface)

speech_recognition library for voice input and the pyttsx3 library for text-to-speech output. Make sure you have these libraries installed (pip install SpeechRecognition pyttsx3).

```
import pyttsx3

tasks = []
recognizer = sr.Recognizer()
engine = pyttsx3.init()

def add_task(task):
    tasks.append(task)
```

□import speech_recognition as sr

```
engine.say(f"Task {task} added")
       engine.runAndWait()
def view_tasks():
       if tasks:
              engine.say("Your tasks are")
              for task in tasks:
                     engine.say(task)
       else:
              engine.say("No tasks to show")
       engine.runAndWait()
def remove_task(task_number):
       if 0 < task_number <= len(tasks):
              removed_task = tasks.pop(task_number - 1)
              engine.say(f"Task {removed_task} removed")
       else:
              engine.say("Invalid task number")
              engine.runAndWait()
def recognize_speech():
       with sr.Microphone() as source:
              print("Listening...")
              audio = recognizer.listen(source)
              try:
                     command = recognizer.recognize_google(audio)
                     return command
              except sr.UnknownValueError:
                     engine.say("Sorry, I did not understand that")
                     engine.runAndWait()
                     return None
def main():
       while True:
              engine.say("Options: add task, view tasks, remove task, or exit")
                    engine.runAndWait()
              command = recognize_speech()
              if not command:
                     continue
              if "add task" in command:
                     engine.say("What is the task?")
                     engine.runAndWait()
                     task = recognize_speech()
```

```
if task:
                            add task(task)
              elif "view tasks" in command:
                     view tasks()
              elif "remove task" in command:
                     engine.say("Which task number to remove?")
                     engine.runAndWait()
                     task_number = recognize_speech()
                     if task number:
                            remove_task(int(task_number))
              elif "exit" in command:
                     engine.say("Exiting...")
                     engine.runAndWait()
                     break
              else:
                     engine.say("Invalid option. Please try again.")
                     engine.runAndWait()
if _name__ == "__main__":
       main ()
```

Output:

The program initializes the speech recognizer and text-to-speech engine. It then enters a loop where it announces the available options ("add task, view tasks, remove task, or exit").

It listens for your voice input. Depending on what you say:

- If you say "add task", it will ask you, "What is the task?" After you speak your task, it will add the task to a list and announce that the task has been added.
- If you say "view tasks", it will announce all current tasks by enumerating them. For example, if you have one task "buy groceries," it will say "1. buy groceries."
- If you say "remove task", it will ask for the task number to remove. If you respond with a valid number (like "1"), it will remove that task and announce its removal.
- If you say "exit", it will announce "Exiting..." and then terminate the program.
- For any other command, it will announce "Invalid option. Please try again."

Result:

CLI, GUI, and Voice User Interfaces (VUI) have been developed and compared for the given task and the user satisfaction has been assessed using Python (Tkinter for GUI, Speech Recognition for VUI).