

RAJALAKSHMI ENGINEERING COLLEGE
AN AUTONOMOUS INSTITUTION
Affiliated to ANNA UNIVERSITY
Rajalakshmi Nagar, Thandalam,
Chennai-602105



**DEPARTMENT OF COMPUTER SCIENCE
AND ENGINEERING**

CS23A34 - USER INTERFACE DESIGN LABORATORY
ACADEMIC YEAR:2024-2025 (EVEN)

INDEX

Reg. No : 230701349

Name : S.Subramanian

Branch : CSE

Year/Section : II / D

LIST OF EXPERIMENTS

Experiment No:	Title	Tools
1	Design a UI where users recall visual elements (e.g., icons or text chunks). Evaluate the effect of chunking on user memory.	Figma.
2.	Develop and compare CLI, GUI, and Voice User Interfaces (VUI) for the same task and assess user satisfaction.	Python (Tkinter for GUI, Speech Recognition for VUI) / Terminal
3	A) Create a prototype with familiar and unfamiliar navigation elements. Evaluate ease of use with different user groups.	Proto.io
	B)Create a prototype with familiar and unfamiliar navigation elements. Evaluate ease of use with different user groups.	Wireflow
4	A)Conduct task analysis for an app (e.g., online shopping) and document user flows. Create corresponding wireframes.	Lucid chart (free tier)
	B)Conduct task analysis for an app (e.g., online shopping) and document user flows. Create corresponding wireframes.	Dia (open source).
5.	A)Simulate the lifecycle stages for UI design using the RAD model and develop a small interactive interface.	Axure RP
	B)Simulate the lifecycle stages for UI design using the RAD model and develop a small interactive interface.	OpenProj.

6.	Experiment with different layouts and color schemes for an app. Collect user feedback on aesthetics and usability.	GIMP (open source for graphics).
7.	A)Develop low-fidelity paper prototypes for a banking app and convert them into digital wireframes.	Pencil Project
	B)Develop low-fidelity paper prototypes for a banking app and convert them into digital wireframes.	Inkscape.
8.	A) Create storyboards to represent the user flow for a mobile app (e.g., food delivery app).	Balsamiq
	B) Create storyboards to represent the user flow for a mobile app (e.g., food delivery app).	OpenBoard
9.	Design input forms that validate data (e.g., email, phone number) and display error messages.	HTML/CSS, JavaScript (with Validator.js).
10.	Create a data visualization (e.g., pie charts, bar graphs) for an inventory management system.	Java Script

EX NO 1a:

DATE:25.01.2025

NAME:S.Subramanian

ROLL NO:230701349

INTRODUCTION TO FIGMA

AIM:

To create a mobile app design in Figma and compare good design with bad design.

THEORY:

Figma is a web-based design tool for creating user interfaces, prototypes, and designs. It enables real-time collaboration, vector editing, and cross-platform access. Figma supports design systems, interactive prototyping, and an extensive library of plugins, making it perfect for teams.

PROCEDURE:

Step 1: Create a New file

1.Click “New File” to start a blank project.

Step 2: Create the Frame (Artboard)

1. On the left toolbar, select the “Frame” tool (shortcut: F).
2. Choose a mobile preset (e.g., iPhone 13) from the right-hand panel.
3. A mobile-sized frame will appear on the canvas, which will act as your app screen.

Step 3: Design the Login Screen

Add a Background Color:

1. Select the frame and go to the right-side panel.
2. Under “Fill” choose a background color

Insert a Logo:

1. Click the “Rectangle” tool (shortcut: R) and draw a placeholder for a logo.
2. Use the “Text” tool (shortcut: T) to add your app name,
3. Adjust font size and color from the right-hand panel.

Add Input Fields:

1. Use the “Rectangle” tool to draw two boxes for username and password fields.
2. Add placeholder text inside
3. Apply rounded corners under “Corner Radius” in the right panel.

Add a Login Button:

1. Create a button using the “Rectangle” tool
2. Add the text “Login” inside the button.


Step 4: Prototyping the Interaction

1. Click the “Prototype” tab on the right panel.
2. Select the “Login” button and drag the blue dot to a new frame (e.g., a home screen).
3. Set the interaction to “On Click” → & “Navigate to” the next screen.
4. Choose an animation effect


Step 5: Preview the Design

1. Click the “Play” button in the top-right corner to preview your app prototype.
2. Try clicking on the login button to see the transition to the next screen.

OUTPUT:




BAD DESIGN:



REASON:

This design lacks proper alignment, resulting in inconsistency, and fails to communicate a clear message to the user. The absence of structure makes it difficult for users to navigate or understand the content, leading to a poor user experience.

GOOD DESIGN:



REASON:

This design could benefit from improved alignment to create a more consistent and visually appealing structure. With clearer messaging and better organization, users would find it easier to navigate and understand the content, leading to an enhanced user experience.

FIGMA DESIGN FILE:

[Good design](#)

RESULT:

Hence , introduction to figma and creating a app design and comparison of good design and bad design using figma have been studied successfully.

EX NO 1b:

DATE:02.02.2025

NAME:S.Subramanian

ROLL NO:230701349

CHUNKING

AIM:

To create a memory recall task game using chunking method in figma.

PROCEDURE:

A. Home Screen (It contains Instruction Page)

Step 1: Create a Frame:

- In Figma, create a new frame (File → New Frame). Set the size to 1024x768px for a standard desktop view.


Step 2: Add Instructions:

- Use the Text Tool (T) to add a heading like “Memory Recall Task”
- Add a smaller body of text with instructions such as:
- “You will be shown several groups of icons or text. After viewing, recall the items you remember”
- Use the Text Tool (T) to add more detailed instructions like “You will have 5 seconds to view the items. Then, recall them in the next screen.”

Step 3: Start Button:

- Create a button at the bottom of the screen. To do this:
 - Draw a Rectangle (R) for the button.
- Use the Text Tool (T) to add “Start.”
- Style the button (color, border radius) to make it stand out.
- Use Figma’s Prototyping Tools (top bar → Prototype) to link this button to the next screen (Chunking Phase).
- You can also use interactive components like hover effects for More realism.

OUTPUT:



B. Chunking Phase (It Display Chunked Items)

Step 1: Create a New Frame:

- Create a new frame for the Chunking Phase (the second screen). This frame will display the icons or text.

Step 2: Design Chunked Items:

- Use icons or text blocks that users will have to recall. Import them from assets by searching “icons”.


For Chunking with Borders:

- Group 3-5 icons or text together in a box (use the Rectangle Tool (R))
- Space these chunks out with some empty space in between them to ensure users can identify each chunk.

Step 3: Set the Viewing Time:

- Time Simulation: Figma does not have true timers, but you can simulate fixed time by setting the next screen transition after 5 seconds:
- Select the entire Frame (Chunking Phase).
- Under the Prototype tab, link this frame to the next screen (Recall Phase).
- Set the interaction to “After Delay” and enter 5000ms (5 seconds).

OUTPUT:



C. Recall Phase

Step 1: Create a New Frame for Recall:

- This is where the user will recall the items they saw in the previous chunking phase.


Step 2: Recall Input (Text Input):

- Create Text Input Fields where users can type what they remember.
- Create 5 input fields depending on how many chunks you showed.

Step 3: Submit Button:

- Create a Submit button at the bottom using the Rectangle Tool (R) and adding text like “Submit”
- Add an interaction to move to the Feedback Screen after submission.
- Sample Output of the Visual Appearance of the Recall Phase (Step C) in Figma

OUTPUT:



D. Result Screen

Create a Feedback Screen:

- After the user submits their recall, provide feedback.
- Add text like: “Good job you remembered 5/5”

OUTPUT:



FIGMA DESIGN FILE:

[Chunking](#)

RESULT:

Hence , memory recall task using chunking method was studied successfully.

EX NO 2:

DATE:08.02.2025

NAME:S.Subramanian

ROLL NO:230701349

Develop and compare CLI, GUI, and Voice User Interfaces (VUI) for the same task and assess user satisfaction using Python (Tkinter for GUI, Speech Recognition for VUI), Terminal

AIM:

The aim is to develop and compare Command Line Interface (CLI), Graphical User Interface (GUI), and Voice User Interface (VUI) for the same task, and assess user satisfaction using Python (with Tkinter for GUI and Speech Recognition for VUI) and Terminal.

PROCEDURE:

i) CLI (Command Line Interface)

CLI implementation where users can add, view, and remove tasks using the terminal.

```
tasks = []

def add_task(task):
    tasks.append(task)
    print(f"Task '{task}' added.")

def view_tasks():
    if tasks:
        print("Your tasks:")
        for idx, task in enumerate(tasks, 1):
            print(f"{idx}. {task}")
```

```
else:
    print("No tasks to show.")

def remove_task(task_number):
    if 0 < task_number <= len(tasks):
        removed_task = tasks.pop(task_number - 1)
        print(f"Task '{removed_task}' removed.")
    else:
        print("Invalid task number.")

def main():
    while True:
        print("\nOptions: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit")
        choice = input("Enter your choice: ")

        if choice == '1.':
            task = input("Enter task: ")
            add_task(task)

        elif choice == '2.':
            view_tasks()

        elif choice == '3':
            task_number = int(input("Enter task number to remove: "))
            remove_task(task_number)

        elif choice == '4':
            print("Exiting...")
            break
```

```
else:  
    print("Invalid choice. Please try again.")
```

```
if __name__ == "__main__":  
    main()
```

OUTPUT:

```
Options: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit  
Enter your choice: 1  
Enter task: Running  
Task 'Running' added.
```

```
Options: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit  
Enter your choice: 1  
Enter task: Cycling  
Task 'Cycling' added.
```

```
Options: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit  
Enter your choice: 2  
Your tasks:  
1. Running  
2. Cycling
```

```
Options: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit  
Enter your choice: 3  
Enter task number to remove: 2  
Task 'Cycling' removed.
```

```
Options: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit  
Enter your choice: 2  
Your tasks:  
1. Running
```

```
Options: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit  
Enter your choice: 4  
Exiting...
```

ii) GUI (Graphical User Interface)

Tkinter to create a simple GUI for our To-Do List application.


```
import tkinter as tk  
from tkinter import messagebox  
  
tasks = []
```



```
def add_task():  
    task = task_entry.get()  
    if task:  
        tasks.append(task)  
        task_entry.delete(0, tk.END)  
        update_task_list()  
    else:  
        messagebox.showwarning("Warning", "Task cannot be empty")
```

```
def update_task_list():  
    task_list.delete(0, tk.END)  
    for task in tasks:  
        task_list.insert(tk.END, task)  
  
def remove_task():  
    selected_task_index = task_list.curselection()
```

```
if selected_task_index:  
    task_list.delete(selected_task_index)  
    tasks.pop(selected_task_index[0])  
  
app = tk.Tk()  
app.title("To-Do List")  
  
task_entry = tk.Entry(app, width=40)  
task_entry.pack(pady=10)  
  
add_button = tk.Button(app, text="Add Task", command=add_task)  
add_button.pack(pady=5)  
  
  
remove_button = tk.Button(app, text="Remove Task", command=remove_task)  
remove_button.pack(pady=5)  
  
  
task_list = tk.Listbox(app, width=40, height=10)  
task_list.pack(pady=10)  
app.mainloop()
```

OUTPUT:





iii) VUI (Voice User Interface)

```
import speech_recognition as sr  
import pyttsx3  
  
tasks = []  
recognizer = sr.Recognizer()  
engine = pyttsx3.init()  
  
def add_task(task):  
    tasks.append(task)  
    engine.say(f"Task {task} added")  
    engine.runAndWait()  
  
def view_tasks():  
    if tasks:  
        engine.say("Your tasks are")  
        for task in tasks:  
            engine.say(task)  
    else:  
        engine.say("No tasks to show")  
    engine.runAndWait()  
  
def remove_task(task_number):
```

```
if 0 < task_number <= len(tasks):
    removed_task = tasks.pop(task_number - 1)
    engine.say(f"Task {removed_task} removed")
else:
    engine.say("Invalid task number")
engine.runAndWait()

def recognize_speech():
    with sr.Microphone() as source:
        print("Listening...")
        audio = recognizer.listen(source)
    try:
        command = recognizer.recognize_google(audio)
        return command
    except sr.UnknownValueError:
        engine.say("Sorry, I did not understand that")
        engine.runAndWait()
    return None

def main():
    while True:
        engine.say("Options: add task, view tasks, remove task, or exit")
        engine.runAndWait()

        command = recognize_speech()
        if not command:
```

```
continue

if "add task" in command:
    engine.say("What is the task?")
    engine.runAndWait()
    task = recognize_speech()
    if task:
        add_task(task)
elif "view tasks" in command:
    view_tasks()
elif "remove task" in command:
    engine.say("Which task number to remove?")
    engine.runAndWait()
    task_number = recognize_speech()
    if task_number:
        remove_task(int(task_number))
elif "exit" in command:
    engine.say("Exiting...")
    engine.runAndWait()
    break
else:
    engine.say("Invalid option. Please try again.")
    engine.runAndWait()

if __name__ == "__main__":
    main()
```

OUTPUT:

```
Listening...  
Listening...  
Listening...
```

RESULT:

Hence , Comparison for command line interface ,graphical user interface,voice user interface for same task has been studied successfully.

EX No: 3a

Date: 22.02.2025

NAME:S.Subramanian

ROLLNO:230701349

Create a prototype with familiar and unfamiliar navigation elements. Evaluate ease of use with different user groups using proto.io

AIM:

The aim is to develop a prototype incorporating both familiar and novel navigation elements and assess usability among diverse user groups using Proto.io.

PROCEDURE:

i) Example 1:

Tool Link: <https://proto.io/>

Step 1: Sign Up and Log In

1. Go to proto.io.
2. Sign up for a new account or log in if you already have one.

Step 2: Create a New Project

1. Click on "Create New Project."
2. Give your project a name (e.g., "App").
3. Select the device type (e.g., Mobile - iPhone X).
4. Click "Create" to start the project.

Step 3: Design the Home Screen

1. Add a New Screen:
 - o Click on the "+" button in the left panel to add a new screen.
 - o Choose "Blank" and name it "Home."
2. Add Elements to the Home Screen:
 - o Drag a "Header" widget from the "Widgets" panel to the top of the screen.

- Double-click the header to edit the text and change it to "Home Screen."
- Drag a "Button" widget onto the screen. Place it in the center.
- Double-click the button to edit the text and change it to "Go to Profile."

3.Add Interaction:

- Select the button and click on the "Interactions" tab on the right panel.
- Click "+ Add Interaction."
- Set the trigger to "Tap/Click."
- Set the action to "Navigate to Screen" and choose "New Screen."
- Create a new screen and name it "Profile."

Step 4: Design the Profile Screen

1. Add Elements to the Profile Screen:

- On the newly created Profile screen, drag a "Header" widget to the top of the screen.
- Double-click the header to edit the text and change it to "Profile Screen."
- Drag an "Image" widget onto the screen. Place it below the header.
- Double-click the image to upload a profile picture or any placeholder image.
- Drag a "Text" widget onto the screen to add some profile information (e.g., "John Doe, Software Engineer").

2. Add Back Button:

- Drag a "Button" widget onto the screen.
- Double-click the button to edit the text and change it to "Back to Home."

3. Add Interaction:

- Select the button and click on the "Interactions" tab on the right panel.
- Click "+ Add Interaction."
- Set the trigger to "Tap/Click."
- Set the action to "Navigate to Screen" and choose "Home."

Step 5: Preview the Prototype

1. Click on the "Preview" button in the top-right corner.

2. Interact with the prototype by clicking on the buttons to navigate between the Home and Profile screens.

Step 6: Share the Prototype

1. Click on the "Share" button in the top-right corner.
2. Copy the shareable link and send it to others for feedback.

OUTPUT:



PROFILE SCREEN



NAME : John

DESIGNATION : Senior Developer

COMPANY : Google

COUNTRY : USA

[Navigate to Home](#)

PROFILE SCREEN



NAME : Jade

DESIGNATION : Junior Developer

COMPANY : Google

COUNTRY : USA

[Navigate to Home](#)

RESULT:

Creating a prototype with familiar and unfamiliar navigation elements using proto.io has been executed successfully.

EX NO :3b

DATE:8.03.2025

NAME:S.Subramanian

ROLL NO:230701349

Create a prototype with familiar and unfamiliar navigation elements. Evaluate ease of use with different user groups using wireflow

AIM:

The aim is to design a prototype with both well-known and new navigation elements and measure user-friendliness across different user groups using Wireflow.

PROCEDURE:

Tool link: <https://wireflow.co/>

Step 1: Plan Your Prototype

1. Define Navigation Elements:

- *Familiar*: Standard menus, top bars, footers, and sidebar navigation.
- *Unfamiliar*: Novel features such as hidden menus, gesture-based navigation, or custom swipes.

2. Sketch Your Layout:

- Start with paper sketches or use tools like Figma or Sketch to visualize your design concepts.

Step 2: Set Up Your Wireflow Project

1. Sign Up/Log In:

- Head to Wireflow and create an account or log in if you already have one.

2. Start a New Project:

- Click on "New Project" and name it. Choose a template or start from scratch.

Step 3: Design the Prototype

1. Add Familiar Navigation Elements:
 - Drag and drop components like menus, header bars, buttons, etc., into your screens.
2. Incorporate Unfamiliar Elements:
 - Introduce hidden menus, unique gestures, or unexpected interactions.
3. Link Screens:
 - Use Wireflow's linking tools to create connections and transitions between screens.

Step 4: Prepare for Usability Testing

1. Identify User Groups:
 - Segment users based on age, tech-savviness, or previous experience with similar products.
2. Recruit Participants:
 - Use online tools like UserTesting, forums, or social media to find participants.


Step 5: Conduct Testing

1. Share the Prototype:
 - Invite users to interact with your prototype via a shareable link from Wireflow.
2. Test Sessions:
 - Ask users to complete tasks using both types of navigation. Observe their interactions and collect feedback.
3. Collect Feedback:
 - Utilize Wireflow's feedback features or conduct follow-up interviews to gather detailed responses.

Step 6: Analyze and Report


1. Analyze Data:
 - Review the feedback and data collected. Look for patterns in ease of use and user preferences.
2. Compare Results:
 - Compare how different user groups interacted with familiar vs. unfamiliar navigation.
3. Create a Report:
 - Summarize your findings, highlighting insights, challenges, and recommendations

OUTPUT:



RESULT:

Hence , creating a prototype flowchart for online shopping system using wireflow has been executed successfully.



EX NO:4a

Date:

NAME:S.Subramanian

REG.NO:230701349

Conduct task analysis for an app (e.g., online shopping) and document user flows. Create corresponding wireframes using Lucidchart

AIM:

To understand and document the steps a user takes to complete the main tasks within an online shopping app.

Tool Link: <https://www.lucidchart.com/pages/>

PROCEDURE:

Step 1: Assigning Tasks

1. Browsing Products
2. Searching for a Specific Product
3. Adding a Product to the Cart
4. Checking Out

Step 2: Document User Flows

1. Browsing Products

1. Home Screen: User lands on the home page with product categories.
2. Product Categories: User taps on a category to view products.
3. Product List: User scrolls through the product list.
4. Product Details: User taps on a specific product to see details.

Home Screen -> Product Categories -> Product List -> Product Details

2. Searching for a Specific Product

1. Search: User taps the search bar or icon.
2. Enter Query: User types the product name or keyword.
3. Search Results: User reviews matching items.
4. Product Details: User taps on a specific product to see details.

Search -> Enter Query -> Search Results -> Product Details

3. Adding a Product to the Cart

1. View Products: User browses or searches for a product.
2. Product Details: User taps on the product to see more info.
3. Add to Cart: User clicks "Add to Cart";

View Products -> Product Details -> Add to Cart

4. Checking Out

1. Open Cart: User taps on the cart icon.
2. Review Cart: User checks all products.
3. Proceed to Checkout: User clicks "Checkout";
4. Enter Shipping Info: User provides shipping details.
5. Enter Payment Info: User provides payment details.
6. Place Order: User clicks "Place Order";

Open Cart -> Review Cart -> Proceed to Checkout -> Enter Shipping Info -> Enter Payment Info -> Place Order

Step-by-Step Procedure to Create User Flows in Lucidchart

1. Create a New Document

- Go to Lucidchart and sign in or sign up if you don't have an account.
- Click on + Document or Create New Diagram.

2. Select a Template

- You can start with a blank document or select a flowchart template.
- For this example, let's start with a blank document.

3. Add Shapes for Each Step

- Drag and drop shapes from the left sidebar to represent different steps in your flow (e.g., rectangles for actions, diamonds for decisions).
- Name each shape based on the steps from the task analysis:
 - Login/Register
 - Browsing Products
 - Adding Products to Cart
 - Managing Cart
 - Checkout Process
 - Tracking Orders

4. Connect the Shapes

- Use connectors to link the shapes, indicating the flow from one step to the next.
- Add arrows to show the direction of the flow.

5. Add Details to Each Step

- Double-click on each shape to add text describing the action or decision.
- For example, for the "Login/Register" step, you might add:
 - Open the app

- Click on "Sign Up" or "Login";
- Enter details (username, email, password)
- Click "Submit";
- Verification through email or phone (if required)
- Redirect to the home screen upon successful login

6. Use Different Shapes for Different Actions

- Use rectangles for general actions.
- Use diamonds for decision points (e.g., "Is the user logged in?").
- Use ovals for start and end points.

7. Customize and Organize Your Flowchart

- Arrange the shapes and connectors logically.
- Use different colors to distinguish between types of steps or user roles.
- Group related steps into sections for better clarity.

8. Review and Save Your Flowchart

- Review the flowchart to ensure all steps are included and connected correctly.
- Save your flowchart by clicking on File -> Save.

9. Share and Collaborate

- Click on the Share button to collaborate with others.
- You can also export your flowchart as an image or PDF for presentation purposes.

Example Flowchart Breakdown:

Login/Register Flow

- Steps:
 - Open the app
 - Click on "Login" or "Register";
 - Enter details
 - Verify (if required)
 - Redirect to the home screen

Browse and Search Flow

- Steps:
 - Navigate to categories or use search bar
 - Apply filters/sorting options
 - View product details

Add to Cart Flow

- Steps:
 - View product details
 - Select options (size, color, quantity)
 - Add product to cart

Checkout Flow


- Steps:
 - Review cart
 - Proceed to checkout
 - Enter shipping information
 - Select payment method
 - Confirm and place order

Order Tracking Flow

- Steps:

- o Navigate to "My Orders"
- o Select order to track
- o View tracking details

OUTPUT:



RESULT:

Hence , to understand & document the steps a user takes to complete the tasks in a shopping app using Lucidchart has been done successfully

EX NO:4b

DATE:22.03.2025

NAME:S.Subramanian

ROLL NO:230701349

Conduct task analysis for an app (e.g., online shopping) and document user flows. Create corresponding wireframes using dia

AIM:

The aim is to perform task analysis for an app, such as online shopping, document user flows, and create corresponding wireframes using Dia.

PROCEDURE:

Tool link: <http://dia-installer.de/>

1. Install Dia:

- Download Dia from the official website (<http://dia-installer.de/>)
- Install Dia on your computer
- Open Dia:
- Launch the Dia application.

2. Create New Diagram:

- Go to File -> New Diagram.
- Select Flowchart as the diagram type.

3. Add Shapes:

- Use the shape tools (rectangles, ellipses, etc.) to create wireframes for each screen.
 - For example:
 - Home Page: Rectangle
 - Product Categories: Rectangle
 - Product Listings: Rectangle
 - Product Details: Rectangle
 - Cart: Rectangle

- Checkout: Rectangle
- Order Confirmation: Rectangle
- Order History: Rectangle

4. Connect Shapes:

- Use the line tool to connect shapes, representing the user flows.
 - For example:
 - Home Page -> Product Categories
 - Product Categories -> Product Listings
 - Product Listings -> Product Details
 - Product Details -> Cart
 - Cart -> Checkout
 - Checkout -> Order Confirmation
 - Order Confirmation -> Order History


5. Label Shapes:

- Double-click on each shape to add labels.
 - For example:
 - Label the rectangle as "Home Page", "Categories", "Product Listings", "Product Details", "Cart", "Checkout", "Order Confirmation", "Order History".

6. Save the Diagram:

- Go to File -> Save As.
- Save the diagram with a meaningful name, such as "Online Shopping App User Flows".

OUTPUT:



RESULT:

Conducting task analysis for an app and creating userflows using dia has been executed successfully.

EX.NO: 5(a)

NAME:S.Subramanian

Date:22.03.2025

REG.NO:230701349

Simulate the lifecycle stages for UI design using the RAD model and develop a small interactive interface using AxureRP

AIM:

The aim is to demonstrate the lifecycle stages of UI design via the RAD model and

develop a small interactive interface employing Axure RP.

PROCEDURE:

Tool Link: <https://www.axure.com/>

Simulating the Lifecycle Stages for UI Design Using the RAD Model

RAD Model (Rapid Application Development): The RAD model emphasizes quick development and iteration. It consists of the following phases:

1. Requirements Planning:

- Gather initial requirements and identify key features of the UI.
- Engage stakeholders to understand their needs and expectations.

2. User Design:

- Create initial prototypes and wireframes.
- Conduct user feedback sessions to refine the designs.
- Use tools like Axure RP to develop interactive prototypes.

3. Construction:

- Develop the actual UI based on the refined designs.
- Perform iterative testing and feedback cycles.

4. Cutover:

- Deploy the final UI.
- Conduct user training and support.

Axure RP Interactive Interface Development

Phase 1: Requirements Planning

1. Identify Key Features:

- Navigation (Home, Product Categories, Product Details, Cart, Checkout, Order Confirmation, Order History)
- User actions (Browsing, Searching, Adding to Cart, Checkout, Tracking Orders)

2. Create a Requirements Document:

- List all features and functionalities.
- Document user stories and use cases.

Phase 2: User Design

1. Install and Launch Axure RP:

- Download and install Axure RP from Axure's official website.
- Launch the application.

2. Create a New Project:

- Go to File -> New to create a new project.
- Name the project (e.g., "Shopping App Interface").

3. Create Wireframes:

- Use the widget library to drag and drop elements onto the canvas.
- Design wireframes for each screen:
 - Home Page
 - Product Categories
 - Product Listings
 - Product Details
 - Cart
 - Checkout
 - Order Confirmation
 - Order History

4. Add Interactions:

- Select an element (e.g., button) and go to the Properties panel.
- Click on Interactions and choose an interaction (e.g., OnClick).
- Define the action (e.g., navigate to another screen).

5. Create Masters:

- Create reusable components (e.g., headers, footers) using Masters.
- Drag and drop masters onto the wireframes.

6. Add Annotations:

- Add notes to describe each element's purpose and functionality.
- Use the Notes panel to add detailed annotations.

Phase 3: Construction

1. Develop Interactive Prototypes:

- Convert wireframes into interactive prototypes by adding interactions and transitions.
- Use dynamic panels to create interactive elements (e.g., carousels, pop-ups).

2. Test and Iterate:

- Preview the prototype using the Preview button.
- Gather feedback from users and stakeholders.
- Make necessary adjustments based on feedback.

Phase 4: Cutover


1. Finalize and Export:

- Finalize the design and interactions.
- Export the prototype as an HTML file or share it via Axure Cloud.

2. User Training and Support:

- Conduct training sessions to familiarize users with the new interface.
- Provide documentation and support for any issues.

OUTPUT:



RESULT:

Hence , simulating the lifecycle stages for UI design using the RADmodel and developing a small interactive interface using AxureRP has been successfully done.

EX.NO:5(b)

NAME:S.Subramanian

Date:29.03.2025

REG.NO:230701349

Simulate the life cycle stages for UI design using the RAD model and develop a small interactive interface using OpenProj

AIM:

The aim is to recreate the lifecycle stages of UI design using the RAD model and design a small interactive interface with OpenProj

PROCEDURE:

Tool Link: <https://sourceforge.net/projects/openproj/>

Step 1: Requirements Planning

1. Gather Requirements:

- Identify key features and functionalities needed for your interface.
- Example: A simple "Login" and "Register" interface with debug logs.

2. Define Use Cases:

- Specify use cases for user login and registration.
- Example: User logs in with valid credentials, user registers with a new account.

Output in OpenProj:

- Create a new project.
- Add tasks: "Gather Requirements" and "Define Use Cases."

- Set durations and dependencies for each task.

Step 2: User Design

1. Sketch Initial Designs:

- Draw rough sketches of the "Login" and "Register" screens on paper.

2. Create Digital Wireframes:

- Use a tool like Figma or Sketch to create digital wireframes.

Example Wireframes:

1. Login Screen: Username field, Password field, Login button, Register link.
2. Register Screen: Username field, Email field, Password field, Confirm Password field, Register button.

Output in OpenProj:

- Add tasks: "Sketch Initial Designs" and "Create Digital Wireframes."
- Allocate time and resources to complete these tasks.

Step 3: Rapid Prototyping

1. Develop Prototypes:

- Use a tool like Axure RP to convert wireframes into interactive prototypes.

2. Test Prototypes:

- Share prototypes with stakeholders for feedback.
- Collect feedback and iterate on the design.

Output:

- Interactive prototypes for "Login" and "Register" screens.

Output in OpenProj:

- Add tasks: "Develop Prototypes" and "Test Prototypes";
- Set dependencies and milestones.

Step 4: User Acceptance/Testing

1. Review Prototype:

- Conduct user and stakeholder reviews.

2. Conduct Usability Testing:

- Perform usability testing and document feedback.

Output:

- Documented feedback and test results.

Output in OpenProj:

- Add tasks: "Review Prototype" and "Usability Testing";
- Track progress and resources.

Step 5: Implementation

1. Develop Functional Interface:

- Implement final designs and functionalities based on feedback.

2. Integrate Backend (if required):

- Connect the UI with backend services for tasks like user authentication.

OUTPUT:

The image displays two side-by-side wireframe-style user interface designs.

Login Screen (Left):

- Title:** Login
- Fields:**
 - Username: Placeholder "Enter your username"
 - Password: Placeholder "Enter your password" with an eye icon for visibility.
- Checkboxes:**
 - Remember me
 - Forgot password?
- Buttons:**
 - Large blue "Login" button
 - Text link "Don't have an account? [Register now](#)"

Create Account Screen (Right):

- Title:** Create Account
- Fields:**
 - Username: Placeholder "Choose a username"
 - Email: Placeholder "Enter your email"
 - Password: Placeholder "Create a password" with an eye icon for visibility.
 - Confirm Password: Placeholder "Confirm your password"
- Checkboxes:**
 - I agree to the Terms of Service and [Privacy Policy](#)
- Buttons:**
 - Large blue "Register" button

RESULT:

Hence , to simulate the life cycle stages for UI design using the RAD model and to develop a small interactive interface using OpenProj has been successfully done.

EX.NO:6

NAME:S.Subramanian

Date:05.04.2025

REG.NO:230701349

Experiment with different layouts and color schemes for an app.

Collect user feedback on aesthetics and usability using

GIMP(GNU Image Manipulation Program (GIMP))

AIM:

The aim is to trial different app layouts and color schemes and evaluate user feedback on aesthetics and usability using GIMP.

PROCEDURE:

Tool Link: <https://www.gimp.org/>

Step 1: Install GIMP

- Download and Install: Download GIMP from GIMP Downloads and install it on your computer.

Step 2: Create a New Project

1. Open GIMP:

- Launch the GIMP application.

2. Create a New Canvas:

- Go to File -> New to create a new project.
- Set the dimensions for your app layout (e.g., 1080x1920 pixels for a standard mobile screen).

Step 3: Design the Base Layout

1. Create the Base Layout:

- Use the Rectangle Select Tool to create sections for different parts of your app (e.g., header, content area, footer).
- Fill these sections with basic colors using the Bucket Fill Tool.

Example Output: A base layout with defined sections for header, content, and footer.

2. Add UI Elements:

- Text Elements: Use the Text Tool to add text elements like headers, buttons, and labels.
- Interactive Elements: Use the Brush Tool or Shape Tools to draw buttons, input fields, and other interactive elements.

Example Output: A layout with labeled sections and basic UI elements.

3. Organize Layers:

- Use layers to separate different UI elements. This allows you to easily modify or experiment with individual components.
- Name each layer according to its content (e.g., Header, Button1, InputField).

Step 4: Experiment with Color Schemes

1. Create Color Variants:

- Duplicate Layout: Duplicate the base layout by right-clicking on the image tab and selecting Duplicate.

- Change Colors: Use the Bucket Fill Tool or Colorize Tool to change the colors of the UI elements in each duplicate.

Example Output: Multiple color variants of the same layout.

2. Save Each Variant:

- Save each color variant as a separate file (e.g., Layout1.png, Layout2.png, etc.).

- Go to File -> Export As and choose the file format (e.g., PNG).

Step 5: Collect User Feedback

1. Prepare a Feedback Form:

- Create Form: Create a feedback form using tools like Google Forms or Microsoft Forms.

- Include Questions: Include questions about the aesthetics and usability of each layout and color scheme.

2. Share the Variants:

- Distribute Files: Share the image files of the different layouts and color schemes with your users.

- Provide Instructions: Provide clear instructions on how to view each variant and how to fill out the feedback form.

3. Gather Feedback:

- Collect responses from users regarding their preferences and suggestions.
- Analyze the feedback to determine which layout and color scheme are most preferred.

Step 6: Iterate and Refine


1. Refine the Design:

- Based on the feedback, make necessary adjustments to the layout and color scheme.
- Experiment with additional variations if needed.

2. Final Testing:

- Conduct a final round of testing with the refined design to ensure usability and aesthetic satisfaction.

OUTPUT:



RESULT:

Hence , to experiment with different layouts and color schemes for a task manager app usability using GIMP(GNU Image Manipulation Program (GIMP)

Has been successfully done.

EX.NO:7(a)

NAME:S.Subramanian

Date:07.04.2025

REG.NO:230701349

Develop low-fidelity paper prototypes for a banking app and convert them into digital wireframes using Pencil Project

AIM:

The aim is to develop low-fidelity paper prototypes for a banking app and convert them

into digital wireframes with Pencil Project.

PROCEDURE:

Tool Link: <https://pencil.evolus.vn/>

Step 1: Create Low-Fidelity Paper Prototypes

1. Define the Purpose and Features:

- Identify the core features of the banking app (e.g., login, account balance, transfers, bill payments).

2. Sketch Basic Layouts:

- Use plain paper and pencils to sketch basic screens.
- Focus on primary elements like buttons, menus, and forms.

3. Iterate and Refine:

- Get feedback from users or stakeholders.
- Iterate on your sketches to improve clarity and functionality.

Step 2: Convert Paper Prototypes to Digital Wireframes Using Pencil Project

1. Install Pencil Project:

- Download and install Pencil Project from the official website.

2. Create a New Document:

- Open Pencil Project and create a new document.

3. Add Screens:

- Click on the "Add Page" button to create different screens (e.g., Login, Dashboard, Transfer).

4. Use Stencils and Shapes:

- Use the built-in stencils and shapes to create UI elements.
- Drag and drop elements like buttons, text fields, and icons onto your canvas.

5. Organize and Align:

- Arrange and align the elements to match your paper prototype.
- Ensure that the design is user-friendly and intuitive.

6. Link Screens:

- Use connectors to link different screens together.
- Create navigation flows to show how users will interact with the app.


7. Add Annotations:

- Include annotations to explain the functionality of different elements.

8. Export Your Wireframes:

- Once satisfied with your digital wireframes, export them in your preferred format (e.g., PNG, PDF).

OUTPUT:



RESULT:

Hence , to develop low-fidelity paper prototypes for a banking app and to convert them into digital wireframes using Pencil Project has been successfully done.

EX.NO: 7(b)

NAME:S.Subramanian

Date:07.04.2025

REG.NO:230701349

Develop low-fidelity paper prototypes for a banking app and convert them into digital wireframes using Inkscape

AIM:

The aim is to construct low-fidelity paper prototypes for a banking app and digitize them into wireframes using Inkscape.

PROCEDURE:

Tool Link: <https://inkscape.org/>

Step 1: Create Low-Fidelity Paper Prototypes

1. Identify Core Features:

- Determine the essential features of the banking app (e.g., login, dashboard, account management, transfers).

2. Sketch Basic Layouts:

- Use plain paper and pencils to sketch the main screens.
- Focus on the primary elements like buttons, navigation menus, and input fields.

3. Iterate and Refine:

- Get feedback from users or stakeholders.
- Make necessary adjustments to improve clarity and functionality.

Step 2: Convert Paper Prototypes to Digital Wireframes Using Inkscape

1. Install Inkscape:

- Download and install Inkscape from the official website.

2. Create a New Document:

- Open Inkscape and create a new document by clicking on File > New.

3. Set Up the Document:

- Set the dimensions and grid for your design. Go to File > Document Properties to adjust the size.
- Enable the grid by going to View > Page Grid.

4. Draw Basic Shapes:

- Use the rectangle and ellipse tools to draw the basic shapes for your UI elements (e.g., buttons, input fields, icons).

5. Add Text:

- Use the text tool to add labels and placeholder text to your elements.

6. Organize and Align:

- Arrange and align the elements to match your paper prototype.
- Use the alignment and distribution tools to keep everything organized.

7. Group Elements:

- Select related elements and group them together using Object > Group.
- This helps keep your design organized and easy to edit.

8. Create Multiple Screens:

- Duplicate your base layout to create different screens (e.g., login, dashboard, transfer).

- Use Edit > Duplicate to create copies of your elements and arrange them for each screen.


9. Link Screens (Optional):

- If you want to show navigation flows, you can add arrows or other indicators to demonstrate how users will move between screens.

10. Export Your Wireframes:

- Once you're satisfied with your digital wireframes, export them by going to File > Export PNG Image.
- Choose the appropriate settings and export each screen as needed.

OUTPUT:



RESULT:

Hence , to develop low-fidelity paper prototypes for a banking app and to convert them into digital wireframes using Inkscape has been successfully done.

EX.NO: 8(a)

NAME:S.Subramanian

Date:12.04.2025

REG.NO:230701349

Create storyboards to represent the user flow for a mobile app

(e.g., food delivery app) using Balsamiq

AIM:

The aim is to create storyboards representing the user flow for a mobile app, such as a food delivery app, using Balsamiq.

PROCEDURE:

Tool Link: <https://balsamiq.com/>

Step 1: Define the User Flow

1. Identify Key Screens:

- o List the main screens your app will have (e.g., Home, Menu, Cart, Checkout, Order Confirmation).

2. Map the User Journey:

- o Understand the typical user journey through these screens (e.g., browsing menu, adding items to cart, checking out).

Step 2: Create Storyboards Using Balsamiq

1. Install Balsamiq:

- o Download and install Balsamiq from the <https://balsamiq.com/> website.

2. Create a New Project:

- o Open Balsamiq and create a new project.

3. Add Wireframe Screens:

- Use the “+” button to add new wireframe screens for each key screen in your app.

4. Design Each Screen:

- Use Balsamiq’s components to design the UI for each screen.
- Include basic elements like buttons, text fields, and images.

5. Organize the Flow:

- Arrange the screens in the order users will navigate through them.
- Connect the screens with arrows to represent user actions.

Example Screens for Food Delivery App

1. Home Screen:

- Search bar for finding restaurants
- Categories for different cuisines

2. Menu Screen:

- List of food items with images, names, and prices
- Add to Cart buttons

3. Cart Screen:

- Items added to the cart with quantity and total price
- Checkout button

4. Checkout Screen:

- Delivery address form
- Payment options
- Place Order button

5. Order Confirmation Screen:

- Order summary
- Estimated delivery time

Example Output

Here's how the wireframes might look:

Home Screen

- Search Bar: Allows users to search for restaurants.
- Categories: Buttons for different cuisines (e.g., Italian, Chinese).

Menu Screen

- Food Items List: Displays food items with images, names, and prices.
- Add to Cart: Button to add items to the cart.

Cart Screen

- Items Added: Lists items added to the cart with quantity and prices.
- Checkout Button: Proceed to checkout.


Checkout Screen

- Delivery Address Form: Users enter their delivery address.
- Payment Options: Choose between different payment methods.
- Place Order Button: Finalize the order.

Order Confirmation Screen

- Order Summary: Shows the order details.
- Estimated Delivery Time: Provides an estimated delivery time.

OUTPUT:



RESULT:

Hence , story boards for food delivery app using Balsamiq has been done successfully.

EX.NO: 8(b)

NAME:S.Subramanian

Date:12.04.2025

REG.NO:230701349

**Create storyboards to represent the user flow for a mobile app
(e.g., food delivery app) using OpenBoard**

AIM:

To map out the user flow for a mobile app (e.g., a food delivery app), storyboards will be designed using OpenBoard.

PROCEDURE:

Tool Link: <https://openboard.ch/download.en.html>

Step 1: Define the User Flow

1. Identify Key Screens:

- o List the main screens your app will have (e.g., Home, Menu, Cart, Checkout, Order Confirmation).

2. Map the User Journey:

- o Understand the typical user journey through these screens (e.g., browsing menu, adding items to cart, checking out).

Step 2: Create Storyboards Using OpenBoard

1. Install OpenBoard:

- o Download and install OpenBoard from the official website.

2. Create a New Document:

- o Open OpenBoard and create a new document.

3. Add Frames for Each Screen:

- Use the drawing tools to create frames representing each key screen of your app.

4. Sketch Each Screen:

- Use the pen or shape tools to draw basic elements for each screen.
- Focus on major UI components like buttons, text fields, and icons.

5. Organize the Flow:

- Arrange the frames in a sequence that represents the user journey.
- Use arrows or lines to show navigation paths between screens.

Example Screens for Food Delivery App

1. Home Screen:

- Search bar for finding restaurants
- Categories for different cuisines

2. Menu Screen:

- List of food items with images, names, and prices
- Add to Cart buttons

3. Cart Screen:

- Items added to the cart with quantity and total price
- Checkout button

4. Checkout Screen:


- Delivery address form
- Payment options

- Place Order button

5. Order Confirmation Screen:

- Order summary
- Estimated delivery time

OUTPUT:



RESULT:

Hence , the userflows and story boards using openboard has been executed successfully.

EX.NO: 9

NAME:S.Subramanian

Date:21.04.2025

REG.NO:230701349

Design input forms that validate data (e.g., email, phone number) and display error messages using HTML/CSS, JavaScript (with Validator.js)

AIM:

The aim is to design input forms that validate data, such as email and phone number, and

display error messages using HTML/CSS and JavaScript with Validator.js.

PROCEDURE:

Step 1: Setting Up the HTML Form

Start by creating an HTML form with input fields for the email and phone number.

html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width,
initial-scale=1.0">
<title>Form Validation</title>
<link rel="stylesheet" href="style.css">
</head>
<body>
<div class="container">
```

```
&lt;form id="myForm"&gt;  
&lt;label for="email">Email:&lt;/label&gt;  
  
&lt;input type="email" id="email" name="email" required>  
&lt;span id="emailError" class="error"&gt;&lt;/span&gt;  
  
&lt;label for="phone">Phone Number:&lt;/label&gt;  
&lt;input type="text" id="phone" name="phone" required>  
&lt;span id="phoneError" class="error"&gt;&lt;/span&gt;  
  
&lt;button type="submit"&gt;Submit&lt;/button&gt;  
&lt;/form&gt;  
&lt;/div&gt;  
&lt;script  
src="https://cdnjs.cloudflare.com/ajax/libs/validator/13.6.0/validator.min.js"&gt;&lt;/script&gt;  
&lt;script src="script.js"&gt;&lt;/script&gt;  
&lt;/body&gt;  
&lt;/html&gt;
```

Step 2: Styling the Form with CSS

Next, add some basic styling to make the form look nice.

css

```
/* style.css */  
  
body {  
    font-family: Arial, sans-serif;  
    background-color: #f4f4f4;  
    display: flex;  
    justify-content: center;  
    align-items: center;  
    height: 100vh;  
    margin: 0;  
  
}
```

```
.container {  
    background-color: white;  
    padding: 20px;  
    border-radius: 5px;  
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);  
}
```

```
form {  
    display: flex;  
    flex-direction: column;  
}
```

```
label {
```

```
margin-bottom: 5px;  
}  
  
  
input {  
margin-bottom: 10px;  
padding: 10px;  
border: 1px solid #ccc;  
border-radius: 3px;  
}  
  
  
button {  
padding: 10px;  
background-color: #28a745;  
color: white;  
  
border: none;  
border-radius: 3px;  
cursor: pointer;  
}  
  
  
button:hover {  
background-color: #218838;  
}  
  
  
.error {
```

```
color: red;  
font-size: 0.875em;  
}
```

Step 3: Adding JavaScript for Validation

Finally, add JavaScript to validate the input fields using Validator.js and display error messages.

javascript

```
/* script.js */  
  
document.getElementById('myForm').addEventListener('submit', function (e) {  
    e.preventDefault();  
  
    let email = document.getElementById('email').value;  
    let phone = document.getElementById('phone').value;  
  
    let emailError = document.getElementById('emailError');  
    let phoneError = document.getElementById('phoneError');  
  
    // Clear previous error messages  
    emailError.textContent = '';  
    phoneError.textContent = '';  
  
    // Validate email
```

```
if (!validator.isEmail(email)) {  
    emailError.textContent = 'Please enter a valid email address.';  
}  
  
// Validate phone number  
  
if (!validator.isMobilePhone(phone, 'any')) {  
    phoneError.textContent = 'Please enter a valid phone number.';  
}  
  
// If no errors, submit the form (for demonstration purposes, we'll just log  
the values)  
  
if (validator.isEmail(email) && validator.isMobilePhone(phone,  
'any')) {  
    console.log('Email:', email);  
    console.log('Phone:', phone);  
}  
});  
?
```

OUTPUT:

Contact Information

Email Address

Email is required

Phone Number

Please enter a valid phone number

Full Name

Name is required

RESULT:

Hence , to design input forms that validate data, such as email and phone number, and display error messages using HTML/CSS and JavaScript with Validator.js has been done successfully.

EX.NO: 10

NAME:S.Subramanian

Date:21.04.2025

REG.NO:230701349

Create a data visualization (e.g., pie charts, bar graphs) for an inventory management system using javascript

AIM:

The aim is to create data visualizations, such as pie charts and bar graphs, for an inventory management system using JavaScript.

PROCEDURE:

Step 1: Set Up Your HTML File

First, create an HTML file to hold your canvas for the chart and include Chart.js.

html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width,
initial-scale=1.0">
<title>Inventory Management Visualization</title>
<style>
body {
font-family: Arial, sans-serif;
text-align: center;
margin: 50px;
}
```

```
canvas {  
    margin: 20px auto;  
  
}  
&lt;/style&gt;  
&lt;/head&gt;  
&lt;body&gt;  
&lt;h1&gt;Inventory Management System&lt;/h1&gt;  
&lt;canvas id="pieChart" width="400"  
height="400"&gt;&lt;/canvas&gt;  
&lt;canvas id="barChart" width="400"  
height="400"&gt;&lt;/canvas&gt;  
&lt;script  
src="https://cdn.jsdelivr.net/npm/chart.js"&gt;&lt;/script&gt;  
&lt;script src="script.js"&gt;&lt;/script&gt;  
&lt;/body&gt;  
&lt;/html&gt;
```

Step 2: Create the JavaScript File for Charts

Next, create a JavaScript file (`script.js`) to handle the data visualization logic.

javascript

```
// script.js
```

```
// Data for the inventory
```

```
const inventoryData = {
```

```
labels: [&#39;Electronics&#39;, &#39;Clothing&#39;, &#39;Home  
Appliances&#39;, &#39;Books&#39;, &#39;Toys&#39;],  
datasets: [  
{  
label: &#39;Items in Stock&#39;;  
data: [200, 150, 100, 80, 50],  
backgroundColor: [  
&#39;#FF6384&#39;,  
&#39;#36A2EB&#39;,  
&#39;#FFCE56&#39;,  
&#39;#4BC0C0&#39;,  
&#39;#9966FF&#39;;  
],  
}  
]  
};  
  

```

```
title: {  
    display: true,  
    text: '&#39;Inventory Distribution&#39;  
}  
}  
});  
  
// Creating the Bar Chart  
const ctxBar =  
document.getElementById(&#39;barChart&#39;).getContext(&#39;2d&#39;);  
const barChart = new Chart(ctxBar, {  
    type: &#39;bar&#39;,  
    data: inventoryData,  
    options: {  
        responsive: true,  
        title: {  
            display: true,  
            text: '&#39;Items in Stock by Category&#39;  
},  
        scales: {  
            yAxes: [{  
                ticks: {  
                    beginAtZero: true  
                }  
            }  
        }  
    }  
});
```

```
}]
```

```
}
```


```
}
```

```
});
```

```
?
```

OUTPUT:

Inventory Management System



RESULT:

Hence , to create data visualizations, such as pie charts and bar graphs, for an inventory management system using JavaScript has been done successfully.