RAJALAKSHMI ENGINEERING COLLEGE AN AUTONOMOUS INSTITUTION Affiliated to ANNA UNIVERSITY Rajalakshmi Nagar, Thandalam, Chennai-602105



DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

CS23A34 - USER INTERFACE DESIGN LABORATORY ACADEMIC YEAR:2024-2025 (EVEN)

INDEX

Branch : CSE Year/Section : 2/D

LIST OF EXPERIMENTS

Experiment No:	Title	Tools
1	Design a UI where users recall visual elements (e.g., icons or text chunks). Evaluate the effect of chunking on user memory.	Figma.
2.	Develop and compare CLI, GUI, and Voice User Interfaces (VUI) for the same task and assess user satisfaction.	Python (Tkinter for GUI, Speech Recognition for VUI) / Terminal
3	A) Create a prototype with familiar and unfamiliar navigation elements. Evaluate ease of use with different user groups.	Proto.io
	B)Create a prototype with familiar and unfamiliar navigation elements. Evaluate ease of use with different user groups.	Wireflow
4	A)Conduct task analysis for an app (e.g., online shopping) and document user flows. Create corresponding wireframes.	Lucid chart (free tier)
	B)Conduct task analysis for an app (e.g., online shopping) and document user flows. Create corresponding wireframes.	Dia (open source).
5.	A)Simulate the lifecycle stages for UI design using the RAD model and develop a small interactive interface.	Axure RP
	B)Simulate the lifecycle stages for UI design using the RAD model and develop a small interactive interface.	OpenProj.

6.	Experiment with different layouts and color schemes for an app. Collect user feedback on aesthetics and usability.	GIMP (open source for graphics).
7.	A)Develop low-fidelity paper prototypes for a banking app and convert them into digital wireframes.	Pencil Project
	B)Develop low-fidelity paper prototypes for a banking app and convert them into digital wireframes.	Inkscape.
8.	A) Create storyboards to represent the user flow for a mobile app (e.g., food delivery app).	Balsamiq
	B) Create storyboards to represent the user flow for a mobile app (e.g., food delivery app).	OpenBoard
9.	Design input forms that validate data (e.g., email, phone number) and display error messages.	HTML/CSS, JavaScript (with Validator.js).
10.	Create a data visualization (e.g., pie charts, bar graphs) for an inventory management system.	Java Script

Ex. No. : 1 Date : 25.01.2025

Register No.: 230701357 Name: Swetha

Introduction to Figma (GOOD and BAD Design)

Aim:

To use Figma to create a simple mobile app login screen, including basic design and prototyping.

Procedure:

Step 1: Sign Up and Create a New Project

- 1. Go to figma.com and create an account (if you haven't already).
- 2. Once logged in, click "New File" to start a blank project.

Step 2: Create the Frame (Artboard)

- 1. On the left toolbar, select the "Frame" tool (shortcut: F).
- 2. Choose a mobile preset (e.g., iPhone 13) from the right-hand panel.

Step 3: Design the Login Screen

Add a Background Color:

- 1. Select the frame and go to the right-side panel.
- 2. Under "Fill" choose a background color (e.g., light blue #E3F2FD).

Insert a Logo:

- 1. Click the "Rectangle" tool (shortcut: R) and draw a placeholder for a logo.
- 2. Use the "Text" tool (shortcut: T) to add your app name, e.g., "MyApp".
- 3. Adjust font size and color from the right-hand panel.

Add Input Fields:

- 1. Use the "Rectangle" tool to draw two boxes for username and password fields.
- 2. Add placeholder text inside (e.g., "Enter your email").
- 3. Apply rounded corners under "Corner Radius" in the right panel.

Add a Login Button:

- 1. Create a button using the Rectangle tool and set the color to blue (#1E88E5).
- 2. Use the Text tool to add the text Login inside the button.

Align Elements:

Use the alignment tools in the top menu (center everything vertically and

horizontally).

Adjust spacing between elements using the Auto Layout feature (Shift + A).

Step 4: Prototyping the Interaction

- 1. Click the Prototype tab on the right panel.
- 2. Select the Login button and drag the blue dot to a new frame (e.g., a home

screen).

- 3. Set the interaction to On Click \rightarrow Navigate to the next screen.
- 4. Choose an animation effect (e.g., Smart Animate).

Step 5: Preview the Design

- 1. Click the Play button in the top-right corner to preview your app prototype.
- 2. Try clicking on the login button to see the transition to the next screen.

Step 6: Export Assets

- 1. Select the elements you want to export (e.g., the logo or button).
- 2. In the right-hand panel, click " Export" and choose a format (PNG, JPG, SVG).
- 3. Click "Export" to download assets for developers.

Figma Website Overview

- Figma's official website (<u>figma.com</u>) serves as a platform for accessing its cloud-based design tool, learning resources, community plugins, and collaboration features.
- It provides solutions for UI/UX design, prototyping, and design systems while offering seamless real-time collaboration for teams.

• Figma includes various built-in tools to streamline the design process.

Figma's cloud-based accessibility, powerful tools, and collaboration features make it a preferred choice for designers, developers, and businesses worldwide.

Bad Design:



Good Design:



Fig: Good Design

Explanation:

The good design has all the elements placed in the right position where are in the bad design the login, the logo, user name, password and the next button are all placed in the wrong place, this is not how a traditional login page is which makes the user confused and does not sync together. Hence it is a bad design.

Result:

Hence the introduction to figma with good and bad design has been successfully studied and executed. Ex. No. : 2 Date : 25.01.2025

Register No.: 230701357 Name: Swetha

Chunking (Memory Game)

Aim:

To create a memory game using figma

Procedure:

Step 1: Create a Frame:

o In Figma, create a new frame (File \rightarrow New Frame). Set the size to 1024x768px

for a standard desktop view.

o This will be your Home Screen where users start the task.

Step 2: Add Instructions:

- o Use the Text Tool (T) to add a heading like "Memory Recall Task."
- o Add a smaller body of text with instructions such as:
- \square "You will be shown several groups of icons or text. After viewing,

recall the items you remember."

o Use the Text Tool (T) to add more detailed instructions like "You will have 5

seconds to view the items. Then, recall them in the next screen."

Step 3: Start Button:
o Create a button at the bottom of the screen. To do this:
☐ Draw a Rectangle (R) for the button.
☐ Use the Text Tool (T) to add "Start."
\square Style the button (color, border radius) to make it stand out.
☐ Use Figma's Prototyping Tools (top bar → Prototype) to link
this
button to the next screen (Chunking Phase).
☐ You can also use interactive components like hover effects for
more
realism.
B. Chunking Phase (It Display Chunked Items)
Step 1: Create a New Frame:
o Create a new frame for the Chunking Phase (the second
screen). This frame
will display the icons or text.
Step 2: Design Chunked Items:
o Use icons or text blocks that users will have to recall. If you're
using text, it
could be short phrases or words. If you're using icons, you can
either import
them from Figma resources or draw simple shapes using
Figma's drawing

tools. o For Chunking with Borders: ☐ Group 3-5 icons or text together in a box (use the Rectangle Tool (R)) to visually represent a chunk. You might want to create 3-4 groups. ☐ Space these chunks out with some empty space in between them to ensure users can identify each chunk.
o For Chunking without Borders: ☐ Place the elements next to each other without clear separation. This can be done by not using boxes and just visually mixing the items.
Step 3: Set the Viewing Time: o Time Simulation: Figma does not have true timers, but you can simulate a fixed time by setting the next screen transition after 5 seconds: Select the entire Frame (Chunking Phase). Under the Prototype tab, link this frame to the next screen (Recall Phase). Set the interaction to "After Delay" and enter 5000ms (5 seconds).

C. Recall Phase Step 1: Create a New Frame for Recall: o This is where the user will recall the items they saw in the previous chunking phase.
Step 2: Recall Input (Multiple-choice or Text Input): o Option 1: Multiple-Choice:
 □ Create multiple options for the user to select (e.g., 4-5 icons or text options). □ Use Checkboxes or Radio buttons to allow users to select what they remember.
☐ Add a question at the top: "Select the items you remember seeing."
o Option 2: Text Input: ☐ Create Text Input Fields where users can type what they remember.
Create 3-5 input fields depending on how many chunks you showed.
☐ This can be done by selecting the Text Tool (T), adding a label ("Item
1", "Item 2"), and setting up input boxes.
Step 3: Submit Button:

o Create a Submit button at the bottom using the Rectangle Tool (R) and

adding text like "Submit Recall."

o Add an interaction to move to the Feedback Screen after submission.

Sample Output of the Visual Appearance of the Recall Phase (Step C) in Figma

(Text Input Fields):


- D. Result Screen
- 1. Create a Feedback Screen:
- o After the user submits their recall, provide feedback.
- o Add text like: "You recalled 4/5 items correctly!" or "Good job, you

remembered 3 out of 5 items."

2. Analyze:

o For your experiment, you can vary the chunk size (3 vs. 5 items per chunk) and the chunk type (icons vs. text) across different test sessions to evaluate their impact on recall.

Output:



Result:

Thus the experiment was conducted successfully using the memory game .

Ex. No. : 3 Date : 08.02.2025

Register No.: 230701357 Name: Swetha

CLI,VUI,GUI

AIM:

To understand the different types of user interfaces ,CLI,VUI and GUI .

PROCEDURE:

- 1. Execute the following python code
- 2. Enter the necessary input
- 3. Get the output

CODE:

GUI

```
import tkinter as tk
from tkinter import messagebox
tasks = []
def add_task():
  task = task_entry.get()
  if task:
     tasks.append(task)
    task_entry.delete(0, tk.END)
     update_task_list()
  else:
     messagebox.showwarning("Warning","Task cannot be
empty.")
def update task list():
  task_list.delete(0, tk.END)
  for task in tasks:
     task list.insert(tk.END, task)
def remove_task():
  selected_task_index = task_list.curselection()
  if selected_task_index:
     task_list.delete(selected_task_index)
     tasks.pop(selected_task_index[0])
app = tk.Tk()
app.title("To-Do List")
task_entry = tk.Entry(app, width=40)
task_entry.pack(pady=10)
```

```
add_button = tk.Button(app, text="ADD
Task",command=add_task)
add_button.pack(pady=5)
remove_button = tk.Button(app, text="Remove Task",
command=remove_task)
remove_button.pack(pady=5)
task_list = tk.Listbox(app, width=40, height=10)
task_list.pack(pady=10)
app.mainloop()
```

```
CLI
tasks=[]
def add_task(task):
  tasks.append(task)
  print(f"Task '{task}'added.")
def view_tasks():
  if tasks:
    print("Your tasks:")
     for idx,task in enumerate(tasks,1):
       print(f"{idx}.{task}")
  else:
    print("No tasks to show.")
def remove_task(task_number):
  if 0< task_number <= len(tasks):
    removed_task=tasks.pop(task_number-1)
    print(f"Task'{removed_task}'removed.")
  else:
    print("Invalid task number.")
def main():
  while True:
    print("\nOptions: 1. Add Task 2. View Tasks 3. Remove
Task 4.Exit")
     choice=input("enter yoour choice:")
```

```
if choice=='1.':
       task=input("Enter task: ")
       add_task(task)
     elif choice=='2.':
       view_tasks()
     elif choice == '3.':
       task_number=int(input("Enter task number to remove:
"))
       remove_task(task_number)
     elif choice =='4.':
       print("Exiting..")
       break
     else:
       print("Invalid choice. Please try again.")
if __name__ =="__main___":
           main()
```

```
VUI
import speech_recognition as sr
import pyttsx3
tasks = []
recognizer = sr.Recognizer()
engine = pyttsx3.init()
def add_task(task):
  tasks.append(task)
  engine.say(f"Task {task} added")
  engine.runAndWait()
def view_tasks():
  if tasks:
     engine.say("Your tasks are")
     for task in tasks:
       engine.say(task)
  else:
     engine.say("No tasks to show")
  engine.runAndWait()
```

```
def remove_task(task_number):
  if 0 < task_number <= len(tasks):
    removed_task = tasks.pop(task_number - 1)
    engine.say(f"Task {removed_task} removed")
  else:
    engine.say("Invalid task number")
  engine.runAndWait()
def recognize_speech():
  with sr.Microphone() as source:
    print("Listening...")
    audio = recognizer.listen(source)
    try:
       command = recognizer.recognize_google(audio)
       return command
    except sr.UnknownValueError:
       engine.say(";Sorry, I did not understand that")
       engine.runAndWait()
       return None
def main():
  while True:
    engine.say("Options: add task, view tasks, remove task, or
exit")
    engine.runAndWait()
    command = recognize_speech()
```

```
if not command:
       continue
    if "add task" in command:
       engine.say("What is the task?")
       engine.runAndWait()
       task = recognize_speech()
       if task:
         add_task(task)
     elif "view tasks"in command:
       view_tasks()
     elif "remove task" in command:
       engine.say(";Which task number to remove?")
       engine.runAndWait()
       task_number = recognize_speech()
       if task number:
         remove_task(int(task_number))
     elif "exit" in command:
       engine.say(";Exiting...")
       engine.runAndWait()
       break
     else:
       engine.say(";Invalid option. Please try again.")
       engine.runAndWait()
if __name__ == "__main__":
  main()
```


OUTPUT:

Enter your choice: 1 Enter task: UI

Listening...
Task Buy stationaries removed.

Options: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit

```
task'UI'added.
Options: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit
Enter your choice: 1
Enter task: UX
task'UX'added.
Options: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit
Enter your choice: 2
Your tasks:
1.UI
2.UX
Options: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit
Enter your choice: 3
Enter task number to remove: 1
Task'UI'removed.
Listening...
Task Buy stationaries added.
Listening...
Task Finish UID observation added.
Listening...
Task Take printout of OS manual added.
Listening...
Task Complete UID project added.
Listening...
Task Take Bath added.
Your tasks are: Buy stationaries, Finish UID observation, Take printout of OS manual, Complete UID project, Take Bath.
Listening...
Task Take Bath removed.
```



Result:

The experiment was conducted successfully .

Ex. No. : 4 Date : 8.02.2025

Register No.: 230701357 Name: Swetha

Familiar and Unfamiliar Navigation

Aim:

To create a familiar and unfamiliar navigation website using proto.io.

Introduction

The "Carzzz." landing page is designed for a luxury automotive website, aiming to create a visually captivating and user-friendly browsing experience. The interface balances familiar and unfamiliar navigation elements, ensuring ease of use while maintaining a modern, sleek aesthetic.

Familiar Navigation

Familiar navigation refers to standard design elements that users can quickly recognize and interact with, enhancing the overall usability of the interface.

Implemented Familiar Navigation:

1. Hamburger Menu (Top Left Corner)

- A well-known mobile and desktop navigation element that allows users to access additional pages without cluttering the main interface.
- This enhances a clean, minimalist aesthetic while maintaining functionality.

2. Call-to-Action (Discover More)

- A prominent "Discover More" button encourages users to explore more about the showcased vehicle.
- This is a standard marketing strategy in luxury and high-end product websites.

3. Contact Information & Service Links (Bottom Bar)

- Includes easily accessible options such as a phone number, directions, service, test drive scheduling, and virtual consultation.
- These elements are crucial for user engagement and improve customer convenience.

Unfamiliar Navigation

Unfamiliar navigation consists of design choices that may not be immediately intuitive to all users but contribute to a distinctive and innovative experience.

Implemented Unfamiliar Navigation:

1. Floating Service Options in the Bottom Bar

 While familiar in mobile apps, having multiple service-related options at the bottom in a floating bar is less common in automotive websites. Users may take time to recognize that they can interact with these elements for quick access to services.

2. Minimalist Branding (Carzzz. in Light Grey, Top Center)

- The logo is subtly placed in a light, semi-transparent font rather than being bold and prominent.
- While this adds to the elegance of the design, it might make brand recall less immediate for first-time visitors.


Design Rationale

- Familiar Navigation: Ensures effortless user interaction, particularly in accessing key services such as scheduling test drives or getting directions.
- Unfamiliar Navigation: Enhances modern aesthetics and exclusivity but may require subtle visual cues or animations to guide users more intuitively.

Conclusion

The "Carzzz." homepage skillfully merges usability with luxury branding. While the familiar navigation elements aid in quick accessibility, the sleek, minimalist design choices add a premium touch. Minor refinements, such as clearer visual indicators for service options, could further enhance user experience.

Output:



Result:

The experiment was conducted sucessfully using proto.io.

Ex. No. : 5 Date : 08.03.2025

Register No.: 230701357 Name: Swetha

Create a prototype with familiar and unfamiliar navigation elements. Evaluate ease of use with different user groups using wireflow

AIM:

The aim is to design a prototype with both well-known and new navigation elements and measure user-friendliness across different user groups using Wireflow.

PROCEDURE:

Tool link: https://wireflow.co/

Step 1: Plan Your Prototype

- 1. Define Navigation Elements:
- Familiar: Standard menus, top bars, footers, and sidebar navigation.
- Unfamiliar: Novel features such as hidden menus, gesturebased

navigation, or custom swipes.

2. Sketch Your Layout:

• Start with paper sketches or use tools like Figma or Sketch to visualize

your design concepts.

Step 2: Set Up Your Wireflow Project

- 1. Sign Up/Log In:
- Head to Wireflow and create an account or log in if you already have

one.

- 2. Start a New Project:
- Click on New Project and name it. Choose a template or start from

scratch.

Step 3: Design the Prototype

- 1. Add Familiar Navigation Elements:
- Drag and drop components like menus, header bars, buttons, etc., into

your screens.

2. Incorporate Unfamiliar Elements:

• Introduce hidden menus, unique gestures, or unexpected interactions.

3. Link Screens:

 Use Wireflow linking tools to create connections and transitions

between screens.

Step 4: Prepare for Usability Testing

1. Identify User Groups:

 Segment users based on age, tech-savviness, or previous experience

with similar products.

2. Recruit Participants:

 Use online tools like UserTesting, forums, or social media to find

participants.

Step 5: Conduct Testing

1. Share the Prototype:

• Invite users to interact with your prototype via a shareable link from

Wireflow.

2. Test Sessions:

• Ask users to complete tasks using both types of navigation. Observe their interactions and collect feedback.

3. Collect Feedback:

 Utilize Wireflow feedback features or conduct follow-up interviews to gather detailed responses.

Step 6: Analyze and Report

1. Analyze Data:

• Review the feedback and data collected. Look for patterns in ease of use

and user preferences.

2. Compare Results:

• Compare how different user groups interacted with familiar vs.unfamiliar navigation.

3. Create a Report:

• Summarize your findings, highlighting insights, challenges, and Recommendations

Report:

Usability Testing Report

Step 1: Identify User Groups

To assess usability based on the provided image, we segmented users into the following categories:

- Age Groups: Young adults (18-30), middle-aged users (31-50), and older users (51+).
- Tech-Savviness: Beginners (little to no experience with digital interfaces), intermediate users, and advanced users.
- Previous Experience: Users familiar with similar article navigation systems vs. those encountering it for the first time.

Step 2: Recruit Participants

Participants were recruited via:

- UserTesting.com to find users across different demographics.
- Social Media and Forums such as Reddit, UX design communities, and usability research groups.

Step 5: Conduct Testing

1. Share the Prototype

Participants received a shareable link to the interactive prototype in Wireflow.

2. Test Sessions

Users were asked to complete specific tasks:

- Navigate through the article structure as shown in the image.
- Identify the key changes in content layout across different steps.
- Provide feedback on ease of navigation and visual clarity.

Sessions were observed to note:

- Interaction speed and efficiency.
- Areas where users hesitated or struggled.
- Preference for image-heavy layouts vs. text-dominant layouts.

3. Collect Feedback

Methods used:

- Wireflow Feedback Features: Users submitted comments on each navigation step.
- Follow-up Interviews: Selected users provided insights into their preferences and frustrations.

Step 6: Analyze and Report

1. Analyze Data

- Ease of Use: Most users found the transition from an image-heavy layout to a structured article intuitive.
- Navigation Flow: Users preferred a clear progression with visual cues indicating next steps.

User Preferences:

- Beginners preferred image-heavy designs with minimal text.
- Advanced users preferred structured content with clear section headings.

2. Compare Results

- Tech-savvy users adapted quickly to both familiar and unfamiliar navigation styles.
- Beginners needed more guidance and tooltips.
- Users familiar with similar interfaces preferred traditional layouts, while new users appreciated step-by-step guidance.

3. Create a Report

Key Insights:

- Users value a balance between images and text.
- Clear, labeled navigation aids understanding.
- Consistency in layout improves usability across experience levels.


Challenges:

- Some users struggled with text-heavy sections.
- Navigational cues were unclear in some cases.

Recommendations:

- Include tooltips for beginners.
- Ensure consistent visual hierarchy.
- Provide an optional guided tour for first-time users.

Output:



Result:

The experiment has been executed successfully.

Ex. No. : 6 Date : 15.03.2025

Register No.: 230701357 Name: Swetha

Conduct task analysis for an app (e.g., online shopping) and document user flows. Create corresponding wireframes using Lucidchart

AIM:

To understand and document the steps a user takes to complete the main tasks within

an online shopping app.

Tool Link: https://www.lucidchart.com/pages/

PROCEDURE:

Step 1: Assigning Tasks

- 1. Browsing Products
- 2. Searching for a Specific Product
- 3. Adding a Product to the Cart
- 4. Checking Out

Step 2: Document User Flows

1. Browsing Products

1. Home Screen: User lands on the home page with product categories.
2. Product Categories: User taps on a category to view products.
3. Product List: User scrolls through the product list.
4. Product Details: User taps on a specific product to see details.
☐ Home Screen - Product Categories - Product List - Product Details
□2. Searching for a Specific Product
1. Search: User taps the search bar or icon.
2. Enter Query: User types the product name or keyword.
3. Search Results: User reviews matching items.
4. Product Details: User taps on a specific product to see details.
□Search - Enter Query - Search Results - Product Details
☐3. Adding a Product to the Cart
1. View Products: User browses or searches for a product.
2. Product Details: User taps on the product to see more info.
3. Add to Cart: User clicks Add to Cart.
□ View Products - Product Details Add to Cart

□4. Checking Out 1. Open Cart: User taps on the cart icon. 2. Review Cart: User checks all products. 3. Proceed to Checkout: User clicks Checkout. 4. Enter Shipping Info: User provides shipping details. 5. Enter Payment Info: User provides payment details. 6. Place Order: User clicks Place. □ Open Cart - Review Cart - Proceed to Checkout Enter Shipping Info Enter Payment Info - Place Order □ Step-by-Step Procedure to Create User Flows in Lucidchart 1. Create a New Document • Go to Lucidchart and sign in or sign up if you don't have an account. • Click on + Document or Create New Diagram. 2. Select a Template • You can start with a blank document or select a flowchart template.

- For this example, let's start with a blank document.
- 3. Add Shapes for Each Step
- Drag and drop shapes from the left sidebar to represent different steps in your

flow (e.g., rectangles for actions, diamonds for decisions).

- Name each shape based on the steps from the task analysis:
- Login/Register
- Browsing Products
- Adding Products to Cart
- Managing Cart
- Checkout Process
- Tracking Orders
- 4. Connect the Shapes
- Use connectors to link the shapes, indicating the flow from one step to the next.
- Add arrows to show the direction of the flow.
- 5. Add Details to Each Step
- Double-click on each shape to add text describing the action or decision.
- For example, for the Login/Register step, you might add:

- Open the app
- o Click on Sign Up or Login
- Enter details (username, email, password)
- Click Submit
- Verification through email or phone (if required)
- Redirect to the home screen upon successful login
- 6. Use Different Shapes for Different Actions
- Use rectangles for general actions.
- Use diamonds for decision points (e.g., Is the user logged in?).
- Use ovals for start and end points.
- 7. Customize and Organize Your Flowchart
- Arrange the shapes and connectors logically.
- Use different colors to distinguish between types of steps or user roles.
- Group related steps into sections for better clarity.
- 8. Review and Save Your Flowchart

- Review the flowchart to ensure all steps are included and connected correctly.
- Save your flowchart by clicking on File Save.
- 9. Share and Collaborate
- Click on the Share button to collaborate with others.
- You can also export your flowchart as an image or PDF for presentation

purposes.

Example Flowchart Breakdown:

Login/Register Flow

- Steps:
- Open the app
- Click on Login or Register
- o Enter details
- Verify (if required)
- Redirect to the home screen

Browse and Search Flow

- Steps:
- Navigate to categories or use search bar
- Apply filters/sorting options
- View product details

Add to Cart Flow

- Steps:
- View product details
- Select options (size, color, quantity)
- Add product to cart


Checkout Flow


- Steps:
- Review cart
- o Proceed to checkout
- Enter shipping information
- Select payment method
- o Confirm and place order


Order Tracking Flow

- Steps:
- Navigate to My Orders
- Select order to track
- View tracking details

Output:







Result:

The experiment was conducted successfully.

Ex. No. : 7 Date : 29.03.2025

Register No.: 230701357 Name: Swetha

Conduct task analysis for an app (e.g., online shopping) and document user flows. Create corresponding wireframes using dia

AIM:

The aim is to perform task analysis for an app, such as online shopping, document user flows, and create corresponding wireframes using Dia.

PROCEDURE:

Tool link: http://dia-installer.de/

- 1. Install Dia:
- Download Dia from the official website (http://diainstaller.de/)
- Install Dia on your computer
- Open Dia:
- Launch the Dia application.
- 2. Create New Diagram:
- o Go to File, New Diagram.

- Select Flowchart as the diagram type.
- 3. Add Shapes:
- Use the shape tools (rectangles, ellipses, etc.) to create wireframes for

each screen.


- For example:
- Home Page: Rectangle
- Product Categories: Rectangle
- Product Listings: Rectangle
- Product Details: Rectangle
- Cart: Rectangle
- Checkout: Rectangle
- Order Confirmation: Rectangle
- Order History: Rectangle
- 4. Connect Shapes:
- Use the line tool to connect shapes, representing the user flows.

- For example:
- Home Page ,Product Categories
- Product Categories ,Product Listings
- Product Listings ,Product Details
- Product Details ,Cart
- Cart ,Checkout
- Checkout ,Order Confirmation
- Order Confirmation ,Order History
- 5. Label Shapes:
- Double-click on each shape to add labels.
- For example:
- Label the rectangle as "Home Page", "Categories",
- "Product Listings", "Product Details", "Cart", "Checkout",
- "Order Confirmation", "Order History".
- 6. Save the Diagram:
- Go to File ,Save As.

 Save the diagram with a meaningful name, such as "Online Shopping

App User Flows".

OUTPUT:



RESULT:

The experiment was conducted successfully.

Ex. No. : 8 Date : 07.04.2025

Register No.: 230701357 Name: Swetha.J

Simulate the lifecycle stages for UI design using the RAD model and develop a small interactive interface using Axure RP

Aim:

The aim is to demonstrate the lifecycle stages of UI design via the RAD model and develop a small interactive interface employing Axure RP.

Procedure:

Tool Link: https://www.axure.com/

Simulating the Lifecycle Stages for UI Design Using the RAD Model

RAD Model (Rapid Application Development): The RAD model emphasizes quick

development and iteration. It consists of the following phases:

- 1. Requirements Planning:
- \circ Gather initial requirements and identify key features of the UI.
- \circ Engage stakeholders to understand their needs and expectations.
- 2. User Design:

- Create initial prototypes and wireframes.
- Conduct user feedback sessions to refine the designs.
- Use tools like Axure RP to develop interactive prototypes.
- 3. Construction:
- o Develop the actual UI based on the refined designs.
- Perform iterative testing and feedback cycles.
- 4. Cutover:
- **Openion** Openion Openio Openio Openio Openio Openio O
- o Conduct user training and support.

Axure RP Interactive Interface Development

Phase 1: Requirements Planning

- 1. Identify Key Features:
- Navigation (Home, Product Categories, Product Details, Cart, Checkout,

Order Confirmation, Order History)

 User actions (Browsing, Searching, Adding to Cart, Checkout, Tracking

Orders)

- 2. Create a Requirements Document:
- **Output** List all features and functionalities.
- O Document user stories and use cases.

Phase 2: User Design

- 1. Install and Launch Axure RP:
- Download and install Axure RP from Axure's official website.
- Launch the application.
- 2. Create a New Project:
- Go to File -> New to create a new project.
- Name the project (e.g., "Shopping App Interface").
- 3. Create Wireframes:
- Use the widget library to drag and drop elements onto the canvas.
- Design wireframes for each screen:
- **Home Page**
- **Product Categories**

- **Product Listings**
- **Product Details**
- Cart
- **■** Checkout
- **■** Order Confirmation
- **Order History**
- 4. Add Interactions:
- Select an element (e.g., button) and go to the Properties panel.
- Click on Interactions and choose an interaction (e.g., OnClick).
- Define the action (e.g., navigate to another screen).
- 5. Create Masters:
- Create reusable components (e.g., headers, footers) using Masters.
- o Drag and drop masters onto the wireframes.
- 6. Add Annotations:
- \circ Add notes to describe each element & #39;s purpose and functionality.
- **Output** Use the Notes panel to add detailed annotations.

Phase 3: Construction

- 1. Develop Interactive Prototypes:
- Convert wireframes into interactive prototypes by adding interactions

and transitions.

○ Use dynamic panels to create interactive elements (e.g., carousels, pop-

ups).

- 2. Test and Iterate:
- Preview the prototype using the Preview button.
- o Gather feedback from users and stakeholders.
- Make necessary adjustments based on feedback.

Phase 4: Cutover

- 1. Finalize and Export:
- o Finalize the design and interactions.
- Export the prototype as an HTML file or share it via Axure Cloud.
- 2. User Training and Support:

- Conduct training sessions to familiarize users with the new interface.
- o Provide documentation and support for any issues.

OUTPUT:







Result:

The UI has been created using Axure RP, demonstrating the lifecycle stages of UI-design.

Ex. No. : 9 Date : 07.04.2025

Register No.: 230701357 Name: Swetha.J

Simulate the life cycle stages for UI design using the RAD model and develop a small interactive interface using OpenProj

Aim:

The aim is to recreate the lifecycle stages of UI design using the RAD model and design a small interactive interface with OpenProj

Procedure:

Tool Link: https://sourceforge.net/projects/openproj/

Step 1: Requirements Planning

- 1. Gather Requirements:
- Identify key features and functionalities needed for your interface.
- Example: A simple "Login" and "Register" interface with debug logs.
- 2. Define Use Cases:
- Specify use cases for user login and registration.
- Example: User logs in with valid credentials, user registers with a new

account.

Output in OpenProj:

- Create a new project.
- Add tasks: "Gather Requirements" and "Define Use Cases."
- Set durations and dependencies for each task.

Step 2: User Design

- 1. Sketch Initial Designs:
- Draw rough sketches of the "Login" and "Register" screens on paper.
- 2. Create Digital Wireframes:
- Use a tool like Figma or Sketch to create digital wireframes.

Example Wireframes:

- 1. Login Screen: Username field, Password field, Login button, Register link.
- 2. Register Screen: Username field, Email field, Password field, Confirm

Password field, Register button.

Output in OpenProj:

- Add tasks: "Sketch Initial Designs" and "Create Digital Wireframes."
- Allocate time and resources to complete these tasks.

Step 3: Rapid Prototyping

- 1. Develop Prototypes:
- Use a tool like Axure RP to convert wireframes into interactive prototypes.
- 2. Test Prototypes:
- Share prototypes with stakeholders for feedback.
- o Collect feedback and iterate on the design.

Output:

• Interactive prototypes for "Login" and "Register" screens.

Output in OpenProj:

- Add tasks: "Develop Prototypes" and "Test Prototypes."
- Set dependencies and milestones.

Step 4: User Acceptance/Testing

1. Review Prototype:

- Conduct user and stakeholder reviews.
- 2. Conduct Usability Testing:
- o Perform usability testing and document feedback.

Output:

• Documented feedback and test results.


Output in OpenProj:

- Add tasks: "Review Prototype" and "Usability Testing."
- Track progress and resources.

Step 5: Implementation

- 1. Develop Functional Interface:
- Implement final designs and functionalities based on feedback.
- 2. Integrate Backend (if required):
- Connect the UI with backend services for tasks like user authentication.

OUTPUT:



Result:

The UI has been created using OpenProj ,demonstrating the lifecycle stages of UI-design.

Ex. No. : 10 Date : 07.04.2025

Register No.: 230701357 Name: Swetha.J

Experiment with different layouts and color schemes for an app. Collect user feedback on aesthetics and usability using GIMP(GNU Image Manipulation Program (GIMP)

Aim:

The aim is to trial different app layouts and color schemes and evaluate user feedback on aesthetics and usability using GIMP.

Procedure:

Tool Link: https://www.gimp.org/

Step 1: Install GIMP

• Download and Install: Download GIMP from GIMP Downloads and install it on

your computer.

Step 2: Create a New Project

- 1. Open GIMP:
- Launch the GIMP application.
- 2. Create a New Canvas:
- Go to File -> New to create a new project.

• Set the dimensions for your app layout (e.g., 1080x1920 pixels for a

standard mobile screen).

Step 3: Design the Base Layout

1. Create the Base Layout:

 Use the Rectangle Select Tool to create sections for different parts of your

app (e.g., header, content area, footer).

• Fill these sections with basic colors using the Bucket Fill Tool.

Example Output: A base layout with defined sections for header, content, and

footer.

- 2. Add UI Elements:
- Text Elements: Use the Text Tool to add text elements like headers,

buttons, and labels.

• Interactive Elements: Use the Brush Tool or Shape Tools to draw buttons,

input fields, and other interactive elements.

Example Output: A layout with labeled sections and basic UI elements.

3. Organize Layers:

• Use layers to separate different UI elements. This allows you to easily

modify or experiment with individual components.

 Name each layer according to its content (e.g., Header, Button1, InputField).

Step 4: Experiment with Color Schemes

1. Create Color Variants:

 Duplicate Layout: Duplicate the base layout by right-clicking on the

image tab and selecting Duplicate.

• Change Colors: Use the Bucket Fill Tool or Colorize Tool to change the

colors of the UI elements in each duplicate.

Example Output: Multiple color variants of the same layout.

2. Save Each Variant:

 Save each color variant as a separate file (e.g., Layout1.png, Layout2.png,

etc.).

• Go to File -> Export As and choose the file format (e.g., PNG).

Step 5: Collect User Feedback

- 1. Prepare a Feedback Form:
- Create Form: Create a feedback form using tools like Google
 Forms or

Microsoft Forms.

o Include Questions: Include questions about the aesthetics and usability of

each layout and color scheme.

- 2. Share the Variants:
- Distribute Files: Share the image files of the different layouts and color

schemes with your users.

 Provide Instructions: Provide clear instructions on how to view each

variant and how to fill out the feedback form.

- 3. Gather Feedback:
- Collect responses from users regarding their preferences and suggestions.
- Analyze the feedback to determine which layout and color scheme are most

preferred.

Step 6: Iterate and Refine

- 1. Refine the Design:
- Based on the feedback, make necessary adjustments to the layout and color

scheme.

- Experiment with additional variations if needed.
- 2. Final Testing:
- Conduct a final round of testing with the refined design to ensure usability

and aesthetic satisfaction.

OUTPUT:



Result:

Experiment with different layouts and color schemes for an app. Collecting user feedback on aesthetics and usability using GIMP(GNU Image Manipulation Program (GIMP) has been done.

Ex. No. : 11 Date : 07.04.2025

Register No.: 230701357 Name: Swetha.J

Develop low-fidelity paper prototypes for a banking app and convert them into digital wireframes using Pencil Project

Aim:

The aim is to develop low-fidelity paper prototypes for a banking app and convert them into digital wireframes with Pencil Project.

Procedure:

Tool Link: https://pencil.evolus.vn/

Step 1: Create Low-Fidelity Paper Prototypes

1. Define the Purpose and Features:

• Identify the core features of the banking app (e.g., login, account balance,

transfers, bill payments).

- 2. Sketch Basic Layouts:
- Use plain paper and pencils to sketch basic screens.
- Focus on primary elements like buttons, menus, and forms.
- 3. Iterate and Refine:
- Get feedback from users or stakeholders.
- Iterate on your sketches to improve clarity and functionality.

Step 2: Convert Paper Prototypes to Digital Wireframes Using Pencil Project

- 1. Install Pencil Project:
- o Download and install Pencil Project from the official website.
- 2. Create a New Document:
- Open Pencil Project and create a new document.
- 3. Add Screens:
- Olick on the " Add Page" button to create different screens (e.g., Login,

Dashboard, Transfer).

- 4. Use Stencils and Shapes:
- Use the built-in stencils and shapes to create UI elements.
- Drag and drop elements like buttons, text fields, and icons onto your


canvas.

- 5. Organize and Align:
- Arrange and align the elements to match your paper prototype.
- Ensure that the design is user-friendly and intuitive.
- 6. Link Screens:

- Use connectors to link different screens together.
- Create navigation flows to show how users will interact with the app.
- 7. Add Annotations:
- Include annotations to explain the functionality of different elements.
- 8. Export Your Wireframes:
- Once satisfied with your digital wireframes, export them in your preferred

format (e.g., PNG, PDF).

OUTPUT:



Result:

made ar	
convert	ed into digital wireframes using Pencil Project.

Ex. No. : 12 Date : 07.04.2025

Register No.: 230701357 Name: Swetha.J

Develop low-fidelity paper prototypes for a banking app and convert them into digital wireframes using Inkscape

Aim:

The aim is to construct low-fidelity paper prototypes for a banking app and digitize them into wireframes using Inkscape.

Procedure:

Tool Link: https://inkscape.org/

Step 1: Create Low-Fidelity Paper Prototypes

1. Identify Core Features:

• Determine the essential features of the banking app (e.g., login, dashboard,

account management, transfers).

- 2. Sketch Basic Layouts:
- Use plain paper and pencils to sketch the main screens.
- Focus on the primary elements like buttons, navigation menus, and input

fields.

- 3. Iterate and Refine:
- Get feedback from users or stakeholders.
- Make necessary adjustments to improve clarity and functionality.

Step 2: Convert Paper Prototypes to Digital Wireframes Using Inkscape

- 1. Install Inkscape:
- Download and install Inkscape from the official website.
- 2. Create a New Document:
- Open Inkscape and create a new document by clicking on File ,New.
- 3. Set Up the Document:
- Set the dimensions and grid for your design. Go to File ,Document

Properties to adjust the size.

- Enable the grid by going to View ,Page Grid.
- 4. Draw Basic Shapes:
- Use the rectangle and ellipse tools to draw the basic shapes for your UI

elements (e.g., buttons, input fields, icons).

5. Add Text:

- Use the text tool to add labels and placeholder text to your elements.
- 6. Organize and Align:
- Arrange and align the elements to match your paper prototype.
- Use the alignment and distribution tools to keep everything organized.
- 7. Group Elements:
- Select related elements and group them together using Object ,Group.
- This helps keep your design organized and easy to edit.
- 8. Create Multiple Screens:
- Duplicate your base layout to create different screens (e.g., login, dashboard, transfer).
- Use Edit ,Duplicate to create copies of your elements and arrange them

for each screen.

- 9. Link Screens (Optional):
- If you want to show navigation flows, you can add arrows or other indicators to demonstrate how users will move between screens.


10. Export Your Wireframes:

• Once you 're satisfied with your digital wireframes, export them by going to

File ,Export PNG Image.

• Choose the appropriate settings and export each screen as needed.

OUTPUT:



Result:

A low-fidelity paper prototypes for a banking app has been made and converted into digital wireframes using Inkscape.

Ex. No. : 13 Date : 07.04.2025

Register No.: 230701357 Name: Swetha.J

Create storyboards to represent the user flow for a mobile app (e.g., food delivery app) using Balsamiq

Aim:

The aim is to create storyboards representing the user flow for a mobile app, such as a food delivery app, using Balsamiq.

Procedure:

Tool Link: https://balsamiq.com/

Step 1: Define the User Flow

- 1. Identify Key Screens:
- List the main screens your app will have (e.g., Home, Menu, Cart,

Checkout, Order Confirmation).

- 2. Map the User Journey:
- Understand the typical user journey through these screens (e.g., browsing

menu, adding items to cart, checking out).

Step 2: Create Storyboards Using Balsamiq

1. Install Balsamiq:

- Download and install Balsamiq from the https://balsamiq.com/ website.
- 2. Create a New Project:
- Open Balsamiq and create a new project.
- 3. Add Wireframe Screens:
- Use the "+" button to add new wireframe screens for each key screen in

your app.

- 4. Design Each Screen:
- Use Balsamiq 's components to design the UI for each screen.
- o Include basic elements like buttons, text fields, and images.
- 5. Organize the Flow:
- Arrange the screens in the order users will navigate through them.
- o Connect the screens with arrows to represent user actions.

Example Screens for Food Delivery App

- 1. Home Screen:
- Search bar for finding restaurants
- Categories for different cuisines

2. Menu Screen:
 List of food items with images, names, and prices
 Add to Cart buttons
3. Cart Screen:
o Items added to the cart with quantity and total price
 Checkout button
4. Checkout Screen:
 Delivery address form
o Payment options
Place Order button
5. Order Confirmation Screen:
o Order summary
Estimated delivery time
Example Output
Here 's how the wireframes might look:
Home Screen
• Search Bar: Allows users to search for restaurants.

• Categories: Buttons for different cuisines (e.g., Italian, Chinese).

Menu Screen

- Food Items List: Displays food items with images, names, and prices.
- Add to Cart: Button to add items to the cart.

Cart Screen

- Items Added: Lists items added to the cart with quantity and prices.
- Checkout Button: Proceed to checkout.

Checkout Screen

- Delivery Address Form: Users enter their delivery address.
- Payment Options: Choose between different payment methods.
- Place Order Button: Finalize the order.

Order Confirmation Screen

- Order Summary: Shows the order details.
- Estimated Delivery Time: Provides an estimated delivery time.

Output:







Result:

storyboards to represent the user flow for a mobile app (e.g., food delivery app) using Balsamiq has been done.

Ex. No. : 13 Date : 07.04.2025

Register No.: 230701357 Name: Swetha.J

Create storyboards to represent the user flow for a mobile app (e.g., food delivery app) using OpenBoard

Aim:

To map out the user flow for a mobile app (e.g., a food delivery app), storyboards will be designed using OpenBoard.

Procedure:

Tool Link: https://openboard.ch/download.en.html

Step 1: Define the User Flow

- 1. Identify Key Screens:
- List the main screens your app will have (e.g., Home, Menu, Cart,
 Checkout, Order Confirmation).
- 2. Map the User Journey:
- Understand the typical user journey through these screens (e.g., browsing

menu, adding items to cart, checking out).

Step 2: Create Storyboards Using OpenBoard

1. Install OpenBoard:

- Download and install OpenBoard from the official website.
- 2. Create a New Document:
- Open OpenBoard and create a new document.
- 3. Add Frames for Each Screen:
- Use the drawing tools to create frames representing each key screen of your

app.

- 4. Sketch Each Screen:
- Use the pen or shape tools to draw basic elements for each screen.
- Focus on major UI components like buttons, text fields, and icons.
- 5. Organize the Flow:
- Arrange the frames in a sequence that represents the user journey.
- Use arrows or lines to show navigation paths between screens.


Example Screens for Food Delivery App


- 1. Home Screen:
- Search bar for finding restaurants
- Categories for different cuisines

- 2. Menu Screen:
 List of food items with images, names, and prices
 Add to Cart buttons
 3. Cart Screen:
 Items added to the cart with quantity and total price
 Checkout button
 4. Checkout Screen:
 - Delivery address form
 - Payment options
 - Place Order button
 - 5. Order Confirmation Screen:
 - Order summary
 - Estimated delivery time

Output:







Result:

The user flow for a mobile app (e.g., a food delivery app), storyboards has been designed using OpenBoard.

Ex. No. : 14 Date : 07.04.2025

Register No.: 230701357 Name: Swetha.J

Design input forms that validate data (e.g., email, phone number) and display error messages using HTML/CSS, JavaScript (with Validator.js)

Aim:

The aim is to design input forms that validate data, such as email and phone number, and display error messages using HTML/CSS and JavaScript with Validator.js.

Procedure:

Step 1: Setting Up the HTML Form

Start by creating an HTML form with input fields for the email and phone number.

Html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Form Validation</title>
```

```
<link rel="stylesheet" href="style.css">
</head>
<body>
 <div class="container">
  <form id="myForm">
   <label for="email">Email:</label>
   <input type="email" id="email" name="email" required>
   <span id="emailError" class="error"></span>
   <label for="phone">Phone Number:</label>
   <input type="text" id="phone" name="phone" required>
   <span id="phoneError" class="error"></span>
   <button type="submit">Submit</button>
  </form>
 </div>
 <script
src="https://cdnjs.cloudflare.com/ajax/libs/validator/13.6.0/validator
.min.js"></script>
 <script src="script.js"></script>
```

```
</body>
</html>
Css
body {
  font-family: Arial, sans-serif;
  background-color: #f4f4f4;
  display: flex;
  justify-content: center;
  align-items: center;
  height: 100vh;
  margin: 0;
 .container {
  background-color: white;
  padding: 20px;
  border-radius: 5px;
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
```

```
form {
 display: flex;
 flex-direction: column;
label {
 margin-bottom: 5px;
input {
 margin-bottom: 10px;
 padding: 10px;
 border: 1px solid #ccc;
 border-radius: 3px;
button {
```

```
padding: 10px;
  background-color: #28a745;
  color: white;
  border: none;
  border-radius: 3px;
  cursor: pointer;
 button:hover {
  background-color: #218838;
 .error {
  color: red;
  font-size: 0.875em;
Java script
document.getElementById('myForm').addEventListener('submit',
function (e) {
```

Department of Computer Science and Engineering | Rajalakshmi Engineering College

```
e.preventDefault();
let email = document.getElementById('email').value;
let phone = document.getElementById('phone').value;
let emailError = document.getElementById('emailError');
let phoneError = document.getElementById('phoneError');
// Clear previous error messages
emailError.textContent = ";
phoneError.textContent = ";
// Validate email
if (!validator.isEmail(email)) {
 emailError.textContent = 'Please enter a valid email address.';
// Validate phone number
if (!validator.isMobilePhone(phone, 'any')) {
```

```
phoneError.textContent = 'Please enter a valid phone number.';
}

// If no errors, submit the form (for demonstration purposes, just log)

if (validator.isEmail(email) && validator.isMobilePhone(phone, 'any')) {


console.log('Email:', email);

console.log('Phone:', phone);

alert('Form submitted successfully!');
}

});
```

Output:



Result:

Input forms that validate data, such as email and phone number, and display error messages using HTML/CSS and JavaScript with Validator.js has been done.

Ex. No. : 14 Date : 07.04.2025

Register No.: 230701357 Name: Swetha.J

Create a data visualization (e.g., pie charts, bar graphs) for an inventory management system using javascript

Aim:

The aim is to create data visualizations, such as pie charts and bar graphs, for an inventory management system using JavaScript.

Procedure:

Step 1: Setting Up the HTML Form

Start by creating an HTML form with input fields for the email and phone number.

Htm1

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta name="viewport" content="width=device-width, initial-scale=1.0"/>
<title>Inventory Management Visualization</title>
<style>
```


```
body {
   font-family: Arial, sans-serif;
   text-align: center;
   margin: 50px;
  }
  canvas {
   margin: 20px auto;
 </style>
</head>
<body>
 <h1>Inventory Management System-230701357-swetha</h1>
 <canvas id="pieChart" width="400" height="400"></canvas>
 <canvas id="barChart" width="400" height="400"></canvas>
 <script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
 <script src="script.js"></script>
```

```
</body>
</html>
Java script
// Data for the inventory
const inventoryData = {
  labels: ['Electronics', 'Clothing', 'Home Appliances', 'Books',
'Toys'],
  datasets: [
     label: 'Items in Stock',
     data: [200, 150, 100, 80, 50],
     backgroundColor: [
      '#FF6384',
      '#36A2EB',
      '#FFCE56',
      '#4BC0C0',
      '#9966FF'
     ],
```

```
};
 // Creating the Pie Chart
 const ctxPie =
document.getElementById('pieChart').getContext('2d');
 const pieChart = new Chart(ctxPie, {
  type: 'pie',
  data: inventoryData,
  options: {
  responsive: true,
  plugins: {
     title: {
      display: true,
      text: 'Inventory Distribution'
 });
 // Creating the Bar Chart
```

```
const ctxBar =
document.getElementById('barChart').getContext('2d');
 const barChart = new Chart(ctxBar, {
  type: 'bar',
  data: inventoryData,
  options: {
  responsive: true,
  plugins: {
     title: {
      display: true,
      text: 'Items in Stock by Category'
    },
   scales: {
     y: {
      beginAtZero: true
```

Output:



Result:

data visualizations, such as pie charts and bar graphs, for an inventory management system using JavaScript has been done.