

**RAJALAKSHMI ENGINEERING COLLEGE**  
**RAJALAKSHMI NAGAR, THANDALAM – 602 105**



**RAJALAKSHMI**  
**ENGINEERING COLLEGE**

**CS23221**  
**PYTHON PROGRAMMING LAB**

**Laboratory Observation Note Book**

**Name: VARSHA THOMAS**

**Year/Branch/Section: 1-year/CSE/F**

**Register No: 2116230701372**

**Semester: 2<sup>nd</sup> Semester**

**Academic Year: 2023 - 2024**

## INDEX

**Reg. No: 230701372**

**Name: VARSHA THOMAS**

**Year: 1 year**

**Branch: CSE**

**Sec: F**

S. No.	Date	Title	Page No.	Teacher's Signature / Remarks
<b>Introduction to python-Variables-Datatypes-Input/Output-Formatting</b>				
1.1	12.03.24	Converting Input Strings	8	
1.2	12.03.24	Gross salary	10	
1.3	12.03.24	Square Root	11	
1.4	12.03.24	Gain percent	12	
1.5	12.03.24	Deposits	14	
1.6	12.03.24	Carpenter	16	
<b>Operators in Python</b>				
2.1	06.04.24	Widgets and Gizmos	19	
2.2	06.04.24	Doll Sings	20	
2.3	06.04.24	Birthday party	22	
2.4	06.04.24	Hamming Weight	24	
2.5	06.04.24	Compound Interest	25	
2.6	06.04.24	Eligible to donate blood	26	
2.7	06.04.24	C or D	28	
2.8	06.04.24	Troy Battle	30	
2.9	06.04.24	Tax and Tip	32	



2.10	<b>06.04.24</b>	Return last digit of the given number	<b>34</b>	
------	-----------------	---------------------------------------	-----------	--

  

<b>Selection Structures in Python</b>				
3.1	<b>12.04.24</b>	Admission eligibility	<b>37</b>	
3.2	<b>12.04.24</b>	Classifying triangles	<b>40</b>	
3.3	<b>12.04.24</b>	Electricity Bill	<b>42</b>	
3.4	<b>12.04.24</b>	IN/OUT	<b>45</b>	
3.5	<b>12.04.24</b>	Vowel or Constant	<b>47</b>	
3.6	<b>12.04.24</b>	Leap Year	<b>49</b>	
3.7	<b>12.04.24</b>	Month name to Days	<b>52</b>	
3.8	<b>12.04.24</b>	Pythagorean triple	<b>54</b>	
3.9	<b>12.04.24</b>	Second Last Digit	<b>56</b>	
3.10	<b>12.04.24</b>	Chinese Zodiac	<b>58</b>	
<b>Algorithmic Approach: Iteration Control Structures</b>				
4.1	<b>13.04.24</b>	Factors of a Number	<b>61</b>	
4.2	<b>13.04.24</b>	Non-Repeated Digits Count	<b>63</b>	
4.3	<b>13.04.24</b>	Prime Checking	<b>64</b>	
4.4	<b>13.04.24</b>	Next Perfect Square	<b>66</b>	
4.5	<b>13.04.24</b>	Nth Fibonacci	<b>67</b>	
4.6	<b>13.04.24</b>	Disarium Number	<b>69</b>	
4.7	<b>13.04.24</b>	Sum of Series	<b>70</b>	
4.8	<b>13.04.24</b>	Unique Digits Count	<b>72</b>	
4.9	<b>13.04.24</b>	Product of single digits	<b>73</b>	
4.10	<b>13.04.24</b>	Perfect Square After adding One	<b>75</b>	
<b>Strings in Python</b>				
5.1	<b>17.04.24</b>	Count chars	<b>78</b>	
5.2	<b>17.04.24</b>	Decompress the String	<b>79</b>	
5.3	<b>17.04.24</b>	First N Common Characters	<b>80</b>	
5.4	<b>17.04.24</b>	Remove Characters	<b>82</b>	



5.5	17.04.24	Remove Palindrome Words	84	
5.6	17.04.24	Return Second Word in Uppercase	85	
5.7	17.04.24	Reverse String	87	
5.8	17.04.24	String characters balance Test	88	
5.9	17.04.24	Unique Names	89	
5.10	17.04.24	Username Domain Extension	90	
<b>List in Python</b>				

6.1	04.05.24	Monotonic array	93	
6.2	04.05.24	Check pair with difference k .	96	
6.3	04.05.24	Count Elements	98	
6.4	04.05.24	Distinct Elements in an Array	101	
6.5	04.05.24	Element Insertion	104	
6.6	04.05.24	Find the Factor	107	
6.7	04.05.24	Merge list	111	
6.8	04.05.24	Merge Two Sorted Arrays Without Duplication	114	
6.9	04.05.24	Print Element Location	117	
6.10	04.05.24	Strictly increasing	124	
<b>Tuples &amp; Set</b>				
7.1	18.05.24	Binary String	126	
7.2	18.05.24	Check Pair	131	
7.3	18.05.24	DNA Sequence	133	
7.4	18.05.24	Print repeated no	136	
7.5	18.05.24	Remove repeated	138	
7.6	18.05.24	malfunctioning keyboard	141	
7.7	18.05.24	American keyboard	143	
<b>Dictionary</b>				



8.1	25.05.24	Uncommon Words	145	
8.2	25.05.24	Sort Dictionary By Values Summation	149	
8.3	25.05.24	Winner Of Election	151	
8.4	25.05.24	Student Record	154	
8.5	25.05.24	Scramble Score	156	
<b>Functions</b>				
9.1	01.06.24	Abundant Number	158	
9.2	01.06.24	Automorphic number or not	161	
9.3	01.06.24	Check Product of Digits	166	
9.4	01.06.24	Christmas Discount	169	
9.5	01.06.24	Coin Change	170	
9.6	01.06.24	Difference Sum	171	
9.7	01.06.24	Ugly number	172	
<b>Searching &amp; Sorting</b>				
10.1	01.06.24	Merge Sort	173	
10.2	01.06.24	Bubble Sort	174	
10.3	01.06.24	Peak Element	175	
10.4	01.06.24	Binary Search	176	
10.5	01.06.24	Frequency of Numbers	177	
<b>Exception Handling</b>				
11.1	02.06.24	Exception Handling-1	178	
11.2	02.06.24	Exception Handling-2	180	
11.3	02.06.24	Exception Handling-3	181	
11.4	02.06.24	Exception Handling-4	183	
11.5	02.06.24	Exception Handling-5	185	



Modules				
12.1	<b>07.06.24</b>	Representing unique pairs	<b>187</b>	
12.2	<b>07.06.24</b>	Calculating average	<b>190</b>	
12.3	<b>07.06.24</b>	Using dictionary	<b>191</b>	
12.4	<b>07.06.24</b>	Power of four	<b>193</b>	
12.5	<b>07.06.24</b>	Determining the total revenue	<b>195</b>	



# **01 - Introduction to Python-Variables-Datatypes**

## **Input/Output-Formatting**



---

## Converting Input Strings

Write a program to convert strings to an integer and float and display its type.

*Sample Input:*

10

10.9

*Sample Output:*

10,<class 'int'>

10.9,<class 'float'>

**For example:**

Input	Result
10	10,<class 'int'>
10.9	10.9,<class 'float'>

**Program:**

```
a=int(input())
```

```
print(a,end=",")
```

```
print(type(a)) b=float(input())
```

```
print(round(b,1),end=",")
```

```
print(type(b))
```



	Input	Expected	Got	
✓	10 10.9	10,<class 'int'> 10.9,<class 'float'>	10,<class 'int'> 10.9,<class 'float'>	✓
✓	12 12.5	12,<class 'int'> 12.5,<class 'float'>	12,<class 'int'> 12.5,<class 'float'>	✓
✓	89 7.56	89,<class 'int'> 7.6,<class 'float'>	89,<class 'int'> 7.6,<class 'float'>	✓
✓	55000 56.2	55000,<class 'int'> 56.2,<class 'float'>	55000,<class 'int'> 56.2,<class 'float'>	✓
✓	2541 2541.679	2541,<class 'int'> 2541.7,<class 'float'>	2541,<class 'int'> 2541.7,<class 'float'>	✓

### Gross Salary

Ramesh's basic salary is input through the keyboard. His dearness allowance is 40% of his basic salary, and his house rent allowance is 20% of his basic salary. Write a program to calculate his gross salary.

*Sample Input:*

10000

*Sample Output:*

16000

**For example:**

Input	Result
10000	16000

**Program:**

```
a=int(input()) b=a*0.6
```

```
print(round(a+b))
```

	Input	Expected	Got	
✓	10000	16000	16000	✓
✓	20000	32000	32000	✓
✓	28000	44800	44800	✓
✓	5000	8000	8000	✓

## Square Root

Write a simple python program to find the square root of a given floating point number. The output should be displayed with 3 decimal places.

Sample Input:

8.00

Sample Output:

2.828

**For example:**

Input	Result
14.00	3.742

**Program:**

```
import math a=float(input())
```

```
b=math.sqrt(a)
```

```
print(format(b,".3f"))
```

	Input	Expected	Got	
✓	8.00	2.828	2.828	✓
✓	14.00	3.742	3.742	✓
✓	4.00	2.000	2.000	✓
✓	487	22.068	22.068	✓

Ex. No. : 1.4

Date: 12.03.24

Register No.: 230701372

Name: VARSHA THOMAS

### Gain percent

Alfred buys an old scooter for Rs. X and spends Rs. Y on its repairs. If he sells the scooter for Rs. Z ( $Z > X + Y$ ). Write a program to help Alfred to find his gain percent. Get all the above-mentioned values through the keyboard and find the gain percent.

Input Format:

The first line contains the Rs X

The second line contains Rs Y

The third line contains Rs Z Sample

Input:

10000

250

15000

Sample Output:

46.34 is the gain percent.

**For example:**

Input	Result
45500 500 60000	30.43 is the gain percent.



**Program:**

```
a=int(input()) b=int(input())  
c=int(input()) d=a+b e=c-d f=(e/d)*100  
print(format(f,".2f"),"is the gain percent.")
```

	Input	Expected	Got	
✓	10000 250 15000	46.34 is the gain percent.	46.34 is the gain percent.	✓
✓	45500 500 60000	30.43 is the gain percent.	30.43 is the gain percent.	✓
✓	5000 0 7000	40.00 is the gain percent.	40.00 is the gain percent.	✓
✓	12500 5000 18000	2.86 is the gain percent.	2.86 is the gain percent.	✓

### Deposits

In many jurisdictions, a small deposit is added to drink containers to encourage people to recycle them. In one particular jurisdiction, drink containers holding one liter or less have a \$0.10 deposit and drink containers holding more than one liter have a \$0.25 deposit. Write a program that reads the number of containers of each size (less and more) from the user. Your program should continue by computing and displaying the refund that will be received for returning those containers. Format the output so that it includes a dollar sign and always displays exactly two decimal places.

Sample Input

10

20

Sample Output

Your total refund will be \$6.00.

**For example:**

Input	Result
20 20	Your total refund will be \$7.00.

**Program:**

```
a=int(input()) b=int(input())
```

```
c=a*0.1+b*0.25
```

```
print("Your total refund
```

```
will be
```



```
$",format(c,".2f"),".",sep="
")
```

	Input	Expected	Got	
✓	20 20	Your total refund will be \$7.00.	Your total refund will be \$7.00.	✓
✓	11 22	Your total refund will be \$6.60.	Your total refund will be \$6.60.	✓
✓	123 200	Your total refund will be \$62.30.	Your total refund will be \$62.30.	✓
✓	76 38	Your total refund will be \$17.10.	Your total refund will be \$17.10.	✓

---

## Carpenter

Justin is a carpenter who works on an hourly basis. He works in a company where he is paid Rs 50 for an hour on weekdays and Rs 80 for an hour on weekends. He works 10 hrs more on weekdays than weekends. If the salary paid for him is given, write a program to find the number of hours he has worked on weekdays and weekends.

**Hint:**

If the final result(hrs) are in -ve convert that to +ve using abs() function

The abs() function returns the absolute value of the given number.

```
number = -20
absolute_number = abs(number)
print(absolute_number)
# Output: 20
```

**Sample Input:**

450

**Sample Output:**

weekdays 10.38

weekend 0.38

**For example:**

Input	Result
450	weekdays 10.38 weekend 0.38





**Program:**

```
a=int(input()) b=((500-a)/130)
b=abs(b) c=b+10
print("weekdays",format(c,".2f"))
)
print("weekend",format(b,".2f"))
```

	Input	Expected	Got	
✓	450	weekdays 10.38 weekend 0.38	weekdays 10.38 weekend 0.38	✓
✓	500	weekdays 10.00 weekend 0.00	weekdays 10.00 weekend 0.00	✓
✓	10000	weekdays 83.08 weekend 73.08	weekdays 83.08 weekend 73.08	✓
✓	6789	weekdays 58.38 weekend 48.38	weekdays 58.38 weekend 48.38	✓