04 - Iteration Control Structures

Nth Fibonacci

Write a program to return the nth number in the fibonacci series. The value of N will be passed to the program as input.

NOTE: Fibonacci series looks like –

0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, . . . and so on.

i.e. Fibonacci series starts with 0 and 1, and continues generating the next number as the sum of the previous two numbers.

· first Fibonacci number is 0,

· second Fibonacci number is 1,

· third Fibonacci number is 1,

· fourth Fibonacci number is 2,

· fifth Fibonacci number is 3,

· sixth Fibonacci number is 5,

· seventh Fibonacci number is 8, and so on.

For example:

Input	Result
1 4 7	0 2 8

Program:

```
a=int(input()) b=0 c=1

if(a==1):    print("0")

elif(a==2):    print("1")

else:    for i in range

(3,a+1):

        d=b+c

b=c        c=d

print(d)
```

	Input	Expected	Got	
✔	1	0	0	✔
✔	4	2	2	✔
✔	7	8	8	✔

Factors of a number

Determine the factors of a number (i.e., all positive integer values that evenly divide into a number).

For example:

Input	Result
20	1 2 4 5 10 20

Program:

```
a=int(input()) for i in
range(1,a+1):
if(a%i==0):
    print(i,end=" ")
```

	Input	Expected	Got	
✔	20	1 2 4 5 10 20	1 2 4 5 10 20	✔
✔	5	1 5	1 5	✔
✔	13	1 13	1 13	✔

Product of single digit

Given a positive integer N, check whether it can be represented as a product of single digit numbers.

Input Format:

Single Integer input.

Output Format:

Output displays Yes if condition satisfies else prints No.

Example Input:

14

Output:

Yes

Example Input:

13

Output:

No

Program:

a=int(input()) c=0 for i in range(1,10):

for j in range(1,10):

if i*j==a:

c=1

if(c==1):

print("Yes")

▾ else:

print("No")

	Input	Expected	Got	
✔	14	Yes	Yes	✔
✔	13	No	No	✔

Unique Digit Count

Write a program to find the count of unique digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number >= 1 and <= 25000. For e.g.

If the given number is 292, the program should return 2 because there are only 2 unique digits '2' and '9' in this number

If the given number is 1015, the program should return 3 because there are 3 unique digits in this number, '1', '0', and '5'.

For example:

Input	Result
292	2
1015	3

Program:

a=input()

b=len(set(a))

print(b)

	Input	Expected	Got	
✔	292	2	2	✔
✔	1015	3	3	✔
✔	123	3	3	✔

Non Repeated Digit Count

Write a program to find the count of non-repeated digits in a given number N. The number will be passed to the program as an input of type int.
Assumption: The input number will be a positive integer number >= 1 and <= 25000. Some examples are as below.
If the given number is 292, the program should return 1 because there is only 1 nonrepeated digit '9' in this number
If the given number is 1015, the program should return 2 because there are 2 nonrepeated digits in this number, '0', and '5'.
If the given number is 108, the program should return 3 because there are 3 non-repeated digits in this number, '1', '0', and '8'.
If the given number is 22, the function should return 0 because there are NO nonrepeated digits in this number.

For example:

Input	Result
292	1
1015	2
108	3
22	0

Program: a={}

for i in input: if i in a:a[i]+=1

else:a[i]=1 print(sum([1 for i in a

if a[i]==1]))

	Input	Expected	Got	
✔	292	1	1	✔
✔	1015	2	2	✔
✔	108	3	3	✔
✔	22	0	0	✔

Next Perfect Square

Given a number N, find the next perfect square greater than N.

Input Format:

Integer input from stdin.

Output Format:

Perfect square greater than N.

Example Input:

10

Output:

16

Program:

```
import math
a=int(input())
b = a + 1 while
b > 0 :
  m=math.sqrt(b)
if(m==int(m)):
    print(b)
break   else:
    b = b + 1
```

	Input	Expected	Got	
✔	10	16	16	✔

Sum of Series

Write a program to find the sum of the series 1 +11 + 111 + 1111 + . . . + n terms (n will be given as input from the user and sum will be the output)

Sample Test Cases

Test Case 1

Input

4

Output

1234

Explanation:

as input is 4, have to take 4 terms.

1 + 11 + 111 + 1111

Test Case 2

Input

6

Output

123456

For example:

Input	Result
3	123

Program:

```
a=int(input())

t=1 s=0 for i in

range(a)

s+=t

t=t*10+1

print(s)
```

	Input	Expected	Got	
✔	4	1234	1234	✔
✔	6	123456	123456	✔

Register No.: 230701372   **Name: VARSHA THOMAS**

Prime Checking

Write a program that finds whether the given number N is Prime or not. If the number is prime, the program should return 2 else it must return 1.

Assumption: 2 <= N <=5000, where N is the given number.

Example1: if the given number N is 7, the method must return 2

Example2: if the given number N is 10, the method must return 1 **For**

example:

Input	Result
7	2
10	1

Program:

a=int(input()) c=0

for i in range(2,a):

if(a%i==0):

c=1 if(c==1):

print("1") elif(c==0):

print("2")

	Input	Expected	Got	
✔	7	2	2	✔
✔	10	1	1	✔

Disarium Number

A Number is said to be Disarium number when the sum of its digit raised to the power of their respective positions becomes equal to the number itself. Write a program to print number is Disarium or not.

Input Format:

Single Integer Input from stdin.

Output Format:

Yes or No.

Example Input:

175

Output:

Yes

Explanation $1^1 +$

$7^2 + 5^3 = 175$

Example Input:

123

Output:

No

For example:

Input	Result
175	Yes
123	No

Program:

```
a=input() n=len(a) r=0

for i,d in enumerate(a):

r+=int(d)**(i+1)    if

r==int(a):

print("Yes")    else:

    print("No")
```

	Input	Expected	Got	
✔	175	Yes	Yes	✔
✔	123	No	No	✔

Perfect Square After adding One

Given an integer N, check whether N the given number can be made a perfect square after adding 1 to it.

Input Format:

Single integer input.

Output Format:

Yes or No.

Example Input:

24

Output:

Yes

Example Input:

26

Output:

No

For example:

Input	Result
24	Yes

Program:

```
import math

a=int(input())

b=a+1

c=math.sqrt(b)

if(c==int(c)):

print("Yes") else:

  print("No")
```

	Input	Expected	Got	
✔	24	Yes	Yes	✔
✔	26	No	No	✔