+ Text

import seaborn as sns
import pandas as pd
import numpy as np

import matplotlib.pyplot as plt

%matplotlib inline


tips=sns.load_dataset('tips')

tips.head()


		total_bill	tip	sex	smoker	day	time	size
	0	16.99	1.01	Female	No	Sun	Dinner	2
	1	10.34	1.66	Male	No	Sun	Dinner	3
	2	21.01	3.50	Male	No	Sun	Dinner	3
	3	23.68	3.31	Male	No	Sun	Dinner	2
	4	24.59	3.61	Female	No	Sun	Dinner	4

sns.displot(tips.total_bill,kde=True)

<pr





sns.displot(tips.total_bill,kde=False)



total_bill


sns.jointplot(x=tips.tip,y=tips.total_bill)







sns.jointplot(x=tips.tip,y=tips.total_bill,kind="reg")

</p




sns.jointplot(x=tips.tip,y=tips.total_bill,kind="hex")






sns.pairplot(tips)




tips.time.value_counts()




sns.pairplot(tips,hue='time')




sns.pairplot(tips,hue='day')




sns.heatmap(tips.corr(numeric_only=True),annot=True)




sns.boxplot(tips.total_bill)



sns.boxplot(tips.tip)




sns.countplot(tips.day)





sns.countplot(tips.sex)

<Axes: xlabel='count', ylabel='sex'>




tips.sex.value_counts().plot(kind='pie')





tips.sex.value_counts().plot(kind='bar')



sns.countplot(tips[tips.time=='Dinner']['day'])

<Axes: xlabel='count', ylabel='day'>

