

NAME: TANISHA C A
REGISTER NO.:230701390

EX-8: Tree Traversal Techniques

```
#include <stdio.h>
#include <stdlib.h>

// Definition of the binary tree node structure
struct node {      struct node *left;      int
element;          struct node *right;
};
typedef struct node Node;

// Function declarations Node
*Insert(Node *Tree, int e); void
Inorder(Node *Tree); void
Preorder(Node *Tree); void
Postorder(Node *Tree);

int main() {      Node
*Tree = NULL;      int
n, i, e, ch;

    // Input the number of nodes in the tree
    printf("Enter number of nodes in the tree: ");
    scanf("%d", &n);

    // Input the elements of the tree
    printf("Enter the elements:\n");
    for (i = 1; i <= n; i++) {
        scanf("%d", &e);          Tree =
        Insert(Tree, e);
    }

    // Menu for traversal options
    do {
        printf("1. Inorder\n2. Preorder\n3. Postorder\n4. Exit\n");
        printf("Enter your choice: ");          scanf("%d", &ch);
        switch (ch)
        {
            case 1:
                Inorder(Tree);
                printf("\n");
                break;
            case 2:
                Preorder(Tree);
                printf("\n");
                break;
            case 3:
                Postorder(Tree);
                printf("\n");
                break;
            case 4:
                printf("Exiting...\n");
                break;
            default:
                printf("Invalid choice. Please try again.\n");
        }
    } while (ch != 4);
}
```

```

        }
    } while (ch != 4);

    return 0;
}

// Function to insert an element into the binary tree
Node *Insert(Node *Tree, int e) {
    Node *NewNode = malloc(sizeof(Node));
    if (Tree == NULL) {        NewNode->
    element = e;
        NewNode->left = NULL;
        NewNode->right = NULL;
        Tree = NewNode;
    } else if (e < Tree->element) {
        Tree->left = Insert(Tree->left, e);
    } else if (e > Tree->element) {
        Tree->right = Insert(Tree->right, e);
    }
    return
    Tree;
}

// Function for inorder traversal void
Inorder(Node *Tree) {    if (Tree !=
NULL) {        Inorder(Tree->left);
printf("%d\t", Tree->element);
        Inorder(Tree->right);
    }
}

// Function for preorder traversal
void Preorder(Node *Tree) {    if
(Tree != NULL) {
        printf("%d\t", Tree->element);
        Preorder(Tree->left);
        Preorder(Tree->right);
    }
}

// Function for postorder traversal
void Postorder(Node *Tree) {    if
(Tree != NULL) {
        Postorder(Tree->left);
        Postorder(Tree->right);
        printf("%d\t", Tree->element);
    }
}

```