## **04 - Iteration Control Structures**

Ex. No.: 4.1 Date: 13.04.24

Register No.: 230701392 Name: HARIHARAN N S R

## **Nth Fibonacci**

Write a program to return the nth number in the fibonacci series. The value of N will be passed to the program as input.

NOTE: Fibonacci series looks like -

0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, ... and so on.

i.e. Fibonacci series starts with 0 and 1, and continues generating the next number as the sum of the previous two numbers.

- first Fibonacci number is 0,
- second Fibonacci number is 1,
- third Fibonacci number is 1,

Department of Computer Science and Engineering | Rajalakshmi Engineering College

.

- fourth Fibonacci number is 2,
- fifth Fibonacci number is 3,
- sixth Fibonacci number is 5,
- seventh Fibonacci number is 8, and so on.

### For example:

Input	Result
1 4 7	0 2 8

## **Program:**

```
a=int(input()) b=0 c=1
if(a==1):    print("0")
elif(a==2):    print("1")
else:    for i in range
(3,a+1):
        d=b+c
b=c    c=d
print(d)
```


	Input	Expected	Got	
~	1	0	0	~
~	4	2	2	~
~	7	8	8	~

Ex. No.: 4.2 Date: 13.04.24

Register No.: 230701392 Name: HARIHARAN N S R

# Factors of a number

Determine the factors of a number (i.e., all positive integer values that evenly divide into a number).



a=int(input()) for i in range(1,a+1): if(a%i==0): print(i,end=" ")

	Input	Expected	Got	
~	20	1 2 4 5 10 20	1 2 4 5 10 20	~
~	5	1 5	1 5	~
~	13	1 13	1 13	~

Ex. No.: 4.3 Date: 13.04.24

Register No.: 230701392 Name: HARIHARAN N S R

# **Product of single digit**

Given a positive integer N, check whether it can be represented as a product of single digit numbers.

Input Format:

Single Integer input.

**Output Format:** 

Output displays Yes if condition satisfies else prints No.

**Example Input:** 

14

Output:

Yes

Example Input:

13

Output:

**Department of Computer Science and Engineering | Rajalakshmi Engineering College** 

•

```
No
```

a=int(input()) c=0 for i in range(1,10):

for j in range(1,10):

if i\*j==a:

c=1

if(c==1):

print("Yes")

▼ else:

print("No")

	Input	Expected	Got	
~	14	Yes	Yes	~
~	13	No	No	~

Ex. No.: 4.4 Date: 13.04.24

Register No.: 230701392 Name: HARIHARAN N S R

## **Unique Digit Count**

Write a program to find the count of unique digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number  $\geq$  1 and  $\leq$  25000. For e.g.

If the given number is 292, the program should return 2 because there are only 2 unique digits '2' and '9' in this number

If the given number is 1015, the program should return 3 because there are 3 unique digits in this number, '1', '0', and '5'.

#### For example:

Input	Result
292	2
1015	3

a=input()

b=len(set(a)) print(b)

	Input	Expected	Got	
~	292	2	2	~
~	1015	3	3	~
~	123	3	3	~

Ex. No.: 4.5

Register No.: 230701392 Name:- HARIHARAN N S R

## **Non Repeated Digit Count**

Write a program to find the count of non-repeated digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number >= 1 and <= 25000. Some examples are as below.

If the given number is 292, the program should return 1 because there is only 1 nonrepeated digit '9' in this number

If the given number is 1015, the program should return 2 because there are 2 nonrepeated digits in this number, '0', and '5'.

If the given number is 108, the program should return 3 because there are 3 nonrepeated digits in this number, '1', '0', and '8'.

If the given number is 22, the function should return 0 because there are NO nonrepeated digits in this number.

### For example:

Input	Resul t
292	1
1015	2
108	3
22	0

Date: 13.04.24

**Program:** a={}

for i in input: if i in a:a[i]+=1

else:a[i]=1 print(sum([1 for i in a

if a[i]==1]))

	Input	Expected	Got	
~	292	1	1	~
~	1015	2	2	~
~	108	3	3	~
~	22	0	0	~

Ex. No.: 4.6

Register No.: 230701392 NAME:- HARIHARAN N S R

# **Next Perfect Square**

Given a number N, find the next perfect square greater than N.

Input Format:

Integer input from stdin.

Output Format:

Perfect square greater than N.

Example Input:

10

Output:

16

### **Program:**

import math

a=int(input())

b = a + 1 while

b > 0:

m=math.sqrt(b)

if(m==int(m)):

print(b)

break else:

$$b = b + 1$$

	Input	Expected	Got	
/	10	16	16	V

Ex. No.: 4.7

**Register No.:230701392** 

NAME:- HARIHARAN N S R

## **Sum of Series**

Write a program to find the sum of the series 1 + 11 + 111 + 1111 + ... + n terms (n will be given as input from the user and sum will be the output)

Sample Test Cases

Test Case 1

Input

4

Output

1234

Explanation:

as input is 4, have to take 4 terms.

1 + 11 + 111 + 1111

Test Case 2

Input

6

Output

123456

#### For example:

Input	Result
3	123

**Department of Computer Science and Engineering | Rajalakshmi Engineering College** 

•

a=int(input())

t=1 s=0 for i in

range(a)

s+=t

t=t\*10+1

print(s)

	Input	Expected	Got	
~	4	1234	1234	~
~	6	123456	123456	~

Ex. No. : 4.8 Date: 13.04.24

Register No.:230701392 Name: HARIHARAN N S R

## **Prime Checking**

Write a program that finds whether the given number N is Prime or not. If the number is prime, the program should return 2 else it must return 1.

Assumption:  $2 \le N \le 5000$ , where N is the given number.

Example 1: if the given number N is 7, the method must return 2

Example 2: if the given number N is 10, the method must return 1 For

example:

Input	Result
7	2
10	1

#### **Program:**

```
a=int(input()) c=0
for i in range(2,a):
if(a%i==0):
c=1 if(c==1):
print("1") elif(c==0):
print("2")
```

	Input	Expected	Got	
~	7	2	2	~
~	10	1	1	~

Ex. No.: 4.9 Date: 13.04.24

Register No.: 230701392 Name: HARIHARAN N S R

## **Disarium Number**

A Number is said to be Disarium number when the sum of its digit raised to the power of their respective positions becomes equal to the number itself. Write a program to print number is Disarium or not.

Input Format:

Single Integer Input from stdin.

**Output Format:** 

Yes or No.

Example Input:

175

Output:

Yes

Explanation 1<sup>1</sup>+

 $7^2 + 5^3 = 175$ 

Example Input:

123

Output:

No

### For example:

Inpu t	Resul t
175	Yes
123	No

```
a=input() n=len(a) r=0
for i,d in
enumerate(a):
r+=int(d)**(i+1) if
r==int(a):
print("Yes") else:
```

print("No")

	Input	Expected	Got	
~	175	Yes	Yes	~
~	123	No	No	~

Ex. No.: 4.10 Date: 13.04.24

Register No.: 230701392 Name: HARIHARAN N S R

# **Perfect Square After adding One**

Given an integer N, check whether N the given number can be made a perfect square after adding 1 to it.

Input Format:

Single integer input.

**Output Format:** 

Yes or No.

**Example Input:** 

24

Output:

Yes

Example Input:

26

Output:

No

### For example:

Input	Resul t
24	Yes

## **Program:**

import math

a=int(input())

b=a+1

c=math.sqrt(b)

if(c==int(c)):

print("Yes") else:

print("No")

	Input	Expected	Got	
~	24	Yes	Yes	~
~	26	No	No	~