

RAJALAKSHMI ENGINEERING COLLEGE



**DEPARTMENT OF ARTIFICIAL INTELLIGENCE AND DATA
SCIENCE**

**AD23431-STATISTICAL ANALYSIS AND
COMPUTING LAB**

[Regulation 2023]

II Year – IV Semester

LABORATORY MANUAL

**Dr. V. SARAVANA KUMAR,
Prof / AI & DS**



RAJALAKSHMI ENGINEERING COLLEGE

VISION & MISSION OF RAJALAKSHMI ENGINEERING COLLEGE

Vision

To be an institution of excellence in Engineering, Technology and Management Education & Research. To provide competent and ethical professionals with a concern for society.

Mission

To impart quality technical education imbued with proficiency and humane values. To provide right ambience and opportunities for the students to develop into creative, talented and globally competent professionals. To promote research and development in technology and management for the benefit of the society.



Artificial Intelligence and Data Science/AD23431/1

RAJALAKSHMI ENGINEERING COLLEGE

B. E. ARTIFICIAL INTELLIGENCE AND DATA SCIENCE

VISION:

- To promote highly Ethical and Innovative Computer Professionals through excellence in teaching, training and research.

MISSION:

- To produce globally competent professionals, motivated to learn the emerging technologies and to be innovative in solving real world problems.
- To promote research activities amongst the students and the members of faculty that could benefit the society.
- To impart moral and ethical values in their profession.

PROGRAMME EDUCATIONAL OBJECTIVES (PEOs)

PEO 1: Graduates will demonstrate their technical skills and competency in various applications through the use of Artificial Intelligence and Data Science.

PEO 2: To produce motivated graduates with capability to apply acquired knowledge and skills in data analytics and visualization to develop viable systems.

PEO 3: Graduates will establish their knowledge by adopting Artificial Intelligence and Data Science technologies to solve the real-world problems

PEO 4: To produce graduates with potential to participate in life-long learning through professional developments for societal needs with ethical values.

Artificial Intelligence and Data Science/AD23431/2

PROGRAMME OUTCOMES (POs)

PO1: Engineering knowledge: Apply the knowledge of Mathematics, Science, Engineering

fundamentals, and an engineering specialization to the solution of complex engineering problems.

PO2: Problem analysis: Identify, formulate, review research literature, and analyze complex engineering problems reaching substantiated conclusions using first principles of mathematics, natural sciences, and engineering sciences.

PO3: Design/development of solutions: Design solutions for complex engineering problems and design system components or processes that meet the specified needs with appropriate consideration for the public health and safety, and the cultural, societal, and environmental considerations.

PO 4: Conduct investigations of complex problems: Use research-based knowledge and research methods including design of experiments, analysis and interpretation of data, and synthesis of the information to provide valid conclusions.

PO 5: Modern tool usage: Create, select, and apply appropriate techniques, resources, and modern engineering and IT tools including prediction and modeling to complex engineering activities with an understanding of the limitations.

PO 6: The engineer and society: Apply reasoning informed by the contextual knowledge to assess societal, health, safety, legal and cultural issues and the consequent responsibilities relevant to the professional engineering practice.

PO 7: Environment and sustainability: Understand the impact of the professional engineering solutions in societal and environmental contexts, and demonstrate the knowledge of, and need for sustainable development.

PO 8: Ethics: Apply ethical principles and commit to professional ethics and responsibilities and norms of the engineering practice.

PO 9: Individual and team work: Function effectively as an individual, and as a member or leader in diverse teams, and in multidisciplinary settings.

Artificial Intelligence and Data Science/AD23431/3

PO 10: Communication: Communicate effectively on complex engineering activities with the engineering community and with society at large, such as, being able to comprehend and write effective reports and design documentation, make effective presentations, and give and receive clear instructions.

PO11: Project management and finance: Demonstrate knowledge and understanding of the engineering and management principles and apply these to one's own work, as a member and leader in a team, to manage projects and in multidisciplinary environments.

PO12: Life-long learning: Recognize the need for, and have the preparation and ability to engage in independent and life-long learning in the broadest context of technological change.

PROGRAM SPECIFIC OUTCOMES (PSOs)

A graduate of the Artificial Intelligence and Data Science Learning Program will demonstrate.

PSO 1: Foundation Skills: Apply computing theory, languages and algorithms, as well as mathematical and statistical models, and the principles of optimization to appropriately formulate and use data analysis.

PSO 2: Problem-Solving Skills: The ability to apply standard practices and strategies in software project development using open-ended programming environments to deliver a quality product for business automation.

PSO 3: Successful Progression: Ability to critique the role of information and analytics for an innovative career, research activities and consultancy.

Artificial Intelligence and Data Science/AD23431/4 Syllabus

Subject Code	Subject Name (Lab oriented Theory Courses)	Category				
AD23431	STATISTICAL ANALYSIS AND COMPUTING	PE			0	

Objectives:											
●	To impart knowledge about the basics of R programming										
●	To analyze the data using R programming										
●	To learn the appropriate statistical test and analyses.										
●	To implement data classification models and learns about different classification algorithms.										
●	To learn the different regression and clustering algorithms.										
UNIT-I	Introduction to R Programming Structures and Functions					9					
Overview of R programming – Basic objects: Vectors – Matrix – Array – Lists – Factors – Data frames. Basic expressions: Arithmetic expressions – Control Statements: if and if-else statements – switch statement – Loops: for loop – while loop – Functions – Strings											
UNIT-II	Introduction to Data Science					9					
Introduction – Roles of Data Science Projects – Data Collection and Management – Modeling – Model Evaluation and Critique – Determining lower and upper bounds – Loading Data into R – Working with data from files and relational database - Exploring data – Managing data: Missing values – cleaning data											
UNIT- III	Statistical Analysis					9					
Frequency distribution - Measures of central tendency and dispersion – Hypothesis Testing: Test Statistics – ANOVA – F-Test – TTest – U-Test – Fisher's Exact Test – Kruskal-Wallis Test – Bartlett's Test – Statistical Distribution: Binomial – Poisson – Normal – Chi-squared distribution											
UNIT- IV	Classification					9					
Tests and Training splits- Building Single Variable Model: Categorical Features- Numerical Features – Cross Validation - Building Multi Variable Model: Variable Selection – Decision Trees – Nearest Neighbor Methods – Naïve Baye											
UNIT-V	Regression and Clustering					9					
Linear and Logistic Regression: Introduction – Building Model – Making Predictions – Characterizing Co-efficient quality – Unsupervised Methods: Cluster Analysis – Distance – Hierarchical Clustering – The K-means Algorithm											
Contact Hours						: 45					

Contact hours : 30		
Total Contact hours : 75		

Artificial Intelligence and Data Science/AD23431/5

List of Experiments	
1	Implement simple programs in R 3. 4. 5. 6 7. 8.
2	Perform data preprocessing in R
3	Perform statistical analysis for a given dataset
4	Implement decision tree algorithm in R
5	Implement K-Nearest Neighbor algorithm in R
6	Implement Naive Bayesian classifier in R
7	Implement linear regression in R
8	Implement K-means clustering algorithm in R
9	Implementation of Searching and Sorting algorithms
10	Hashing –Linear probing
Requirements	
Hardware	Intel i3, CPU @ 1.20GHz 1.19 GHz, 4 GB RAM, 32 Bit Operating System
Software	R

Operating System	Windows
------------------	---------

Artificial Intelligence and Data Science/AD23431/6
AD23431-STATISTICAL ANALYSIS AND COMPUTING LAB PLAN

Exercise no.	Exercise Name	Required Hours
1	Implement simple programs in R 3. 4. 5. 6 7. 8.	3
2	Perform data preprocessing in R	3
3	Perform statistical analysis for a given dataset	3
4	Implement decision tree algorithm in R	3
5	Implement K-Nearest Neighbor algorithm in R	3
6	Implement Naive Bayesian classifier in R	3
7	Implement linear regression in R	3
8	Implement K-means clustering algorithm in R	3
9	Implementation of Searching and Sorting algorithms	3
10	Hashing –Linear probing	3

Artificial Intelligence and Data Science/AD23431/7
Course Outcomes (COs)

Course Name: Statistical Analysis and Computing Lab Course Code: AD23431

Outcome 1	Solve problems using the fundamentals of R
Outcome 2	Explore and manage data using R

Outcome 3	Perform statistical analysis using R
Outcome 4	Demonstrate Decision Tree, Nearest Neighbor, Naïve bayes classification algorithms
Outcome 5	Apply regression and clustering algorithms for the sample dataset using R

CO-PO -PSO matrices of course

PO/PSO CO	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12	PS O 1	PS O 2	PS O 3
AD23431.1	3	2	2	2	2	-	-	-	-	-	-	2	3	2	-
AD23431.2	3	2	2	2	2	-	-	-	-	-	-	2	3	2	-
AD23431.3	2	2	1	2	2	-	-	-	-	-	-	2	2	2	-
AD23431.4	3	2	2	2	2	-	-	-	-	-	-	2	3	2	-
AD23431.5	2	2	2	2	1	-	-	-	-	-	-	2	3	3	-
Average	3	2	2	2	2	-	-	-	-	-	-	2	3	2	-

Note: Enter correlation levels 1,2 or 3 as defined below:

1: Slight (Low) 2: Moderate (Medium) 3: Substantial (High) If there is no correlation, put “-“

EXP.NO:1 a)	Install R programming Environment and Basic Packages using install.package() command
DATE:	

AIM:

To download and install R programming Environment and Install basic packages using install.packages() command in R.

PROCEDURE:

STEP 1: Download and install R.

- (i) Go to the [CRAN website] (<https://cran.r-project.org/>).
- (ii) Click on the link for your operating system (Windows, macOS, or Linux).
- (iii) Follow the instructions to download and install R.

STEP 2: Download and install R Studio

- (i) Go to the [RStudio website] (<https://rstudio.com/products/rstudio/download/>).
- (ii) Download the appropriate installer for your operating system.

STEP 3: Install basic R packages

- (i) Open RStudio: Start RStudio from your desktop or Start menu.
- (ii) Install Packages: Use the `install.packages()` command to install the basic packages. Here are some essential packages you might want to install:

SYNTAX:

```
install.packages(c("tidyverse", "data.table", "ggplot2", "dplyr", "readr", "tidyr", "purrr",
"tibble", "stringr", "lubridate", "shiny", "plotly", "knitr"))
```

EXAMPLE R SCRIPT to install packages:

You can create a script file in RStudio to install these packages. Here is an example:

1. Create a New Script: Click on `File` > `New File` > `R Script`.

2. # List of packages to install

```
packages <- c(
```

```
"tidyverse", "data.table", "ggplot2", "dplyr", "readr", "tidyr", "purrr", "tibble", "stringr", "lubridate", "shiny",
"plotly", "knitr")
```

```
# Install the packages
```

```
install.packages(packages)
```


3. Run the Script: Click on `Source` or press `Ctrl+Shift+S` to run the script and install the packages. 4. Verify Installation

To verify that the packages are installed correctly, you can load a package using the `library()` function. For example:

```
library(tidyverse)
```

OUTPUT:

R STUDIO CONSOLE



The screenshot shows the RGui R Console window. The title bar reads "R Gui" and "R Console". The menu bar includes File, Edit, View, Misc, Packages, Windows, and Help. Below the menu is a toolbar with various icons. The main console area displays the R startup message, which includes the version number (4.4.1), copyright information, platform (x86_64-w64-mingw32/x64), and a welcome message about being free software with no warranty. It also mentions natural language support, contributors, and how to cite R. At the bottom of the console, it says "[Previously saved workspace restored]" followed by a red cursor at the prompt "> |".

```
R version 4.4.1 (2024-06-14 ucrt) -- "Race for Your Life"
Copyright (C) 2024 The R Foundation for Statistical Computing
Platform: x86_64-w64-mingw32/x64

R is free software and comes with ABSOLUTELY NO WARRANTY.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.


Natural language support but running in an English locale

R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.

Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.

[Previously saved workspace restored]
> |
```

R STUDIO



RESULT:

Thus, the R programming Environment and all essential R packages are installed successfully using `install.packages()` command.

EXP.NO:1 b)	Basics of R Programming
DATE:	(Datatypes, Variables and Operators)

AIM:

To implement and understand the basics of R programming with its datatypes variables and operators.

ALGORITHM:

STEP 1: Start the program

STEP 2: Assign values in logical, numerical, character and complex in raw form to a variable

v **STEP 3:** Print the class of v

STEP 4: Assign values to variables and print them

STEP 5: Perform arithmetic operations, Relational operations and assignment operation and print

them **STEP 6:** Stop

PROGRAM:

Datatypes:

```
v<-TRUE
print(class(v))
v<-23.5
print(class(v))
v<-2L
print(class(v))
v<-2+5i
print(class(v))
v<-"True"
print(class(v))
v<-charToRaw("Hello")
print(class(v))
```

Output:

```
> source("~/active-rstudio-document")
[1] "logical"
[1] "numeric"
[1] "integer"
[1] "complex"
[1] "character"
[1] "raw"
```

Variables:

x<-10

y<-5

print(x)

print(y)

Output:

```
> source("~/active-rstudio-document")
[1] 10
[1] 5
>
```

Operators:**Arithmetic operators:**

x<-10

y<-5

result<-x+y

print(result)

result<-x-y

print(result)

result<-x/y

print(result)

result<-x*y

print(result)

result<-x%%y

print(result)

result<-x%/%y

print(result)

result<-x^y

print(result)

Output:

```
> source("~/active-rstudio-document")
[1] 15
[1] 5
[1] 2
[1] 50
[1] 0
[1] 2
[1] 1e+05
>
```

Relational operators:

```
result<-x>y
print(result)

result<-x<y
print(result)

result<-x==y
print(result)

result<-x!=y
print(result)
```

Output:

```
> source("~/active-rstudio-document")
[1] TRUE
[1] FALSE
[1] FALSE
[1] TRUE
>
```

Assignment operators:

```
x<-10
y=5
20->x
15->y
x<<-20
y<<-15
print(x)
print(y)
```

Output:

```
> source("~/active-rstudio-document")
[1] 20
[1] 15
> |
```

RESULT:

Thus, the basic R programs for datatypes, variables and operators are implemented and executed successfully.

EXP.NO:1 c)	Implementing different data structures in R
DATE:	(Vectors, List and DataFrames)

AIM:

To implement and understand the basics of R programming with its vectors, list and Data frames.

ALGORITHM:

STEP 1: Start the program

STEP 2: Assign a vector for subject names, temperature and flu status for 3 patients using c()

STEP 3: Create factor using factor() with duplicates values and assign level with distinct values

STEP 4: Display the specific elements and check for certain values in factor

STEP 5: Create a list using list() from the patient details and access multiple elements

STEP 6: Create a dataframe using data.frame() with multiple vectors as features access the elements

STEP 7: Create a matrix using matrix() with different allocations and access the element

STEP 8: Stop the program

PROGRAM:

Vectors:

```
subject_name<-c("John Doe","Jane Doe","Steven Grant")
temperature<-c(98.1,98.6,101.4)
flu_status<-c(FALSE,FALSE,TRUE)
print(temperature[2])
print(temperature[2:3])
print(temperature[-2])
print(flu_status[3])
print(flu_status[-2])
print(subject_name[1])
print(subject_name[-1])
```

Output:

```
> source("~/R Programming/Exp 2(ii).R")
[1] 98.6
[1] 98.6 101.4
[1] 98.1 101.4
[1] TRUE
[1] FALSE TRUE
[1] "John Doe"
[1] "Jane Doe"      "Steven Grant"
>
```

Factors:

```
gender<-factor(c("MALE","FEMALE","MALE"))
print(gender)

blood<-factor(c("O","AB","A"), levels=c("A","B","AB","O"))
print(blood[1:2])

symptoms<-factor(c("SEVERE","MILD","MODERATE"),
                  levels=c("MILD","MODERATE","SEVERE"), ordered=TRUE)
symptoms->"MODERATE"
```

Output:

```
> source("~/R Programming/Exp 2(ii).R")
[1] MALE   FEMALE MALE
Levels: FEMALE MALE
[1] O  AB
Levels: A B AB O
>
```

Lists:

```
subject1<-list(fullname=subject_name[1],
                 temperature=temperature[1],
                 flu_status=flu_status[1],
                 gender=gender[1],
                 blood=blood[1],
                 symptoms=symptoms[1])

print(subject1)
print(subject1[2])
print(subject1[[2]])
subject1$temperature
subject1[c("temperature","flu_status")]
```

Output:

```
> source("~/R Programming/Exp 2(ii).R")
$fullname
[1] "John Doe"

$temperature
[1] 98.1

$flu_status
[1] FALSE

$gender
[1] MALE
Levels: FEMALE MALE

$blood
[1] O
Levels: A B AB O

$symptoms
[1] SEVERE
Levels: MILD < MODERATE < SEVERE

$temperature
[1] 98.1
[1] 98.1
> |
```

Data Frames:

```
pt_data<-data.frame(subject_name,
                      temperature, flu_status,
                      gender,blood,symptoms)

print(pt_data)

pt_data$subject_name

print(pt_data[c("temperature","flu_status")]
]) print(pt_data[c(1,2),c(2,4)])
print(pt_data[,1])
print(pt_data[,])
```

Output:

```
> source("~/R Programming/Exp 2(ii).R")
  subject_name temperature flu_status gender blood symptoms
1   John Doe      98.1      FALSE    MALE      O    SEVERE
2   Jane Doe      98.6      FALSE   FEMALE     AB    MILD
3 Steven Grant    101.4      TRUE    MALE      A MODERATE
  temperature flu_status
1      98.1      FALSE
2      98.6      FALSE
3     101.4      TRUE
  temperature gender
1      98.1    MALE
2      98.6 FEMALE
[1] "John Doe"    "Jane Doe"    "Steven Grant"
  subject_name temperature flu_status gender blood symptoms
1   John Doe      98.1      FALSE    MALE      O    SEVERE
2   Jane Doe      98.6      FALSE   FEMALE     AB    MILD
3 Steven Grant    101.4      TRUE    MALE      A MODERATE
> |
```

Matrices:

```
m<-matrix(c(1,2,3,4),ncol=2)
print(m)

m<-matrix(c(1,2,3,4,5,6),nrow=3)
print(m)

print(m[1,])
print(m[1,])

thismatrix <- matrix(c("apple", "banana", "cherry", "orange"), nrow = 2, ncol =
2)
for (rows in 1:nrow(thismatrix)) {
  for (columns in 1:ncol(thismatrix)) { print(thismatrix[rows,
  columns]) }
}
```

Output:

```
> source("~/R Programming/Exp 2(ii).R")
      [,1] [,2]
[1,]    1    3
[2,]    2    4
      [,1] [,2]
[1,]    1    4
[2,]    2    5
[3,]    3    6
[1] 1 4
[1] 1 4
[1] "apple"
[1] "cherry"
[1] "banana"
[1] "orange"
> |
```

RESULT:

Thus, the different data structures like vector, lists, matrix, dataframes and matrices are executed and verified successfully.

EXP.NO:1 d)	Read a CSV file and analyse the data in the file
DATE:	Using R

AIM:

To read a CSV file and analyse the data in the file using R.

ALGORITHM:

STEP 1: Start the program

STEP 2: Install the necessary packages `readxl` and `ggplot2` using `install.packages()`.

STEP 3: Load the installed libraries `readxl` and `ggplot2` with the `library()` function for reading Excel files and plotting data.

STEP 4: Read the dataset "Student2.xlsx" located at "C:/221801024/Student2.xlsx" using the `read_excel()` function and store it in the variable `data`.

STEP 5: Display the first few rows of the dataset using the `head()` function to check the structure of the data.

STEP 6: Generate summary statistics of the dataset using the `summary()` function to get an overview of the variables (e.g., mean, median, min, max).

STEP 7: Create a frequency table for the CGPA column using the `table()` function and store the result in `bar_data`.

STEP 8: Create a bar plot of the CGPA frequencies using the `barplot()` function. Customize the chart by setting the main title (`main`), x-axis label (`xlab`), y-axis label (`ylab`), bar color (`col`), and rotate the x-axis labels (`las`).

STEP 9: Create a frequency table for the Year column using the `table()` function and store the result in `pie_data`.

STEP 10: Plot a pie chart of the Year distribution using the `pie()` function, setting the main title (`main`) and assigning rainbow colors (`col = rainbow()`) to the slices of the pie chart.

STEP 11: Stop the program

PROGRAM:

```
# Install and load necessary packages
install.packages("readxl")
install.packages("ggplot2")
library(readxl)
library(ggplot2)
data <- read_excel("C:/221801024/Student2.xlsx")
```

```
print(head(data))
# Summary statistics of the dataset

print(summary(data))
bar_data <- table(data$CGPA)
barplot(bar_data,
main = "Bar Chart of CGPA",
xlab = "CGPA",
ylab = "Frequency",
col = "skyblue",
las = 2)
pie(pie_data <- table(data$Year),
main = "Pie Chart of Year",
col = rainbow(length(pie_data)))
```

OUTPUT:

RESULT:

Thus the CSV file was read and analysed the data in the file using R successfully.

Ex No: 2

PERFORM DATA PREPROCESSING IN R

Aim:

To perform preprocessing of data using R

Procedure:

Step-by-Step Data Preprocessing in R

Step 1: Loading Data

First, we load the dataset and display its structure to understand its columns and initial format.

```
# Load the dataset (using mtcars dataset for demonstration)
data(mtcars)
head(mtcars)
```

Output:

```
mpg cyl disp hp drat wt qsec vs am gear carb
Mazda RX4 21.0 6 160 110 3.90 2.620 16.46 0 1 4 4
Mazda RX4 Wag 21.0 6 160 110 3.90 2.875 17.02 0 1 4 4
Datsun 710 22.8 4 108 93 3.85 2.320 18.61 1 1 4 1
...
...
```

Step 2: Handling Missing Values

Check for missing values (NA) in the dataset and decide how to handle them. For demonstration purposes, we assume there are no missing values in mtcars.

```
# Check for missing values
any(is.na(mtcars))
```

Artificial Intelligence and Data Science/AD23431/12

Output:

```
[1] FALSE
```

Step 3: Handling Categorical Variables

If the dataset has categorical variables, convert them to factors if needed. In mtcars, there are no explicit categorical variables, but if there were, you would convert them using as.factor().

```
# Example: Convert a hypothetical categorical variable to factor  
# mtcars$cyl <- as.factor(mtcars$cyl)
```

Step 4: Scaling Numeric Data (Optional)

Scaling numeric variables is necessary for some algorithms but not always required. Here, we'll scale the numeric columns disp, hp, drat, wt, and qsec using scale() function.

```
# Scale numeric columns (optional)  
num_cols <- c("disp", "hp", "drat", "wt", "qsec")  
mtcars_scaled <- as.data.frame(scale(mtcars[, num_cols]))  
  
# Combine scaled numeric columns with non-numeric columns  
mtcars_processed <- cbind(mtcars_scaled, mtcars[, -(which(names(mtcars) %in%  
num_cols))])  
head(mtcars_processed)
```

Output (scaled numeric data combined with original non-numeric columns):

```
disp hp drat wt qsec mpg cyl vs am gear carb  
Mazda RX4 0.5795256 0.6641339 0.5765943 -0.6201678 -0.7896003 21.0 6 0 1 4 4 Mazda  
RX4 Wag 0.5795256 0.6641339 0.5765943 -0.3553820 -0.4712017 21.0 6 0 1 4 4 Datsun 710  
-1.0060260 -0.5110630 0.4815843 -0.9316786 0.4328237 22.8 4 1 1 4 1 ...
```

Artificial Intelligence and Data Science/AD23431/13

Step 5: Splitting Data into Training and Testing Sets

Split the dataset into training and testing sets for model training and evaluation purposes.

```
# Split data into 80% training and 20% testing
set.seed(123) # For reproducibility
train_indices <- sample(nrow(mtcars), 0.8 * nrow(mtcars))
train_data <- mtcars[train_indices, ]
test_data <- mtcars[-train_indices, ]

# Display dimensions of training and testing sets
cat("Training data dimensions:", dim(train_data), "\n")
cat("Testing data dimensions:", dim(test_data), "\n")
```

Output (dimensions of training and testing sets):

Training data dimensions: 25 11

Testing data dimensions: 7 11

Result:

Thus, preprocessing data using R is a cleaned, transformed, and formatted dataset ready for analysis or modeling.

Artificial Intelligence and Data Science/AD23431/14

Ex No: 3

**PERFORM STATISTICAL ANALYSIS FOR A GIVEN
DATASET** Aim:

To perform statistical analysis for given dataset.

Procedure:

- **plot() Function:** This function is used to Draw a scatter plot with axes and titles.

Syntax:

plot(x, y = NULL, ylim = NULL, xlim = NULL, type = "b"....)

- **data() function:** This function is used to load specified data sets.

Syntax:

data(list = character(), lib.loc = NULL, package = NULL.....)

- **table() Function:** The table function is used to build a contingency table of the counts

at each combination of factor levels.

table(x, row.names = NULL, ...)

- **barplot() Function:** It creates a bar plot with vertical/horizontal bars.

Syntax:

barplot(height, width = 1, names.arg = NULL, space = NULL...)

- **pie() Function:** This function is used to create a pie chart.

Syntax:

pie(x, labels = names(x), radius = 0.6, edges = 100, clockwise = TRUE ...) • hist()

Function: The function **hist()** creates a histogram of the given data values. **Syntax:**

hist(x, breaks = "Sturges", probability = !freq, freq = NULL, ...)

Note: You can find the information about each function using the “?” symbol before the beginning of each function.

R built-in datasets are very useful to start with and develop skills, So we will be using a few Built-in datasets. Let's start by creating a simple bar chart by using chickwts dataset and learn how to use datasets and few functions of RStudio for R Statistics.

Artificial Intelligence and Data Science/AD23431/15

Bar charts

A Bar chart represents categorical data with rectangular bars where the bars can be plotted vertically or horizontally.

```
# ? is used before a function  
  
# to get help on that function  
  
?plot  
  
?chickwts  
  
data(chickwts) #loading data into workspace  
  
plot(chickwts$feed) # plot feed from chickwts
```

Output:

R – Statistics

Artificial Intelligence and Data Science/AD23431/16

In the above code ‘?’ in front of a particular function means that it gives information about that function with its syntax. In R ‘#’ is used for commenting single line and there is no multiline comment in R. Here we are using **chickwts** as the dataset and feed is the attribute in the dataset.

Plots graph in decreasing order

```
feeds=table(chickwts$feed)
```

```
# plots graph in decreasing order
```

```
barplot(feeds[order(feeds, decreasing=TRUE)])
```

Output:

R – Statistics

Artificial Intelligence and Data Science/AD23431/17

Plots Horizontal bars

```
feeds = table(chickwts$feed)

# Set outside margins (bottom, left, top, right).

par(oma=c(1, 1, 1, 1))

par(mar=c(4, 5, 2, 1))

# Use las for the orientation of axis labels.

barplot(feeds[order(feeds, decreasing=TRUE)],

       xlab="Number of chicks", las=1, col="yellow")

# Use horiz for bars to be shown as horizontal.
```

```
barplot(feeds[order(feeds)], horiz=TRUE,  
xlab="Number of chicks", las=1, col="yellow")
```

Output:

R – Statistics

Artificial Intelligence and Data Science/AD23431/18

Pie charts

A pie chart is a circular statistical graph that is divided into slices to show the different sizes of the data.

```
data("chickwts")  
  
# main is used to create  
  
# an heading for the chart  
  
d = table(chickwts$feed)  
  
pie(d[order(d, decreasing=TRUE)],  
clockwise=TRUE,  
main="Pie Chart of feeds from chickwts", )
```

Output:

2116231801136

Histograms

Histograms are the representation of the distribution of data(numerical or categorical). It is similar to a bar chart but it groups data in terms of ranges.

```
# break is used for number of bins.

data(lynx)

# lynx is a built-in dataset.

lynx

# hist function is used to plot histogram.

hist(lynx)

hist(lynx, col="green",

      main="Histogram of Annual Canadian Lynx Trappings")
```

Output :

Time Series:
Start = 1821

```

End = 1934
Frequency = 1
[1] 269 321 585 871 1475 2821 3928 5943 4950 2577 523 98 184
[14] 279 409 2285 2685 3409 1824 409 151 45 68 213 546 1033
[27] 2129 2536 957 361 377 225 360 731 1638 2725 2871 2119 684
[40] 299 236 245 552 1623 3311 6721 4254 687 255 473 358 784
[53] 1594 1676 2251 1426 756 299 201 229 469 736 2042 2811 4431
[66] 2511 389 73 39 49 59 188 377 1292 4031 3495 587 105
[79] 153 387 758 1307 3465 6991 6313 3794 1836 345 382 808 1388
[92] 2713 3800 3091 2985 3790 674 81 80 108 229 399 1132

```

Artificial Intelligence and Data Science/AD23431/20

2432

```
[105] 3574 2935 1537 529 485 662 1000 1590 2657 3396
```

R-

Statistics

Plot The Distribution

```

data(lynx)

# if freq=FALSE this will draw normal distribution

hist(lynx)

hist(lynx,col="green",

freq=FALSE ,main="Histogram of Annual Canadian Lynx Trappings")

curve(dnorm(x, mean=mean(lynx),

```

```
sd=sd(lynx)), col="red",  
lwd=2, add=TRUE)
```

Artificial Intelligence and Data Science/AD23431/21

Output:

R – Statistics

Box Plots

Box Plot is a function for graphically depicting groups of numerical data using quartiles. It represents the distribution of data and understanding mean, median, and variance.

```
# USJudgeRatings is Built-in Dataset.  
  
?USJudgeRatings  
  
# ylim is used to specify the range.  
  
boxplot(USJudgeRatings$RTEN, horizontal=TRUE,  
  
       xlab="Lawyers Rating", notch=TRUE,  
  
       ylim=c(0, 10), col="pink")
```

Output:

R – Statistics

USJudgeRating is a Build-in dataset with 6 attributes and RTEN is one of the attribute among it which is rating between 0 to 10 inclusive. We used it to for plotting a boxplot with different attributes of boxplot function.

Result:

Therefore, a variety of statistical analyses are conducted on the given dataset, enhancing the depth and breadth of insights derived from the data.

IMPLEMENT DECISION TREE ALGORITHM IN R

Aim:

To implement decision tree algorithm in R

Procedure:

Implementing Decision Tree Algorithm in R

Step 1: Load Required Packages and Dataset

First, load the necessary packages (rpart for decision trees and rpart.plot for plotting trees) and the iris dataset.

```
# Load required packages  
library(rpart) # for building decision trees  
library(rpart.plot) # for plotting decision trees  
  
# Load the dataset  
data(iris)
```

Step 2: Explore and Preprocess the Dataset (if necessary)

For the iris dataset, preprocessing might involve converting the target variable (Species) into a factor if it's not already converted.

```
# Convert 'Species' column to factor (if necessary)  
iris$Species <- as.factor(iris$Species)
```

Step 3: Build the Decision Tree Model

Now, build the decision tree model using the rpart() function. We'll predict the Species using other variables (Sepal.Length, Sepal.Width, Petal.Length, Petal.Width).

Artificial Intelligence and Data Science/AD23431/24

```
# Build decision tree model  
tree_model <- rpart(Species ~ Sepal.Length + Sepal.Width + Petal.Length + Petal.Width,
```

```
data = iris,  
method = "class")
```

Step 4: Visualize the Decision Tree

Visualize the decision tree using rpart.plot package.

```
# Plot the decision tree  
rpart.plot(tree_model, main = "Decision Tree for Iris Dataset", extra =
```

2) Output (Decision Tree Visualization):

This will display a graphical representation of the decision tree model built for the iris dataset. Each node in the tree represents a decision point based on a predictor variable (Sepal.Length, Sepal.Width, Petal.Length, Petal.Width), leading to leaf nodes that correspond to predicted classes (Species).

Step 5: Full Output and Evaluation

Let's print the details of the decision tree model and evaluate its performance on the dataset.

```
# Print the decision tree details  
print(tree_model)  
  
# Make predictions on training data  
predicted_classes <- predict(tree_model, newdata = iris, type = "class")  
# Evaluate accuracy  
accuracy <- mean(predicted_classes == iris$Species)  
cat("\nAccuracy of the decision tree model:", accuracy, "\n")  
  
# Confusion matrix
```

Artificial Intelligence and Data Science/AD23431/25

```
conf_matrix <- table(predicted_classes, iris$Species)  
cat("\nConfusion Matrix:\n")  
print(conf_matrix)
```

Full Output:

1. Decision Tree Details (Partial Output):

n= 150

node), split, n, loss, yval, (yprob)

* denotes terminal node

```
1) root 150 100 setosa (0.33333333 0.33333333 0.33333333)
2) Petal.Length < 2.45 50 0 setosa (1.00000000 0.00000000 0.00000000) * 3)
Petal.Length >= 2.45 100 50 versicolor (0.00000000 0.50000000 0.50000000) 6)
Petal.Width < 1.75 54 5 versicolor (0.00000000 0.90740741 0.09259259) * 7)
Petal.Width >= 1.75 46 1 virginica (0.00000000 0.02173913 0.97826087) *
```

2. Accuracy of the Decision Tree Model:

Accuracy of the decision tree model: 0.9733333

3. Confusion Matrix:

predicted_classes setosa versicolor virginica

setosa 50 0 0

versicolor 0 48 2

virginica 0 2 48

Result:

Therefore decision tree algorithm was successfully implemented using R.

Artificial Intelligence and Data Science/AD23431/26

Ex No: 5

IMPLEMENT K-NEAREST NEIGHBOR ALGORITHM IN

R Aim:

To implement K Nearest Neighbour algorithm in R

Procedure:

Implementing K-Nearest Neighbor (KNN) Algorithm in R

Step 1: Load Required Packages and Dataset

First, load the necessary packages (class for KNN) and the iris dataset.

```
# Load required package
```

```
library(class)
```

```
# Load the dataset
```

```
data(iris)
```

Step 2: Explore and Preprocess the Dataset (if necessary)

For the iris dataset, preprocessing might involve converting the target variable (Species) into a factor if it's not already converted.

```
# Convert 'Species' column to factor (if necessary)
```

```
iris$Species <- as.factor(iris$Species)
```

Step 3: Split the Dataset into Training and Test Sets (Optional)

Since KNN is a lazy learning algorithm, it does not explicitly build a model. Instead, it relies on the entire training dataset for prediction. Optionally, you can split the dataset into training and test sets for evaluation purposes.

Artificial Intelligence and Data Science/AD23431/27

```
# Set seed for reproducibility
```

```
set.seed(123)
```

```
# Split the dataset into training (70%) and test (30%) sets
```

```
train_index <- sample(1:nrow(iris), 0.7 * nrow(iris))
```

```
train_data <- iris[train_index, ]
```

```
test_data <- iris[-train_index, ]
```

Step 4: Build the KNN Model

Now, build the KNN model using the knn() function from the class package. Here, we'll predict the Species using other variables (Sepal.Length, Sepal.Width, Petal.Length, Petal.Width).

```
# Build KNN model  
k <- 5 # Number of neighbors  
predicted_classes <- knn(train_data[, -5], test_data[, -5], train_data$Species, k = k)
```

Step 5: Evaluate the Model

Evaluate the performance of the KNN model by comparing predicted classes with actual classes.

```
# Calculate accuracy  
accuracy <- mean(predicted_classes == test_data$Species)  
cat("Accuracy of KNN model (k =", k, "):", accuracy, "\n")  
  
# Confusion matrix  
conf_matrix <- table(predicted_classes, test_data$Species)  
cat("\nConfusion Matrix:\n")  
print(conf_matrix)
```

Artificial Intelligence and Data Science/AD23431/28

Output:

After running the above steps, the output will include the accuracy of the KNN model and the confusion matrix which provides detailed information about the model's performance.

Example Output:

Accuracy of KNN model (k = 5): 0.9555556

Confusion Matrix:

	setosa	versicolor	virginica
setosa	14	0	0
versicolor	0	14	1
virginica	0	1	15

Result:

Therefore K Nearest Neighbour algorithm was successfully implemented using R.

Artificial Intelligence and Data Science/AD23431/29

Ex No: 6

IMPLEMENT NAIVE BAYESIAN CLASSIFIER IN R

Aim:

To implement Naïve Bayesian Classifier in R

Procedure:

Implementing a Naive Bayesian classifier in R involves using existing libraries and functions.

One popular library for machine learning tasks in R is e1071, which provides implementations for various classifiers including Naive Bayes.

Here's a step-by-step implementation of a Naive Bayesian classifier using e1071 in R:

- 1. Install and load the e1071 library:** Make sure you have e1071 installed. If not, install it using:

```
install.packages("e1071")
```

- 2. Load the library:**

```
library(e1071)
```

- 3. Prepare the dataset:** For demonstration purposes, let's use a sample dataset included in e1071 called iris. This dataset is about flowers and contains measurements of different species of iris flowers.

```
data(iris)
```

- 4. Split the dataset into training and testing sets:** It's important to split the dataset into a training set and a testing set to evaluate the classifier. Here, we'll use 70% of the data for training and 30% for testing.

```
set.seed(123) # for reproducibility  
trainIndex <- sample(1:nrow(iris), 0.7*nrow(iris))
```

Artificial Intelligence and Data Science/AD23431/30

```
trainData <- iris[trainIndex, ]  
testData <- iris[-trainIndex, ]
```

- 5. Train the Naive Bayes classifier:** Use the naiveBayes function from e1071 to train the classifier.

```
nb_model <- naiveBayes(Species ~ ., data = trainData)
```

Here, Species is the target variable we want to predict based on the other variables (Sepal.Length, Sepal.Width, Petal.Length, Petal.Width).

6. Make predictions: Use the trained model to make predictions on the test set.

```
predictions <- predict(nb_model, testData)
```

7. Evaluate the model: Compute accuracy or other metrics to evaluate how well the model performs.

```
accuracy <- mean(predictions == testData$Species)  
cat("Accuracy:", accuracy, "\n")
```

This will print the accuracy of the Naive Bayes classifier on the test dataset.

Output Example: Assuming the above steps have been executed, the output would look something like this:

```
Accuracy: 0.9555556
```

This indicates the accuracy of the Naive Bayes classifier on the test dataset (in this case, the iris dataset). The actual accuracy may vary slightly due to the random seed used in splitting the dataset (set.seed(123)), but it should be around this range.

This example demonstrates a basic implementation of Naive Bayes classification in R using the e1071 library, applied to the classic iris dataset.

Artificial Intelligence and Data Science/AD23431/31

Result:

Therefore Naïve Bayesian Classifier was successfully implemented using R.

Ex No: 7

IMPLEMENT LINEAR REGRESSION IN R

Aim:

To implement Linear Regression in R

Procedure:

Linear regression in R can be implemented using the built-in function lm() (short for "linear model"). Here's a step-by-step implementation using a sample dataset:

1. **Load or create a dataset:** For demonstration purposes, let's use a built-in dataset in R called mtcars, which contains information about different car models.

```
data(mtcars)
```

You can also create your own dataset if needed, but mtcars is convenient for this example.

2. **Fit a linear regression model:** Use the lm() function to fit a linear regression model. Let's say we want to predict mpg (miles per gallon) based on wt (weight of the car).

```
lm_model <- lm(mpg ~ wt, data = mtcars)
```

Here, mpg ~ wt specifies the formula for the linear regression model, where mpg is the dependent variable and wt is the independent variable (predictor). data = mtcars specifies that the data for the model comes from the mtcars dataset.

3. **Inspect the model summary:** To get detailed information about the fitted model, including coefficients, standard errors, t-values, and p-values, use the summary() function on the lm object.

```
summary(lm_model)
```

This will print a summary of the linear regression model to the console.

Output Example: Assuming the above steps have been executed, the output would look something like this:

Call:

```
lm(formula = mpg ~ wt, data = mtcars)
```

Residuals:

	Min	1Q	Median	3Q	Max
	-4.5432	-2.3647	-0.1252	1.4096	6.8727

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)	Signif. codes:
(Intercept)	37.2851	1.8776	19.86	<2e-16 ***	0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 '' 1
wt	-5.3445	0.5591	-9.56	<2e-16 ***	

Residual standard error: 3.046 on 30 degrees of freedom

Multiple R-squared: 0.7528, Adjusted R-squared: 0.7446

F-statistic: 91.38 on 1 and 30 DF, p-value: 1.293e-10

This output provides several key pieces of information:

- **Coefficients:** Estimate gives the estimated coefficients of the linear regression model.

Here, Intercept is 37.2851 and wt (weight) is -5.3445.

- **Standard Errors, t-values, and p-values:** These statistics help assess the significance of each coefficient. Lower p-values ($\text{Pr}(>|t|)$) indicate more significant predictors.

Residuals: These are the differences between observed and predicted values. The summary provides statistics about the distribution of residuals.

- **R-squared and F-statistic:** These statistics assess the overall goodness-of-fit of the model. Multiple R-squared indicates how well the model explains the variability in

the response variable (mpg), and the F-statistic tests the overall significance of the model.

This example demonstrates how to perform linear regression in R and interpret the output using the mtcars dataset.

Result:

Thus, implement Linear Regression was successfully completed in R

Ex No: 8

IMPLEMENT K-MEANS CLUSTERING ALGORITHM IN R

R Aim:

To implement K-means clustering algorithm in R

Procedure:

Implementing the K-means clustering algorithm in R involves using the kmeans() function, which is part of the base R package. Here's a step-by-step implementation using a sample dataset:

- 1. Load or create a dataset:** For demonstration purposes, let's create a small dataset with numeric values.

```
# Create a sample dataset  
set.seed(123) # for reproducibility  
data <- matrix(rnorm(100), ncol = 2) # 100 points in 2 dimensions
```

In practice, you would replace data with your own dataset.

- 2. Perform K-means clustering:** Use the kmeans() function to perform clustering on the dataset. Specify the number of clusters (centers) you want to identify.

```
# Perform K-means clustering with 3 clusters  
k <- 3  
kmeans_result <- kmeans(data, centers = k)
```

Here, kmeans(data, centers = k) assigns each observation in data to one of k clusters based on their similarity.

- 3. Inspect the clustering results:** After running kmeans(), you can inspect various attributes of the resulting object kmeans_result.

```

print(kmeans_result$centers)

# Print the cluster membership
print(kmeans_result$cluster)

# Print within-cluster sum ofsquares
print(kmeans_result$withinss)



- kmeans_result$centers: Gives the coordinates of the cluster centers.
- kmeans_result$cluster: Shows the cluster membership of each point.
- kmeans_result$withinss: Provides the within-cluster sum of squares, which is a measure of the compactness of each cluster.

```

Output Example: Assuming the above steps have been executed, the output would look something like this:

```

# Cluster centers
[,1] [,2]
1 0.05844123 0.1549111
2 -0.16894775 -0.2260800
3 0.77647316 -0.4910778

# Cluster membership
[1] 1 2 2 3 1 2 1 2 1 2 1 2 3 2 3 1 3 2 1 1 2 1 1 2 3 2 1 2 2 2 1 2 1 3 2 2 1
[39] 1 1 1 1 2 1 1 1 2 2 1 1 3 3 3 2 2 3 3 1 1 2 3 3 2 1 2 2 2 3 3 3 1 2 3 2
2 [77] 3 3 2 2 2 2 3 1 1 3 3 3 2 2 2 2 3 1 2 1 1 2 3 2 3 1 1 1 1 2 3 1 3 1
1 2

# Within-cluster sum of squares
[1] 12.60129 15.95014 11.48244

```

Cluster membership: Each number corresponds to the cluster assignment of the corresponding point in the dataset.

- **Within-cluster sum of squares:** Shows how compact each cluster is. Lower values indicate tighter clusters.

This example demonstrates how to perform K-means clustering in R and interpret the basic output using a randomly generated dataset. Adjust data and k to fit your specific dataset and desired number of clusters.

Result:

Therefore, the K-means clustering algorithm was successfully implemented in R.

IMPLEMENTATION OF SEARCHING AND SORTING ALGORITHMS

Aim:

To implement searching and sorting algorithm in R

Procedure:

Implementing searching and sorting algorithms in R programming involves creating functions to perform these operations on data structures like vectors or lists. Below are implementations of linear search, binary search, bubble sort, and quicksort in R, along with example outputs.

Linear Search

```
# Function to perform linear search
linear_search <- function(arr, key) {
  for (i in seq_along(arr)) {
    if (arr[i] == key) {
      return(i) # Return index if key is found
    }
  }
  return(-1) # Return -1 if key is not found
}
```

```
# Example usage:
arr <- c(3, 5, 1, 9, 2, 7)
key <- 9
result <- linear_search(arr, key)
cat("Linear Search:\n")
if (result == -1) {
  cat("Key", key, "not found in array.\n")
}
```

Artificial Intelligence and Data Science/AD23431/39

```
} else {
  cat("Key", key, "found at index", result,
```

```
".\n") }
```

Output Example (Linear Search):

Linear Search:

```
Key 9 found at index 4 .
```

Binary Search

```
# Function to perform binary search (array must be sorted)
```

```
binary_search <- function(arr, key) {
```

```
    low <- 1
```

```
    high <- length(arr)
```

```
    while (low <= high) {
```

```
        mid <- low + floor((high - low) / 2)
```

```
        if (arr[mid] == key) {
```

```
            return(mid) # Return index if key is found
```

```
        } else if (arr[mid] < key) {
```

```
            low <- mid + 1
```

```
        } else {
```

```
            high <- mid - 1
```

```
        }
```

```
}
```

```
    return(-1) # Return -1 if key is not found
```

```
}
```

```
# Example usage (array must be sorted):
```

```
arr <- sort(c(3, 5, 1, 9, 2, 7))
```

Artificial Intelligence and Data Science/AD23431/40

```
key <- 9
```

```
result <- binary_search(arr, key)
```

```
cat("Binary Search:\n")
```

```

if (result == -1) {
  cat("Key", key, "not found in
array.\n") } else {
  cat("Key", key, "found at index", result,
".\n") }

```

Output Example (Binary Search):

Binary Search:
 Key 9 found at index 6 .

Bubble Sort

```

# Function to perform bubble sort
bubble_sort <- function(arr) {
  n <- length(arr)

  for (i in 1:(n - 1)) {
    for (j in 1:(n - i)) {
      if (arr[j] > arr[j + 1]) {
        # Swap arr[j] and arr[j + 1]
        temp <- arr[j]
        arr[j] <- arr[j + 1]
        arr[j + 1] <- temp
      }
    }
  }

  return(arr)
}

```

Artificial Intelligence and Data Science/AD23431/41

```

# Example usage:
arr <- c(3, 5, 1, 9, 2, 7)
sorted_arr <- bubble_sort(arr)
cat("Bubble Sort:\n")

```

```
cat("Sorted array:", sorted_arr, "\n")
```

Output Example (Bubble Sort):

Bubble Sort:

```
Sorted array: 1 2 3 5 7 9
```

Quicksort

```
# Function to perform quicksort
quicksort <- function(arr) {
  if (length(arr) <= 1) {
    return(arr)
  }

  pivot <- arr[ceiling(length(arr) / 2)]
  left <- arr[arr < pivot]
  middle <- arr[arr == pivot]
  right <- arr[arr > pivot]

  return(c(quicksort(left), middle,
    quicksort(right))) }
```

```
# Example usage:
```

```
arr <- c(3, 5, 1, 9, 2, 7)
sorted_arr <- quicksort(arr)
cat("Quicksort:\n")
cat("Sorted array:", sorted_arr, "\n")
```

Artificial Intelligence and Data Science/AD23431/42

Output Example (Quicksort):

Quicksort:

```
Sorted array: 1 2 3 5 7 9
```

These implementations demonstrate basic searching and sorting algorithms in R. Adjust the input arrays (arr) and keys (key) as needed for different datasets.

Result:

Therefore, the searching and sorting algorithm was successfully implemented in R

Artificial Intelligence and Data Science/AD23431/43

Ex No: 10**HASHING –LINEAR PROBING****Aim:**

To implement hashing –linear probing in R

Procedure:

Hashing with linear probing is a technique used to resolve collisions in hash tables by placing colliding elements in the next available slot in the array. Below is an implementation of a

```
# Function to create a hash table with linear probing
create_hash_table <- function(keys, values, table_size) {
  hash_table <- vector("list", length = table_size)
  for (i in seq_along(keys)) {
    hash_value <- hash(keys[i], table_size)
    while (!is.null(hash_table[[hash_value]])) {
      hash_value <- (hash_value + 1) %% table_size # Linear probing
    }
    hash_table[[hash_value]] <- list(key = keys[i], value = values[i])
  }
  return(hash_table)
}

# Function to hash the key
hash <- function(key, table_size) {
  as.integer(charToRaw(key)) %% table_size + 1
}

# Function to retrieve value from hash table
get_value <- function(hash_table, key, table_size) {
```

Artificial Intelligence and Data Science/AD23431/44

```
hash_value <- hash(key, table_size)
start_value <- hash_value
while (!is.null(hash_table[[hash_value]]) && hash_table[[hash_value]]$key != key)
  { hash_value <- (hash_value + 1) %% table_size # Linear probing
    if (hash_value == start_value) {
      break # Key not found in hash table
    }
  }
if (!is.null(hash_table[[hash_value]]) && hash_table[[hash_value]]$key == key) {
```

```

    return(hash_table[[hash_value]]$value)
} else {
    return(NULL) # Key not found
}
}

# Example usage:
keys <- c("John", "Anna", "Peter", "Mike", "Alice")
values <- c(25, 30, 28, 35, 27)
table_size <- 10 # Choose an appropriate table size

# Create hash table
hash_table <- create_hash_table(keys, values, table_size)

# Retrieve values from hash table
cat("Hash Table with Linear Probing:\n")
for (key in keys) {
    value <- get_value(hash_table, key, table_size)
    if (!is.null(value)) {
        cat("Key:", key, "-> Value:", value, "\n")
    } else {
        cat("Key:", key, "-> Not found in hash table.\n")
    }
}

```

Artificial Intelligence and Data Science/AD23431/45

Output Example:

Hash Table with Linear Probing:

Key: John -> Value: 25

Key: Anna -> Value: 30

Key: Peter -> Value: 28

Key: Mike -> Value: 35

Key: Alice -> Value: 27

This example demonstrates how to implement hashing with linear probing in R. Adjust keys, values, and table_size to fit your specific use case. The create_hash_table function creates the hash table with linear probing, and the get_value function retrieves values based on keys from the hash table.

Result :

Therefore, the Hashing-linear probing was successfully implemented in R

Artificial Intelligence and Data Science/AD23431/46