

Ex No: 1a)

Date:20.01.2025

INSTALLATION AND CONFIGURATION OF LINUX


Aim:

To install and configure Linux operating system in a Virtual Machine.

Installation/Configuration Steps:

1. Install the required packages for virtualization
`dnf install xen virt-manager qemu libvirt`
2. Configure xend to start up on boot
`systemctl enable virt-manager.service`
3. Reboot the machine
Reboot
4. Create Virtual machine by first running virt-manager
virt-manager &
5. Click on File and then click to connect to localhost
6. In the base menu, right click on the localhost(QEMU) to create a new VM
7. Select Linux ISO image
8. Choose puppy-linux.iso then kernel version
9. Select CPU and RAM limits
10. Create default disk image to 8 GB
11. Click finish for creating the new VM with PuppyLinux

OUTPUT:



Name	Date modified	Type	S
 kali-linux-2024.3-vmware-amd64.vmx.lck	25-04-2025 18:31	File folder	
 kali-linux-2024.3-vmware-amd64	22-04-2025 19:50	VMware virtual ma...	

kali-linux-2024.3-vmware-amd64 - VMware Workstation

File Edit View VM Tabs Help

Home kali Linux 2024.3-vmware-amd64

kali-linux-2024.3-vmware-amd64

Resume this virtual machine
Edit virtual machine settings

Devices

- Memory: 2 GB
- Processors: 4
- Hard Disk (SCSI): 80.1 GB
- Network Adapter: NAT
- USB Controller: Present
- Sound Card: Auto detect
- Display: Auto detect

Description

Kali Rolling (2024.3) x64
2024-08-18

Username: kali
Password: kali
(US keyboard layout)

* Kali Homepage:
<https://www.kali.org/>

* Kali Documentation:
<https://www.kali.org/docs/>

* Kali Tools:
<https://www.kali.org/tools/>

* Forum/Community Support:
<https://forums.kali.org/>


Virtual Machine Details

State: Suspended
Configuration file: D:\VMWARE SW\kali-linux-2024.3-vmware-amd64\kali-linux-2024.3-vmware-amd64.vmx
Hardware compatibility: Workstation 8x virtual machine
Primary IP address: Network information is not available

```

File Actions Edit View Help
[...]
```





RESULT:

Hence, Linux operating system in the virtual machine is installed and configured successfully.