

UNIVERSIDAD POLITÉCNICA METROPOLITANA DE HIDALGO

Ingeniería en Tecnologías de la Información

Tecnologías y Aplicaciones en Internet

8° B

Integrantes:

Hernandez Espinosa Zaid Emanuel
Herrera Cruz Vielka Ailyn
Lopez Lara Randy Noe
Gonzalez Lopez Jorge Saul

Profesor:

Dr. Carlos Alberto Carrillo Santos.
Tolcayuca, Hidalgo Ex Hacienda San Javier

The screenshot displays the Postman application interface. At the top, there's a navigation bar with 'Home', 'Workspaces', and 'Explore' tabs, along with a search bar and buttons for 'Sign In' and 'Create Account'. Below this, a message states: 'You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.' The main interface is divided into three panels. The left panel, titled 'History', shows a list of recent requests, including several 'POST http://127.0.0.1:8000/api/auth/login/' requests. The middle panel shows the details of a selected request: 'POST http://localhost:3000/api/auth/login'. The request body is in JSON format, containing fields like 'tipo', 'username', and 'password'. The right panel shows the response, which is a JSON object containing a 'token' and a 'rol'. The status bar at the bottom indicates '200 OK' with a response time of '896 ms'.

Home Workspaces Explore Search Postman Sign In Create Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History New Import

POST http://localhost:3000/api/ [CONFLICT] POST http://localhost:3000/api/

http://localhost:3000/api/auth/login

POST http://127.0.0.1:8000/api/productos/

Send

Params Auth Headers (9) Body Pre-req. Tests Settings Cookies Beautify

raw JSON

```
1
2
3
4
5
6
7
8
9
"catcve": 1,
"nombre": "Destornillador plano",
"precio": 45.50,
"descripcion": "Destornillador plano de 6 pulgadas",
"modelo": "DP-6",
"marca": "Triuper",
"color": "Amarillo"
```

Body Cookies Headers (8) Test Results 201 Created 806 ms 409 B Save Response

Pretty Raw Preview Visualize JSON

```
1
2
3
4
5
6
7
8
9
"mensaje": "Producto creado correctamente",
"producto": {
  "procv": 21,
  "nombre": "Destornillador plano",
  "precio": "45.5",
  "catcve": 1
}
```

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

Console Not connected to a Postman account

Home Workspaces Explore Search Postman Sign In Create Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History New Import

POST http://localhost:3000/api/ [CONFLICT] POST http://localhost:3000/api/

http://localhost:3000/api/auth/login

POST http://127.0.0.1:8000/api/empleados/

Send

Params Auth Headers (9) Body Pre-req. Tests Settings Cookies Beautify

raw JSON

```
1
2
3
4
5
6
7
8
9
10
"surcve": 1,
"nombre": "Laura",
"apellidopaterno": "Mendez",
"apellidomaterno": "Rojas",
"rol": "Vendedor",
"username": "lmendez",
"email": "lmendez@ferreteria.com",
"password": "Password123!"
```

Body Cookies Headers (8) Test Results 201 Created 853 ms 405 B Save Response

Pretty Raw Preview Visualize JSON

```
1
2
3
4
5
6
7
8
9
"mensaje": "Empleado creado correctamente",
"empleado": {
  "empcve": 11,
  "nombre": "Laura",
  "username": "lmendez",
  "rol": "Vendedor"
}
```

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

Console Not connected to a Postman account

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History

NewImport

POST http://localhost:3000/api/auth/login

Save

Today

POST http://127.0.0.1:8000/api/empleados/

POST http://127.0.0.1:8000/api/productos/

POST http://127.0.0.1:8000/api/productos/crear/

POST http://127.0.0.1:8000/api/productos/crear/

POST http://127.0.0.1:8000/api/auth/login/

POST http://127.0.0.1:8000/api/auth/login/

POST http://127.0.0.1:8000/api/auth/login/

POST http://127.0.0.1:8000/api/auth/login/

POST http://127.0.0.1:8000/api/auth/login/

POST http://127.0.0.1:8000/api/auth/login/

POST http://127.0.0.1:8000/api/auth/login/

POST http://127.0.0.1:8000/api/auth/login/

POST http://127.0.0.1:8000/api/auth/login/

POST http://127.0.0.1:8000/api/auth/login/

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

POST http://127.0.0.1:8000/api/empleados/

Send

ParamsAuthHeaders (9)BodyPre-req. Tests Settings

rawJSON

```
1  {
2    "suave": 1,
3    "nombre": "Laura",
4    "apellidopaterno": "Mendez",
5    "apellidomaterno": "Rojas",
6    "rol": "Vendedor",
7    "username": "lmendez",
8    "email": "lmendez@ferreteria.com",
9    "password": "Password123!"
10 }
```

BodyCookiesHeaders (8)Test Results

201 Created853 ms405 BSave Response

PrettyRawPreviewVisualizeJSON

```
1  {
2    "mensaje": "Empleado creado correctamente",
3    "empleado": {
4      "empcve": 11,
5      "nombre": "Laura",
6      "username": "lmendez",
7      "rol": "Vendedor"
8    }
9  }
```

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History

NewImport

POST http://localhost:3000/api/auth/login

Save

Today

GET http://127.0.0.1:8000/api/productos/listar/

GET http://127.0.0.1:8000/api/productos/

GET http://127.0.0.1:8000/api/empleados/

DEL http://127.0.0.1:8000/api/empleados/11

POST http://127.0.0.1:8000/api/empleados/

POST http://127.0.0.1:8000/api/productos/

POST http://127.0.0.1:8000/api/productos/crear/

POST http://127.0.0.1:8000/api/productos/crear/

POST http://127.0.0.1:8000/api/productos/crear/

POST http://127.0.0.1:8000/api/auth/login/

POST http://127.0.0.1:8000/api/auth/login/

POST http://127.0.0.1:8000/api/auth/login/

POST http://127.0.0.1:8000/api/auth/login/

POST http://127.0.0.1:8000/api/auth/login/

POST http://127.0.0.1:8000/api/auth/login/

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

GET http://127.0.0.1:8000/api/productos/listar/

Send

ParamsAuthHeaders (9)BodyPre-req. Tests Settings

Bearer Token

Token

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...

The authorization header will be automatically generated when you send the request.

Learn more about authorization

Store your secrets with end-to-end encryption locally using Vault.

Store in Vault

BodyCookiesHeaders (8)Test Results

200 OK731 ms4.54 KBSave Response

PrettyRawPreviewVisualizeJSON

```
185  {
186    "nombre": "Manguera de jard\u00edn",
187    "precio": "245.00",
188    "descripcion": "Manguera para jard\u00edn 15 metros",
189    "modelo": "MJ-15",
190    "marca": "Truper",
191    "color": "Verde",
192    "categoria": "Jardiner\u00eda"
193  },
194  {
195    "nombre": "Manguera de jard\u00edn",
196    "precio": "245.00",
197    "descripcion": "Manguera para jard\u00edn 15 metros",
198    "modelo": "MJ-15",
199    "marca": "Truper",
200    "color": "Verde",
201    "categoria": "Jardiner\u00eda"
202  }
203 }
```

Home Workspaces Explore Search Postman Sign In Create Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History New Import

Today

- PATCH http://127.0.0.1:8000/api/productos/11/
- PATCH PATCH http://127.0.0.1:8000/api/productos/11/
- GET http://127.0.0.1:8000/api/productos/listar/
- GET http://127.0.0.1:8000/api/productos/
- GET http://127.0.0.1:8000/api/productos/
- GET http://127.0.0.1:8000/api/productos/listar/
- GET http://127.0.0.1:8000/api/productos/
- GET http://127.0.0.1:8000/api/empleados/
- DEL http://127.0.0.1:8000/api/empleados/11
- POST http://127.0.0.1:8000/api/empleados/
- POST http://127.0.0.1:8000/api/productos/
- POST http://127.0.0.1:8000/api/productos/crear/
- POST http://127.0.0.1:8000/api/productos/crear/
- POST http://127.0.0.1:8000/api/productos/crear/
- POST http://127.0.0.1:8000/api/auth/login/

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

POST http://localhost:3000/api [CONFLICT] GET http://localhost:3000/api PATCH http://127.0.0.1:8000/api

http://127.0.0.1:8000/api/productos/listar/ Save </>

PATCH http://127.0.0.1:8000/api/productos/11/ Send

Params Auth Headers (9) Body Pre-req. Tests Settings Cookies Beautify

raw JSON

```
1 PATCH
2 "precio": 199.99
3 PATCH
```

Body Cookies Headers (8) Test Results 200 OK 740 ms 429 B Save Response

Pretty Raw Preview Visualize JSON

```
1 PATCH
2 "mensaje": "Producto actualizado correctamente",
3 "producto": {
4   "precio": 11,
5   "nombre": "Apagador sencillo",
6   "precio": "199.99",
7   "categoria": 4,
8   "estado": "activo"
9 }
10 PATCH
```

Home Workspaces Explore Search Postman Sign In Create Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History New Import

Today

- PUT http://127.0.0.1:8000/api/productos/11/
- PATCH http://127.0.0.1:8000/api/productos/11/
- PATCH PATCH http://127.0.0.1:8000/api/productos/11/
- GET http://127.0.0.1:8000/api/productos/listar/
- GET http://127.0.0.1:8000/api/productos/
- GET http://127.0.0.1:8000/api/productos/
- GET http://127.0.0.1:8000/api/productos/listar/
- GET http://127.0.0.1:8000/api/productos/
- GET http://127.0.0.1:8000/api/empleados/
- DEL http://127.0.0.1:8000/api/empleados/11
- POST http://127.0.0.1:8000/api/empleados/
- POST http://127.0.0.1:8000/api/productos/
- POST http://127.0.0.1:8000/api/productos/crear/
- POST http://127.0.0.1:8000/api/productos/crear/
- POST http://127.0.0.1:8000/api/productos/crear/

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

POST http://localhost:3000/api [CONFLICT] GET http://localhost:3000/api PUT http://127.0.0.1:8000/api/

http://127.0.0.1:8000/api/productos/listar/ Save </>

PUT http://127.0.0.1:8000/api/productos/11/ Send

Params Auth Headers (9) Body Pre-req. Tests Settings Cookies Beautify

raw JSON

```
1 PATCH
2 "categoria": 11,
3 "nombre": "Martillo de uña actualizado",
4 "precio": 210.00,
5 "descripcion": "Martillo de uña con mango reforzado",
6 "modelo": "MF-16",
7 "marca": "Triuper",
8 "color": "Negro"
9 PATCH
```

Body Cookies Headers (8) Test Results 400 Bad Request 785 ms 324 B Save Response

Pretty Raw Preview Visualize JSON

```
1 PATCH
2 "error": "La categoría indicada no existe"
3 PATCH
```

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History

NewImport

PUT http://127.0.0.1:8000/api/productos/11/
PUT http://127.0.0.1:8000/api/productos/11/
PATCH http://127.0.0.1:8000/api/productos/11/
PATCH PATCH http://127.0.0.1:8000/api/productos/11/
GET http://127.0.0.1:8000/api/productos/listar/
GET http://127.0.0.1:8000/api/productos/
GET http://127.0.0.1:8000/api/productos/
GET http://127.0.0.1:8000/api/productos/listar/
GET http://127.0.0.1:8000/api/productos/
GET http://127.0.0.1:8000/api/empleados/
DEL http://127.0.0.1:8000/api/empleados/11
POST http://127.0.0.1:8000/api/empleados/
POST http://127.0.0.1:8000/api/productos/
POST http://127.0.0.1:8000/api/productos/crear/
POST http://127.0.0.1:8000/api/productos/crear/

Create collections in Postman
Use collections to save your requests and share them with others.
Create a Collection

PUT http://127.0.0.1:8000/api/productos/listar/

PUT http://127.0.0.1:8000/api/productos/11/

ParamsAuthHeaders (9)BodyPre-req. Tests Settings

rawJSON

```
1
2
3
4
5
6
7
8
9
"catcve": 1,
"nombre": "Martillo de uña actualizado",
"precio": 210.00,
"descripcion": "Martillo de uña con mango reforzado",
"modelo": "MF-16",
"marca": "Triuper",
"color": "Negro"
```

BodyCookiesHeaders (8)Test Results200 OK836 ms443 BSave Response

PrettyRawPreviewVisualizeJSON

```
1
2
3
4
5
6
7
8
9
10
"mensaje": "Producto actualizado correctamente",
"producto": {
  "procve": 11,
  "nombre": "Martillo de uña actualizado",
  "precio": "210.0",
  "catcve": 1,
  "estatus": "activo"
}
```

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History

NewImport

DEL http://127.0.0.1:8000/api/productos/21/
DEL http://127.0.0.1:8000/api/productos/21/
DEL http://127.0.0.1:8000/api/productos/21/
PUT http://127.0.0.1:8000/api/productos/11/
PUT http://127.0.0.1:8000/api/productos/11/
PATCH http://127.0.0.1:8000/api/productos/11/
PATCH PATCH http://127.0.0.1:8000/api/productos/11/
GET http://127.0.0.1:8000/api/productos/listar/
GET http://127.0.0.1:8000/api/productos/
GET http://127.0.0.1:8000/api/productos/
GET http://127.0.0.1:8000/api/empleados/
DEL http://127.0.0.1:8000/api/empleados/11
POST http://127.0.0.1:8000/api/empleados/

Create collections in Postman
Use collections to save your requests and share them with others.
Create a Collection

DELETE http://127.0.0.1:8000/api/productos/listar/

DELETE http://127.0.0.1:8000/api/productos/21/

ParamsAuthHeaders (9)BodyPre-req. Tests Settings

rawJSON

```
1
2
3
4
5
6
7
8
9
"catcve": 1,
"nombre": "Martillo de uña actualizado",
"precio": 210.00,
"descripcion": "Martillo de uña con mango reforzado",
"modelo": "MF-16",
"marca": "Triuper",
"color": "Negro"
```

BodyCookiesHeaders (8)Test Results200 OK691 ms399 BSave Response

PrettyRawPreviewVisualizeJSON

```
1
2
3
4
5
6
7
8
"mensaje": "Producto eliminado correctamente",
"producto": {
  "procve": 21,
  "nombre": "Destornillador plano",
  "estatus": "inactivo"
}
```

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History

Today

PATCH http://127.0.0.1:8000/api/empleados/10/

DEL http://127.0.0.1:8000/api/productos/21/

DEL http://127.0.0.1:8000/api/productos/21/

DEL http://127.0.0.1:8000/api/productos/21/

PUT http://127.0.0.1:8000/api/productos/11/

PUT http://127.0.0.1:8000/api/productos/11/

PATCH http://127.0.0.1:8000/api/productos/11/

PATCH http://127.0.0.1:8000/api/productos/11/

GET http://127.0.0.1:8000/api/productos/listar/

GET http://127.0.0.1:8000/api/productos/

GET http://127.0.0.1:8000/api/productos/

GET http://127.0.0.1:8000/api/productos/listar/

GET http://127.0.0.1:8000/api/productos/

GET http://127.0.0.1:8000/api/empleados/

DEL http://127.0.0.1:8000/api/empleados/11

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

http://127.0.0.1:8000/api/productos/listar/

PATCH http://127.0.0.1:8000/api/empleados/10/

Send

ParamsAuthHeaders (9)BodyPre-req. Tests Settings

rawJSON

```
1
2
3
rol: "Administrador"
```

BodyCookiesHeaders (8)Test Results200 OK739 ms436 BSave Response

PrettyRawPreviewVisualizeJSON

```
1
2
3
4
5
6
7
8
9
10
mensaje: "Empleado actualizado correctamente",
empleado: {
  empcve: 10,
  nombre: "Ricardo",
  username: "rcervantes",
  rol: "Administrador",
  estatus: "activo"
}
```

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History

Today

PATCH http://127.0.0.1:8000/api/empleados/11/

PATCH http://127.0.0.1:8000/api/empleados/10/

DEL http://127.0.0.1:8000/api/productos/21/

DEL http://127.0.0.1:8000/api/productos/21/

DEL http://127.0.0.1:8000/api/productos/21/

PUT http://127.0.0.1:8000/api/productos/11/

PUT http://127.0.0.1:8000/api/productos/11/

PATCH http://127.0.0.1:8000/api/productos/11/

PATCH http://127.0.0.1:8000/api/productos/11/

GET http://127.0.0.1:8000/api/productos/listar/

GET http://127.0.0.1:8000/api/productos/

GET http://127.0.0.1:8000/api/productos/

GET http://127.0.0.1:8000/api/productos/listar/

GET http://127.0.0.1:8000/api/productos/

GET http://127.0.0.1:8000/api/empleados/

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

http://127.0.0.1:8000/api/productos/listar/

PATCH http://127.0.0.1:8000/api/empleados/11/

Send

ParamsAuthHeaders (9)BodyPre-req. Tests Settings

rawJSON

```
1
2
3
4
5
6
nombre: "Laura",
apellidopaterno: "Mendez",
rol: "Vendedor",
surcve: 2
```

BodyCookiesHeaders (8)Test Results200 OK715 ms426 BSave Response

PrettyRawPreviewVisualizeJSON

```
1
2
3
4
5
6
7
8
9
10
mensaje: "Empleado actualizado correctamente",
empleado: {
  empcve: 11,
  nombre: "Laura",
  username: "lmendez",
  rol: "Vendedor",
  estatus: "activo"
}
```

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History

Today

DELhttp://127.0.0.1:8000/api/empleados/11/

PUThttp://127.0.0.1:8000/api/empleados/11/

PATCHhttp://127.0.0.1:8000/api/empleados/11/

PATCHhttp://127.0.0.1:8000/api/empleados/10/

DELhttp://127.0.0.1:8000/api/productos/21/

DELhttp://127.0.0.1:8000/api/productos/21/

DELhttp://127.0.0.1:8000/api/productos/21/

PUThttp://127.0.0.1:8000/api/productos/11/

PUThttp://127.0.0.1:8000/api/productos/11/

PATCHhttp://127.0.0.1:8000/api/productos/11/

PATCHhttp://127.0.0.1:8000/api/productos/11/

GEThttp://127.0.0.1:8000/api/productos/listar/

GEThttp://127.0.0.1:8000/api/productos/

GEThttp://127.0.0.1:8000/api/productos/

GEThttp://127.0.0.1:8000/api/productos/listar/

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

http://127.0.0.1:8000/api/productos/listar/

DELETEhttp://127.0.0.1:8000/api/empleados/11/

Send

ParamsAuthHeaders (9)BodyPre-req. Tests Settings

rawJSON

1"nombre": "Laura",

2"apellidopaterno": "Mendez",

3"rol": "Vendedor",

4"suicve": 2

BodyCookiesHeaders (8)Test Results

200 OK601 ms384 BSave Response

PrettyRawPreviewVisualizeJSON

1"mensaje": "Empleado eliminado correctamente",

2"empleado": {

3"empcve": 11,

4"nombre": "Laura",

5"estatus": "inactivo"

6}

Neon Console

corchetes - Buscar con Google

Ask Gemini

console.neon.tech/app/projects/soft-glade-71871749/branches/br-tiny-glade-ax9oywd/tables?database=neondb

AilynFree

NexaFerreteria

Search...

CtrlK

All OKAsk AIUpgrade

PROJECT

Connect

Dashboard

Branches

Integrations

Settings

BRANCH

production

Overview

Monitoring

SQL Editor

Tables

Backup & Restore

Data Masking

APP BACKEND

Data API

Collapse menu

Tables

production

neondb

Schema

public

Search...

categoria

cliente

detalle_venta

disponibilidad_prod...

django_content_type

django_migrations

empleado

producto

stock

surcusal

+ Add record

75ms

1 - 11 of 11

...

empcve	serial	surcve	integer	stocve	integer	nombre	varchar(60)	apellidopaterno	varchar...
1		1		NULL		Vielka	Ailyn	Herrera	
2		2		NULL		Zaid	Emanuel	Hernandez	
3		3		NULL		Randy	Noe	Lopez	
4		1		NULL		Jorge	Saul	Gonzalez	
5		1		NULL		Marisol		Ramirez	
6		2		NULL		Carlos		Mendoza	
7		4		NULL		Fernanda		Torres	
8		1		4		Alberto		Vazquez	
9		2		10		Patricia		Salinas	
10		5		19		Ricardo		Cervantes	
11		2		NULL		Laura		Mendez	

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History

Today

- DEL http://127.0.0.1:8000/api/empleados/11/
- DEL http://127.0.0.1:8000/api/empleados/11/
- PUT http://127.0.0.1:8000/api/empleados/11/
- PATCH http://127.0.0.1:8000/api/empleados/11/
- PATCH http://127.0.0.1:8000/api/empleados/10/
- DEL http://127.0.0.1:8000/api/productos/21/
- DEL http://127.0.0.1:8000/api/productos/21/
- DEL http://127.0.0.1:8000/api/productos/21/
- PUT http://127.0.0.1:8000/api/productos/11/
- PUT http://127.0.0.1:8000/api/productos/11/
- PATCH http://127.0.0.1:8000/api/productos/11/
- PATCH http://127.0.0.1:8000/api/productos/11/
- GET http://127.0.0.1:8000/api/productos/listar/
- GET http://127.0.0.1:8000/api/productos/
- GET http://127.0.0.1:8000/api/productos/

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

DELETEhttp://127.0.0.1:8000/api/empleados/11/

ParamsAuthHeaders (9)BodyPre-req. Tests Settings

rawJSON

```
1
2
3
4
5
6
"nombre": "Laura",
"apellidopaterno": "Mendez",
"rol": "Vendedor",
"suicve": 2
```

BodyCookiesHeaders (8)Test Results400 Bad Request625 ms321 BSave Response

PrettyRawPreviewVisualizeJSON

```
1
2
3
"error": "El empleado ya está inactivo"
```

ConsoleNot connected to a Postman account

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History

Today

- POST http://127.0.0.1:8000/api/clientes/crear/
- POST http://127.0.0.1:8000/api/clientes/
- DEL http://127.0.0.1:8000/api/empleados/11/
- DEL http://127.0.0.1:8000/api/empleados/11/
- PUT http://127.0.0.1:8000/api/empleados/11/
- PATCH http://127.0.0.1:8000/api/empleados/11/
- PATCH http://127.0.0.1:8000/api/empleados/10/
- DEL http://127.0.0.1:8000/api/productos/21/
- DEL http://127.0.0.1:8000/api/productos/21/
- DEL http://127.0.0.1:8000/api/productos/21/
- PUT http://127.0.0.1:8000/api/productos/11/
- PUT http://127.0.0.1:8000/api/productos/11/
- PATCH http://127.0.0.1:8000/api/productos/11/
- PATCH http://127.0.0.1:8000/api/productos/11/
- GET http://127.0.0.1:8000/api/productos/listar/

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

POSThttp://127.0.0.1:8000/api/clientes/crear/

ParamsAuthHeaders (9)BodyPre-req. Tests Settings

rawJSON

```
1
2
3
4
5
6
7
8
9
10
"nombre": "Sofia",
"apellidopaterno": "Jimenez",
"apellidomaterno": "Bautista",
"telefono": "7711234599",
"username": "sjimenez99",
"email": "sjimenez99@correo.com",
"password": "Password123!",
"membresia": "premium"
```

BodyCookiesHeaders (8)Test Results201 Created788 ms411 BSave Response

PrettyRawPreviewVisualizeJSON

```
1
2
3
4
5
6
7
8
9
"mensaje": "Cliente creado correctamente",
"cliente": {
  "clivce": 21,
  "nombre": "Sofia",
  "username": "sjimenez99",
  "membresia": "premium"
}
```

ConsoleNot connected to a Postman account

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History

NewImport

POST http://localhost:3000/api/clients/11/ [CONFLICT] GET http://localhost:3000/api/clients/11/ GET http://127.0.0.1:8000/api/clients/11/

Today

- GET http://127.0.0.1:8000/api/clients/listar/
- POST http://127.0.0.1:8000/api/clients/listar/
- POST http://127.0.0.1:8000/api/clients/crear/
- POST http://127.0.0.1:8000/api/clients/
- DEL http://127.0.0.1:8000/api/empleados/11/
- DEL http://127.0.0.1:8000/api/empleados/11/
- PUT http://127.0.0.1:8000/api/empleados/11/
- PATCH http://127.0.0.1:8000/api/empleados/11/
- PATCH http://127.0.0.1:8000/api/empleados/10/
- DEL http://127.0.0.1:8000/api/productos/21/
- DEL http://127.0.0.1:8000/api/productos/21/
- DEL http://127.0.0.1:8000/api/productos/21/
- PUT http://127.0.0.1:8000/api/productos/11/
- PUT http://127.0.0.1:8000/api/productos/11/
- PATCH http://127.0.0.1:8000/api/productos/11/

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

http://127.0.0.1:8000/api/productos/listar/

GET http://127.0.0.1:8000/api/clients/listar/ Send

ParamsAuthHeaders (9)BodyPre-req. Tests Settings

rawJSON

```
1
2
3
4
5
6
7
8
9
10
11
"nombre": "Sofia",
"apellidopaterno": "Jimenez",
"apellidomaterno": "Bautista",
"telefono": "7711234599",
"username": "sjimenez99",
"email": "sjimenez99@correo.com",
"password": "Password123!",
"membresia": "premium"
```

BodyCookiesHeaders (8)Test Results200 OK 999 ms 4.82 KB Save Response

PrettyRawPreviewVisualizeJSON

```
1
2
3
4
5
6
7
8
9
10
11
"clientes": [
  {
    "cliente": 1,
    "nombre": "Luis",
    "apellidopaterno": "Garcia",
    "apellidomaterno": "Hernandez",
    "telefono": "7711234501",
    "username": "lgarcia01",
    "email": "lgarcia01@correo.com",
    "membresia": "basica",
```

ConsoleNot connected to a Postman account

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History

NewImport

POST http://localhost:3000/api/clients/11/ [CONFLICT] GET http://localhost:3000/api/clients/11/ PATCH http://127.0.0.1:8000/api/clients/20/

Today

- PATCH http://127.0.0.1:8000/api/clients/20/
- GET http://127.0.0.1:8000/api/clients/20/
- GET http://127.0.0.1:8000/api/clients/21/
- GET http://127.0.0.1:8000/api/clients/listar/
- POST http://127.0.0.1:8000/api/clients/listar/
- POST http://127.0.0.1:8000/api/clients/crear/
- POST http://127.0.0.1:8000/api/clients/
- DEL http://127.0.0.1:8000/api/empleados/11/
- DEL http://127.0.0.1:8000/api/empleados/11/
- PUT http://127.0.0.1:8000/api/empleados/11/
- PATCH http://127.0.0.1:8000/api/empleados/11/
- PATCH http://127.0.0.1:8000/api/empleados/10/
- DEL http://127.0.0.1:8000/api/productos/21/
- DEL http://127.0.0.1:8000/api/productos/21/
- DEL http://127.0.0.1:8000/api/productos/21/

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

http://127.0.0.1:8000/api/productos/listar/

PATCH http://127.0.0.1:8000/api/clients/20/ Send

ParamsAuthHeaders (9)BodyPre-req. Tests Settings

rawJSON

```
1
2
3
"membresia": "premium"
```

BodyCookiesHeaders (8)Test Results200 OK 1064 ms 430 B Save Response

PrettyRawPreviewVisualizeJSON

```
1
2
3
4
5
6
7
8
9
10
"mensaje": "Cliente actualizado correctamente",
"cliente": {
  "cliente": 20,
  "nombre": "Andrea",
  "username": "arios20",
  "membresia": "premium",
  "estatus": "activo"
```

ConsoleNot connected to a Postman account

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History

NewImport

Today

- PUT http://127.0.0.1:8000/api/clientes/20/
- PATCH http://127.0.0.1:8000/api/clientes/20/
- GET http://127.0.0.1:8000/api/clientes/20/
- GET http://127.0.0.1:8000/api/clientes/21/
- GET http://127.0.0.1:8000/api/clientes/listar/
- POST http://127.0.0.1:8000/api/clientes/listar/
- POST http://127.0.0.1:8000/api/clientes/crear/
- POST http://127.0.0.1:8000/api/clientes/
- DEL http://127.0.0.1:8000/api/empleados/11/
- PUT http://127.0.0.1:8000/api/empleados/11/
- PUT http://127.0.0.1:8000/api/empleados/11/
- PATCH http://127.0.0.1:8000/api/empleados/11/
- PATCH http://127.0.0.1:8000/api/empleados/10/
- DEL http://127.0.0.1:8000/api/productos/21/
- DEL http://127.0.0.1:8000/api/productos/21/

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

PUThttp://127.0.0.1:8000/api/clientes/20/Save

Send

ParamsAuthHeaders (9)BodyPre-req. Tests SettingsCookiesBeautify

rawJSON

```
1
2
3
4
5
6
7
8
9
10
{
  "nombre": "Santiago",
  "apellidopaterno": "Vargas",
  "apellidomaterno": "Cervantes",
  "telefono": "7715678908",
  "username": "mvega88",
  "email": "vargas8@correo.com",
  "password": "Password123!",
  "membresia": "basica"
}
```

BodyCookiesHeaders (8)Test Results200 OK1159 ms431 BSave Response

PrettyRawPreviewVisualizeJSON

```
1
2
3
4
5
6
7
8
9
10
{
  "mensaje": "Cliente actualizado correctamente",
  "cliente": {
    "clave": 20,
    "nombre": "Santiago",
    "username": "mvega88",
    "membresia": "basica",
    "estatus": "activo"
  }
}
```

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History

NewImport

Today

- PUT http://127.0.0.1:8000/api/clientes/20/
- PATCH http://127.0.0.1:8000/api/clientes/20/
- GET http://127.0.0.1:8000/api/clientes/20/
- GET http://127.0.0.1:8000/api/clientes/21/
- GET http://127.0.0.1:8000/api/clientes/listar/
- POST http://127.0.0.1:8000/api/clientes/listar/
- POST http://127.0.0.1:8000/api/clientes/crear/
- POST http://127.0.0.1:8000/api/clientes/
- DEL http://127.0.0.1:8000/api/empleados/11/
- DEL http://127.0.0.1:8000/api/empleados/11/
- PUT http://127.0.0.1:8000/api/empleados/11/
- PATCH http://127.0.0.1:8000/api/empleados/11/
- PATCH http://127.0.0.1:8000/api/empleados/10/
- DEL http://127.0.0.1:8000/api/productos/21/
- DEL http://127.0.0.1:8000/api/productos/21/

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

PUThttp://127.0.0.1:8000/api/clientes/20/Save

Send

ParamsAuthHeaders (9)BodyPre-req. Tests SettingsCookiesBeautify

rawJSON

```
2
3
4
5
6
7
8
9
10
{
  "nombre": "Santiago",
  "apellidopaterno": "Vargas",
  "apellidomaterno": "Cervantes",
  "telefono": "7715678908",
  "username": "mvega88",
  "email": "vargas8@correo.com",
  "password": "Password123!",
  "membresia": "basica"
}
```

BodyCookiesHeaders (8)Test Results200 OK1159 ms431 BSave Response

PrettyRawPreviewVisualizeJSON

```
1
2
3
4
5
6
7
8
9
10
{
  "mensaje": "Cliente actualizado correctamente",
  "cliente": {
    "clave": 20,
    "nombre": "Santiago",
    "username": "mvega88",
    "membresia": "basica",
    "estatus": "activo"
  }
}
```

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

HistoryNewImport

POST http://localhost:3000/ap[CONFLICT] GET http://localhDEL http://127.0.0.1:8000/api/

HTTP http://127.0.0.1:8000/api/productos/listar/Save</>

DELETE http://127.0.0.1:8000/api/clientes/21/Send

ParamsAuthHeaders (9)BodyPre-req. TestsSettingsCookiesBeautify

rawJSON

```
1
2  "nombre": "Santiago",
3  "apellidopaterno": "Vargas",
4  "apellidomaterno": "Cervantes",
5  "telefono": "7715678908",
6  "username": "mvega88",
7  "email": "vargas8@correo.com",
8  "password": "Password123!",
9  "membresia": "basica"
10
```

BodyCookiesHeaders (8)Test Results200 OK1389 ms382 BSave Response

PrettyRawPreviewVisualizeJSON

```
1
2  "mensaje": "Cliente eliminado correctamente",
3  "cliente": {
4    "clivce": 21,
5    "nombre": "Sofia",
6    "estatus": "inactivo"
7  }
8
```

Create collections in Postman
Use collections to save your requests and share them with others.
Create a Collection

ConsoleNot connected to a Postman account

Explore

Search Postman

Sign In

Create Account

Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

NewImport

POST http://localhost:3000/ap[CONFLICT] GET http://localhcPOST http://127.0.0.1:8000/api+...

HTTP http://127.0.0.1:8000/api/productos/listar/Save

POSThttp://127.0.0.1:8000/api/ventas/crear/Send

ParamsAuthHeaders (9)BodyPre-req. Tests SettingsCookiesBeautify

rawJSON

```
1{"empcve": 4,
2  "clicve": 1,
3  "metodo_pago": "efectivo",
4  "tipo_entrega": "mostrador",
5  "items": [
6    { "procve": 1, "cantidad": 2 },
7    { "procve": 3, "cantidad": 1 }
8  ]
9}
10
```

Body201 Created1451 ms648 BSave Response

PrettyRawPreviewVisualizeJSON

```
1{"mensaje": "Venta creada correctamente",
2  "venta": {
3    "vencve": 21,
4    "total": "535.00",
5    "subtotal": "535.00",
6    "empleado": "Jorge Saul",
7    "cliente": "Luis",
8    "data": {}
9  }
10}
```

stmanrequests and shareo a Postman account

Lightweight API Client, sign in or create an account to work with collections, environments and **unlock all free features in Postman**.

New Import

POST http://localhost:3000/ap

[CONFLICT] GET http://localh

POST http://127.0.0.1:8000/api

+ ...

http://127.0.0.1:8000/api/productos/listar/

POST

v

http://127.0.0.1:8000/api/ventas/crear/

Params Auth Headers (9) Body Pre-req. Tests Settings

raw v

JSON v

```
1  {
2    "empcve": 4,
3    "clivicve": 1,
4    "metodo_pago": "efectivo",
5    "tipo_entrega": "mostrador",
6    "items": [
7      { "procve": 1, "cantidad": 2 },
8      { "procve": 3, "cantidad": 1 }
9    ]
10 }
```

Body v



201 Created

1451 ms 648 B

Save

Pretty

Raw

Preview

Visualize

JSON v



```
1  {
2    "mensaje": "Venta creada correctamente",
3    "venta": {
4      "vencve": 21,
5      "total": "535.00",
6      "subtotal": "535.00",
7      "empleado": "Jorge Saul",
8      "cliente": "Luis",
9      "fecha": "2023-11-15"
10    }
11 }
```

ventas/crear/

ventas/crear/

ventas/crear/

clientes/21/

clientes/20/

clientes/20/

clientes/20/

clientes/21/

clientes/listar/

clientes/listar/

clientes/crear/

clientes/

empleados/11/

empleados/11/

empleados/11/

Postman

requests and share

Log in to a Postman account

Explore

Search Postman

Sign In

Create Account

Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

NewImport

POST http://localhost:3000/ap[CONFLICT] GET http://localhcPOST http://127.0.0.1:8000/api+...

HTTP http://127.0.0.1:8000/api/productos/listar/Save

POST http://127.0.0.1:8000/api/ventas/crear/Send

ParamsAuthHeaders (9)BodyPre-req. TestsSettingsCookies

rawJSONBeautify

```
1 {
2   "empcve": 4,
3   "clivicve": 1,
4   "metodo_pago": "efectivo",
5   "tipo_entrega": "mostrador",
6   "items": [
7     { "procve": 1, "cantidad": 1000 }
8   ]
9 }
10
```

Body400 Bad Request2.11 s392 BSave Response

PrettyRawPreviewVisualizeJSON

```
1
2   "error": "No se pudo completar la venta: Stock insuficiente para el producto 1
3     (disponible: 76, solicitado: 1000)"
```

o a Postman account



FERRETERÍA

SISTEMA DE INVENTARIO Y VENTAS

HERRAMIENTAS

INVENTARIO

REPORTES

Iniciar Sesión

Ingresar tus credenciales para continuar

Usuario

Ingresar tu usuario

Contraseña

Ingresar tu contraseña

☐ Recordarme

[¿Olvidaste tu contraseña?](#)

Ingresar al Sistema

Sistema exclusivo para personal autorizado.
Ferretería © 2024

Lightweight API Client, sign in or create an account to work with collections, environments and **unlock all free features in Postman**.

New Import

POST http://localhost:3000/ap [CONFLICT] GET http://localhc POST http://127.0.0.1:8000/api

+ ...

http://127.0.0.1:8000/api/productos/listar/

Save

POST http://127.0.0.1:8000/api/auth/forgot-password/

Send

Params Auth Headers (9) Body Pre-req. Tests Settings

Cookies

raw JSON

Beautify

```
1 {
2   "correo": "herreravielka20288@128.6@gmail.com"
3 }
```

Body



200 OK 2.81 s 278 B

Save Response

Pretty

Raw

Preview

Visualize

JSON



```
1 {
2   "ok": true
3 }
```

Postman

requests and share

Create a Postman account

Explore

Search Postman

Sign In

Create Account

Lightweight API Client, sign in or create an account to work with collections, environments and **unlock all free features in Postman**.

NewImport

POST http://localhost:3000/ap[CONFLICT] GET http://localhcPOST http://127.0.0.1:8000/api+...

HTTP http://127.0.0.1:8000/api/productos/listar/Save

POSThttp://127.0.0.1:8000/api/auth/verify-code/Send

ParamsAuthHeaders (9)BodyPre-reqTestsSettingsCookies

rawJSONBeautify

```
1
2  "correo": "herreravielka202880128.6@gmail.com",
3  "codigo": "731464"
4
```

Body200 OK549 ms321 BSave Response

PrettyRawPreviewVisualizeJSON

```
1
2  "ok": false,
3  "message": "El código ha expirado."
4
```

stman

requests and share

o a Postman account

POST http://localhost:3000/ap [CONFLICT] GET http://localhc POST http://127.0.0.1:8000/api

 Save

Send 

Cookies

Beautify

Body

200 OK 604 ms 278 B Save Response

JSON ▾

```
1 {  
2   "ok": true  
3 }
```

- requests and share

o a Postman account

Home Workspaces Explore Search Postman Sign In Create Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History New Import

Today

- GET http://127.0.0.1:8000/api/dashboard/stats/
- POST http://127.0.0.1:8000/api/auth/login/
- POST http://127.0.0.1:8000/api/auth/login/
- GET http://127.0.0.1:8000/api/dashboard/stats/

Yesterday

- POST http://127.0.0.1:8000/api/auth/reset-password/
- POST http://127.0.0.1:8000/api/auth/verify-code/
- POST http://127.0.0.1:8000/api/auth/forgot-password/
- POST http://127.0.0.1:8000/api/auth/forgot-passw
- POST http://127.0.0.1:8000/api/auth/verify-code/
- POST http://127.0.0.1:8000/api/auth/verify-code/
- POST http://127.0.0.1:8000/api/auth/verify-code/
- POST http://127.0.0.1:8000/api/auth/forgot-password/

July 28

- POST http://127.0.0.1:8000/api/ventas/crear/
- POST http://127.0.0.1:8000/api/ventas/crear/
- POST http://127.0.0.1:8000/api/ventas/crear/
- POST http://127.0.0.1:8000/api/ventas/crear/
- POST http://127.0.0.1:8000/api/ventas/crear/
- DEL http://127.0.0.1:8000/api/clientes/21/
- PUT http://127.0.0.1:8000/api/clientes/20/

GET http://127.0.0.1:8000/api/dashboard/stats/

GET http://127.0.0.1:8000/api/dashboard/stats/

Params Auth Headers (9) Body Pre-req. Tests Settings Cookies

Type Bearer Token Token eyJhbGciOiJIUzI1NiIsInR5cCI6IkpX...

Body 200 OK 870 ms 428 B Save Response

Pretty Raw Preview Visualize JSON

```
1  {
2    "ok": true,
3    "data": {
4      "totalProductos": 20,
5      "ventasMes": 535.0,
6      "totalVentasMes": 1,
7      "alertasPendientes": 0,
8      "stockBajo": 0,
9      "agotados": 0,
10     "totalUsuarios": 10
11   }
12 }
```

Home Workspaces Explore Search Postman Sign In Create Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History New Import

Today

- GET http://127.0.0.1:8000/api/dashboard/ventas-semar
- GET http://127.0.0.1:8000/api/dashboard/stats/
- POST http://127.0.0.1:8000/api/auth/login/
- POST http://127.0.0.1:8000/api/auth/login/
- GET http://127.0.0.1:8000/api/dashboard/stats/

Yesterday

- POST http://127.0.0.1:8000/api/auth/reset-password/
- POST http://127.0.0.1:8000/api/auth/verify-code/
- POST http://127.0.0.1:8000/api/auth/forgot-password/
- POST http://127.0.0.1:8000/api/auth/forgot-passw
- POST http://127.0.0.1:8000/api/auth/verify-code/
- POST http://127.0.0.1:8000/api/auth/verify-code/
- POST http://127.0.0.1:8000/api/auth/verify-code/
- POST http://127.0.0.1:8000/api/auth/forgot-password/

July 28

- POST http://127.0.0.1:8000/api/ventas/crear/
- POST http://127.0.0.1:8000/api/ventas/crear/
- POST http://127.0.0.1:8000/api/ventas/crear/
- POST http://127.0.0.1:8000/api/ventas/crear/
- POST http://127.0.0.1:8000/api/ventas/crear/
- DEL http://127.0.0.1:8000/api/clientes/21/

GET http://127.0.0.1:8000/api/dashboard/ventas-semana/

GET http://127.0.0.1:8000/api/dashboard/ventas-semana/

Params Auth Headers (9) Body Pre-req. Tests Settings Cookies

Type Bearer Token Token eyJhbGciOiJIUzI1NiIsInR5cCI6IkpX...

Body 200 OK 2.04 s 511 B Save Response

Pretty Raw Preview Visualize JSON

```
1  {
2    "ok": true,
3    "data": [
4      {
5        "dia": "Vie",
6        "total": 0.0
7      },
8      {
9        "dia": "Sáb",
10       "total": 0.0
11     },
12     {
13       "dia": "Dom",
14       "total": 0.0
15     },
16     {
17       "dia": "Lun",
18       "total": 0.0
19     }
20   ]
21 }
```

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

HistoryNewImport

Today

GET http://127.0.0.1:8000/api/productos/stock-bajo/

GET http://127.0.0.1:8000/api/dashboard/ventas-semar

GET http://127.0.0.1:8000/api/dashboard/stats/

POST http://127.0.0.1:8000/api/auth/login/

POST http://127.0.0.1:8000/api/auth/login/

GET http://127.0.0.1:8000/api/dashboard/stats/

Yesterday

POST http://127.0.0.1:8000/api/auth/reset-password/

POST http://127.0.0.1:8000/api/auth/verify-code/

POST http://127.0.0.1:8000/api/auth/forgot-password/

POST http://127.0.0.1:8000/api/auth/forgot-passw

POST http://127.0.0.1:8000/api/auth/verify-code/

POST http://127.0.0.1:8000/api/auth/verify-code/

POST http://127.0.0.1:8000/api/auth/verify-code/

POST http://127.0.0.1:8000/api/auth/forgot-password/

July 28

POST http://127.0.0.1:8000/api/ventas/crear/

POST http://127.0.0.1:8000/api/ventas/crear/

POST http://127.0.0.1:8000/api/ventas/crear/

POST http://127.0.0.1:8000/api/ventas/crear/

POST http://127.0.0.1:8000/api/ventas/crear/

HTTPhttp://127.0.0.1:8000/api/dashboard/stats/Save</>

GEThttp://127.0.0.1:8000/api/productos/stock-bajo/Send

ParamsAuthHeaders (9)BodyPre-req. Tests SettingsCookies

TypeTokeneyJhbGciOiJIUzI1NiIsInR5cCI6IkpX...

Body200 OK518 ms290 BSave Response

PrettyRawPreviewVisualizeJSON

```
1{"ok": true,
2  "data": []
3}
4
```

ConsoleNot connected to a Postman account

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

HistoryNewImport

Today

GET http://127.0.0.1:8000/api/ventas/

GET http://127.0.0.1:8000/api/productos/stock-bajo/

GET http://127.0.0.1:8000/api/dashboard/ventas-semar

GET http://127.0.0.1:8000/api/dashboard/stats/

POST http://127.0.0.1:8000/api/auth/login/

POST http://127.0.0.1:8000/api/auth/login/

GET http://127.0.0.1:8000/api/dashboard/stats/

Yesterday

POST http://127.0.0.1:8000/api/auth/reset-password/

POST http://127.0.0.1:8000/api/auth/verify-code/

POST http://127.0.0.1:8000/api/auth/forgot-password/

POST http://127.0.0.1:8000/api/auth/forgot-passw

POST http://127.0.0.1:8000/api/auth/verify-code/

POST http://127.0.0.1:8000/api/auth/verify-code/

POST http://127.0.0.1:8000/api/auth/verify-code/

POST http://127.0.0.1:8000/api/auth/forgot-password/

July 28

POST http://127.0.0.1:8000/api/ventas/crear/

POST http://127.0.0.1:8000/api/ventas/crear/

POST http://127.0.0.1:8000/api/ventas/crear/

POST http://127.0.0.1:8000/api/ventas/crear/

HTTPhttp://127.0.0.1:8000/api/dashboard/stats/Save</>

GEThttp://127.0.0.1:8000/api/ventas/Send

ParamsAuthHeaders (9)BodyPre-req. Tests SettingsCookies

TypeTokeneyJhbGciOiJIUzI1NiIsInR5cCI6IkpX...

Body200 OK544 ms1.04 KBSave Response

PrettyRawPreviewVisualizeJSON

```
1{"ok": true,
2  "data": [
3    {
4      "folio": "V-0021",
5      "cliente": "Luis",
6      "total": 535.0,
7      "estado": "Pagada"
8    },
9    {
10     "folio": "V-0020",
11     "cliente": "Santiago",
12     "total": 124.0,
13     "estado": "Pagada"
14   },
15   {
16     "folio": "V-0019",
17     "cliente": "Hector",
18     "total": 1180.0,
19   }
20 ]
21}
```

ConsoleNot connected to a Postman account

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

HistoryNewImport

POST http://localhost:8000/api/alertas/

[CONFLICT] GET http://127.0.0.1:8000/api/alertas/

GET http://127.0.0.1:8000/api/ventas/

POST http://127.0.0.1:8000/api/productos/stock-bajo/

GET http://127.0.0.1:8000/api/dashboard/ventas-semar

GET http://127.0.0.1:8000/api/dashboard/stats/

POST http://127.0.0.1:8000/api/auth/login/

POST http://127.0.0.1:8000/api/auth/login/

GET http://127.0.0.1:8000/api/dashboard/stats/

Today

GET http://127.0.0.1:8000/api/alertas/

GET http://127.0.0.1:8000/api/ventas/

GET http://127.0.0.1:8000/api/productos/stock-bajo/

GET http://127.0.0.1:8000/api/dashboard/ventas-semar

GET http://127.0.0.1:8000/api/dashboard/stats/

POST http://127.0.0.1:8000/api/auth/login/

POST http://127.0.0.1:8000/api/auth/login/

GET http://127.0.0.1:8000/api/dashboard/stats/

Yesterday

POST http://127.0.0.1:8000/api/auth/reset-password/

POST http://127.0.0.1:8000/api/auth/verify-code/

POST http://127.0.0.1:8000/api/auth/forgot-password/

POST http://127.0.0.1:8000/api/auth/forgot-passw

POST http://127.0.0.1:8000/api/auth/verify-code/

POST http://127.0.0.1:8000/api/auth/verify-code/

POST http://127.0.0.1:8000/api/auth/verify-code/

POST http://127.0.0.1:8000/api/auth/verify-code/

POST http://127.0.0.1:8000/api/auth/forgot-password/

July 28

POST http://127.0.0.1:8000/api/ventas/crear/

POST http://127.0.0.1:8000/api/ventas/crear/

POST http://127.0.0.1:8000/api/ventas/crear/

HTTP http://127.0.0.1:8000/api/dashboard/stats/Save</>

GEThttp://127.0.0.1:8000/api/alertas/Send

ParamsAuthHeaders (9)BodyPre-req. TestsSettingsCookies

TypeTokeneyJhbGciOiJIUzI1NiIsInR5cCI6IkpX...

Bearer Token

Body200 OK509 ms290 BSave Response

PrettyRawPreviewVisualizeJSON

1

2

3

4

"ok": true,

"data": []

Console

Not connected to a Postman account

Home Workspaces Explore Search Postman Sign In Create Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History New Import

POST http://localhost:3000/api/categories/ [CONFLICT] GET http://127.0.0.1:8000/api/categories/ GET http://127.0.0.1:8000/api/alertas/ POST http://127.0.0.1:8000/api/ventas/ GET http://127.0.0.1:8000/api/productos/stock-bajo/ GET http://127.0.0.1:8000/api/dashboard/ventas-semar GET http://127.0.0.1:8000/api/dashboard/stats/ POST http://127.0.0.1:8000/api/auth/login/ POST http://127.0.0.1:8000/api/auth/login/ GET http://127.0.0.1:8000/api/dashboard/stats/ Today Yesterday July 28

GET http://127.0.0.1:8000/api/categories/ GET http://127.0.0.1:8000/api/alertas/ GET http://127.0.0.1:8000/api/ventas/ GET http://127.0.0.1:8000/api/productos/stock-bajo/ GET http://127.0.0.1:8000/api/dashboard/ventas-semar GET http://127.0.0.1:8000/api/dashboard/stats/ POST http://127.0.0.1:8000/api/auth/login/ POST http://127.0.0.1:8000/api/auth/login/ GET http://127.0.0.1:8000/api/dashboard/stats/ POST http://127.0.0.1:8000/api/auth/reset-password/ POST http://127.0.0.1:8000/api/auth/verify-code/ POST http://127.0.0.1:8000/api/auth/forgot-password/ POST http://127.0.0.1:8000/api/auth/forgot-passw POST http://127.0.0.1:8000/api/auth/verify-code/ POST http://127.0.0.1:8000/api/auth/verify-code/ POST http://127.0.0.1:8000/api/auth/verify-code/ POST http://127.0.0.1:8000/api/auth/verify-code/ POST http://127.0.0.1:8000/api/auth/forgot-password/ POST http://127.0.0.1:8000/api/ventas/crear/ POST http://127.0.0.1:8000/api/ventas/crear/ Console Not connected to a Postman account

HTTP http://127.0.0.1:8000/api/dashboard/stats/ Save </>

GET http://127.0.0.1:8000/api/categories/ Send

Params Auth Headers (9) Body Pre-req. Tests Settings Cookies

Type Token eyJhbGciOiJIUzI1NiIsInR5cCI6IkpX...

Bearer Token

Body 200 OK 514 ms 836 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "ok": true,
3   "data": [
4     {
5       "catcve": 1,
6       "nombre": "Herramientas manuales",
7       "total_productos": 4
8     },
9     {
10      "catcve": 2,
11      "nombre": "Herramientas eléctricas",
12      "total_productos": 3
13    },
14    {
15      "catcve": 3,
16      "nombre": "Plomeria",
17      "total_productos": 3
18    },
19  ]
20 }
```

Home Workspaces Explore Search Postman Sign In Create Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History New Import

POST http://localhost:3000/api/categories/ [CONFLICT] GET http://127.0.0.1:8000/api/categories/ GET http://127.0.0.1:8000/api/alertas/ POST http://127.0.0.1:8000/api/ventas/ GET http://127.0.0.1:8000/api/productos/stock-bajo/ GET http://127.0.0.1:8000/api/dashboard/ventas-semar GET http://127.0.0.1:8000/api/dashboard/stats/ POST http://127.0.0.1:8000/api/auth/login/ POST http://127.0.0.1:8000/api/auth/login/ GET http://127.0.0.1:8000/api/dashboard/stats/ Today Yesterday July 28

GET http://127.0.0.1:8000/api/productos/mas-vendidos GET http://127.0.0.1:8000/api/categories/ GET http://127.0.0.1:8000/api/alertas/ GET http://127.0.0.1:8000/api/ventas/ GET http://127.0.0.1:8000/api/productos/stock-bajo/ GET http://127.0.0.1:8000/api/dashboard/ventas-semar GET http://127.0.0.1:8000/api/dashboard/stats/ POST http://127.0.0.1:8000/api/auth/login/ POST http://127.0.0.1:8000/api/auth/login/ GET http://127.0.0.1:8000/api/dashboard/stats/ POST http://127.0.0.1:8000/api/auth/reset-password/ POST http://127.0.0.1:8000/api/auth/verify-code/ POST http://127.0.0.1:8000/api/auth/forgot-password/ POST http://127.0.0.1:8000/api/auth/forgot-passw POST http://127.0.0.1:8000/api/auth/verify-code/ POST http://127.0.0.1:8000/api/auth/verify-code/ POST http://127.0.0.1:8000/api/auth/verify-code/ POST http://127.0.0.1:8000/api/auth/verify-code/ POST http://127.0.0.1:8000/api/auth/forgot-password/ POST http://127.0.0.1:8000/api/ventas/crear/ POST http://127.0.0.1:8000/api/ventas/crear/ Console Not connected to a Postman account

HTTP http://127.0.0.1:8000/api/dashboard/stats/ Save </>

GET http://127.0.0.1:8000/api/productos/mas-vendidos?limit=6 Send

Params Auth Headers (9) Body Pre-req. Tests Settings Cookies

Type Token eyJhbGciOiJIUzI1NiIsInR5cCI6IkpX...

Bearer Token

Body 200 OK 530 ms 596 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "ok": true,
3   "data": [
4     {
5       "nombre": "Codo PVC",
6       "total_vendido": 10
7     },
8     {
9       "nombre": "Tubo PVC",
10      "total_vendido": 6
11    },
12    {
13      "nombre": "Tornillos madera",
14      "total_vendido": 5
15    },
16    {
17      "nombre": "Clavos",
18      "total_vendido": 4
19    }
20  ]
21 }
```