

# Advanced Tutorial on Implementing PFPGrowthPlus Algorithm

In this tutorial, we explain how the Periodic Frequent Puttern Growth Plus (PFPGrowthPlus) algorithm can be implemented by varying the minimum support values

## Step 1: Import the PFPGrowthPlus algorithm and pandas data frame

```
In [1]: from PAMI.periodicFrequentPattern.basic import PFPGrowthPlus as alg
import pandas as pd
```

## Step 2: Specify the following input parameters

```
In [2]: inputFile = 'temporal_T10I4D100K.csv'
separator='¥t'
maxmunPeriodCount=5000
minimumSupportCountList = [100, 150, 200, 250, 300]
#minimumSupport can also specified between 0 to 1. E.g., minSupList = [0.005, 0.006,
result = pd.DataFrame(columns=['algorithm', 'minSup', 'maxPer', 'patterns', 'runtime']
#initialize a data frame to store the results of PFPGrowthPlus algorithm
```

## Step 3: Execute the PFPGrowthPlus algorithm using a for loop

```
In [3]: algorithm = 'PFPGrowthPlus' #specify the algorithm name
for minSupCount in minimumSupportCountList:
    obj = alg.PFPGrowthPlus('temporal_T10I4D100K.csv', minSup=minSupCount, maxPer=max
    obj.startMine()
    #store the results in the data frame
    result.loc[result.shape[0]] = [algorithm, minSupCount, maxmunPeriodCount, len(obj
```

periodic-frequent patterns were generated successfully using PFPGrowth++ algorithm  
periodic-frequent patterns were generated successfully using PFPGrowth++ algorithm  
periodic-frequent patterns were generated successfully using PFPGrowth++ algorithm  
periodic-frequent patterns were generated successfully using PFPGrowth++ algorithm  
periodic-frequent patterns were generated successfully using PFPGrowth++ algorithm

```
In [4]: print(result)
```

	algorithm	minSup	maxPer	patterns	runtime	memory
0	PFPGrowthPlus	100	5000	25462	12.942107	579301376
1	PFPGrowthPlus	150	5000	18982	11.716884	577437696
2	PFPGrowthPlus	200	5000	13251	11.130969	574922752
3	PFPGrowthPlus	250	5000	7702	10.318596	570114048
4	PFPGrowthPlus	300	5000	4552	10.184319	566091776


## Step 5: Visualizing the results

### Step 5.1 Importing the plot library


```
In [5]: from PAMI.extras.graph import plotLineGraphsFromDataFrame as plt
```

## Step 5.2. Plotting the number of patterns


```
In [6]: ab = plt.plotGraphsFromDataFrame(result)
ab.plotGraphsFromDataFrame() #drawPlots()
```



Graph for No Of Patterns is successfully generated!



Graph for Runtime taken is successfully generated!



Graph for memory consumption is successfully generated!

## Step 6: Saving the results as latex files

```
In [7]: from PAMI.extras.graph import generateLatexFileFromDataFrame as gdf
gdf.generateLatexCode(result)
```

Latex files generated successfully