2022/08/22 11:13 PSGrowth-st

# Discovering Periodic Frequent patterns in Big Data Using PSGrowth Algorithm

In this tutorial, we will discuss two approaches to find Periodic Frequent patterns in big data using top algorithm.

- 1. **Basic approach:** Here, we present the steps to discover Periodic Frequent patterns using a single minimum support value
- 2. **Advanced approach:** Here, we generalize the basic approach by presenting the steps to discover Periodic Frequent patterns using multiple minimum support values.

# Basic approach: Executing PSGrowth on a single dataset at a particular minimum support value

## Step 1: Import the PSGrowth algorithm

In [1]: from PAMI.periodicFrequentPattern.basic import PSGrowth as alg

# Step 2: Specify the following input parameters

```
in [2]: inputFile = 'temporal_T10I4D100K.csv'

minimumSupportCount=100  #Users can also specify this constraint between 0 to 1.
maxmunPeriodCount=500
seperator='\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\f
```

### Step 3: Execute the PSGrowth algorithm

In [3]: obj = alg. PSGrowth(iFile=inputFile, minSup=minimumSupportCount, maxPer=maxmunPeriodCo obj. startMine() #Start the mining process

Periodic-Frequent patterns were generated successfully using PS-Growth algorithm

# Step 4: Storing the generated patterns

#### Step 4.1: Storing the generated patterns in a file

In [4]: obj. savePatterns(outFile='periodicFrequentPatternsMinSupCount100.txt')

#### Step 4.2. Storing the generated patterns in a data frame

In [5]: periodicFrequentPatternsDF= obj.getPatternsAsDataFrame()

#### Step 5: Getting the statistics

#### Step 5.1: Total number of discovered patterns

2022/08/22 11:13 PSGrowth-st

print('Memory (RSS): ' + str(obj.getMemoryRSS()))

print('Memory (USS): ' + str(obj.getMemoryUSS()))

```
In [6]: | print('Total No of patterns: ' + str(len(periodicFrequentPatternsDF)))
        Total No of patterns: 229
        Step 5.2: Runtime consumed by the mining algorithm
In [7]: print('Runtime: ' + str(obj.getRuntime()))
        Runtime: 1660193781.311943
        ##### Step 5.3: Total Memory consumed by the mining algorithm
In [8]:
```

Memory (RSS): 327327744 Memory (USS): 289001472

In [9]: