2022/08/22 9:18 CSPGrowth-ad

Advanced Tutorial on Implementing CSPGrowth Algorithm

In this tutorial, we explain how the Correlated Pattern GrowthPlus (CSPGrowth) algorithm can be implemented by varying the minimum support values

Step 1: Import the CSPGrowth algorithm and pandas data frame

```
In [1]: from PAMI.correlatedSpatialPattern.basic import CSPGrowth as alg import pandas as pd
```

Step 2: Specify the following input parameters

```
inputFile = 'transactional_T10I4D100K.csv'
seperator='\text{\text{\text{t'}}}
minAllConfCount=0.1
minimumSupportCountList = [100, 150, 200, 250, 300]
#minimumSupport can also specified between 0 to 1. E.g., minSupList = [0.005, 0.006, neghberFile='T10_utility_neighbour.txt'
result = pd. DataFrame(columns=['algorithm', 'minSup', "minAllConf", 'patterns', 'rur #initialize a data frame to store the results of CSPGrowth algorithm
```

Step 3: Execute the CSPGrowth algorithm using a for loop

```
In [3]: algorithm = 'CSPGrowth' #specify the algorithm name
for minSupCount in minimumSupportCountList:
    obj = alg. CSPGrowth('transactional_T1014D100K.csv', minSup=minSupCount, nFile=neg
    obj.startMine()
    #store the results in the data frame
    result.loc[result.shape[0]] = [algorithm, minSupCount, minAllConfCount, len(obj.g

Correlated Spatial Frequent Patterns were generated successfully using CSPGrowth alg
    orithm
    Correlated Spatial Frequent Patterns were generated successfully using CSPGrowth alg
    orithm
    Correlated Spatial Frequent Patterns were generated successfully using CSPGrowth alg
    orithm
    Correlated Spatial Frequent Patterns were generated successfully using CSPGrowth alg
    orithm
    Correlated Spatial Frequent Patterns were generated successfully using CSPGrowth alg
    orithm
    Correlated Spatial Frequent Patterns were generated successfully using CSPGrowth alg
    orithm
    Correlated Spatial Frequent Patterns were generated successfully using CSPGrowth alg
    orithm

In [4]: print(result)
```

patterns

2067

0.1

0.1

0.1

0.1

0.1

runtime

56. 828973

1200 63. 358973

1620 59.510943

1870 58. 002539

2285 55. 200268

memory

406347776

452620288

453492736

453505024

454152192

Step 5: Visualizing the results

algorithm minSup minAllConf

100

150

200

250

300

0 CSPGrowth

1 CSPGrowth

2 CSPGrowth

3 CSPGrowth

4 CSPGrowth


2022/08/22 9:18 CSPGrowth-ad

Step 5.1 Importing the plot library


In [5]: from PAMI.extras.graph import plotLineGraphsFromDataFrame as plt

Step 5.2. Plotting the number of patterns


In [6]: ab = plt.plotGraphsFromDataFrame(result)
ab.plotGraphsFromDataFrame() #drawPlots()



Graph for No Of Patterns is successfully generated!



Graph for Runtime taken is successfully generated!



Graph for memory consumption is successfully generated!

2022/08/22 9:18 CSPGrowth-ad

Step 6: Saving the results as latex files

In [7]: from PAMI.extras.graph import generateLatexFileFromDataFrame as gdf gdf.generateLatexCode(result)

Latex files generated successfully

In []: