

Experiment3 C programming experiment

Experimental purpose:

Further use the basic syntax of C programming language in Linux system, deepen the understanding of the knowledge.

(1) Task 1

(1) Write a C program that uses standard I/O libraries to display the contents of text files.

The program is compiled and linked by the make tool, which requires the generation of the.o file first, and then the generation of the executable file, and the function of deleting the intermediate file (.o) in the makefile file.

```
#include <stdio.h>
int main(int argc, char* argv[])
{
    char buf[1024] = { 0 };
    FILE* fp = fopen(argv[1], "r");
    if (argc < 2)
    {
        printf("please input source file!\n");
    }
    if (fp == NULL)
    {
        printf("open source %s failed\n", argv[1]);
        return -1;
    }
    while (fgets(buf, 1024, fp))
    {
        printf("%s\n", buf);
    }
    return 0;
}
```

Make sure your filename is c1.c

We can use the following makefile

```
hello1:c1.o
    gcc -o hello1 c1.o
c1.o:c1.c
    gcc -c c1.c
clean:
    rm -rf *.o
```

打开(O) ▾

• makefile
~/B21110920/1

行 7, 列 2



```
1 hello1:c1.o
2     gcc -o hello1 c1.o
3 c1.o:c1.c
4     gcc -c c1.c
5 clean:
6     rm -rf *.o
7
```

```
wch@wch-VirtualBox:~/B21110920/1$ make
gcc -c c1.c
gcc -o hello1 c1.o
wch@wch-VirtualBox:~/B21110920/1$ ls
B21110920.txt  c1.c  c1.o  hello1  makefile
wch@wch-VirtualBox:~/B21110920/1$ make clean
rm -rf *.o
wch@wch-VirtualBox:~/B21110920/1$ ls
B21110920.txt  c1.c  hello1  makefile
```

```
wch@wch-VirtualBox:~/B21110920/1$ ./hello1 B21110920.txt
B21110920吴陈浩
```

(2) Task 2

(2) Write a C program that displays all the file names in the current directory. The program is compiled and linked by the make tool, which requires the generation of the.o file first, and then the generation of the executable file, and the function of deleting the intermediate file (.o) in the makefile file.

```
int main(int argc, char* argv[])
{
    DIR* dirp;
    struct dirent* direntp;
    if ((dirp = opendir(argv[1])) == NULL) {
        printf("error\n");
        // exit(1);
    }
    while ((direntp = readdir(dirp)) != NULL)
        printf("%s\n", direntp->d_name);
    closedir(dirp);
    // exit(0);
}
```

Make sure your filename is c2.c

We can use the following makefile.

```
hello2:c2.o
    gcc -o hello1 c2.o
c2.o:c2.c
    gcc -c c2.c
clean:
    rm -rf *.o
```

makefile
~/B21110920/2

行 3, 列 9

打开(O) 图标 图标 图标 图标 图标 图标 图标 图标

1 hello2:c2.o
2 gcc -o hello1 c2.o
3 c2.o:c2.c
4 gcc -c c2.c
5 clean:
6 rm -rf *.o
7

```
wch@wch-VirtualBox:~/B21110920/2$ make
gcc -c c2.c
gcc -o hello1 c2.o
wch@wch-VirtualBox:~/B21110920/2$ ls
c2.c  c2.o  hello1  makefile
wch@wch-VirtualBox:~/B21110920/2$ make clean
rm -rf *.o
wch@wch-VirtualBox:~/B21110920/2$ ls
c2.c  hello1  makefile
```

```
wch@wch-VirtualBox:~/B21110920/2$ ls
c2.c  hello1  makefile
wch@wch-VirtualBox:~/B21110920/2$ ./hello1 ~/B21110920/2
.
makefile
hello1
c2.c
..
```

(3) Task 3

(3) Write a C program that changes the working directory of the current process. The program is compiled and linked by the make tool, which requires the generation of the.o file first, and then the generation of the executable file, and the function of deleting the intermediate file (.o) in the makefile file.

```
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>
int main(){
    char buf[1024] = {0};
    char buf2[1024]={0};
    getcwd(buf, 1024);
    printf("%s\n", buf);
    if(chdir("/home")<0){
        printf("error\n");
    }
    else
```

```

{
printf("success\n");
}

getcwd(buf2,1024);
printf("%s\n",buf2);

return 0;
}

```

Make sure your filename is c3.c

We can use the following makefile.

```

hello3:c3.o
    gcc -o hello1 c3.o
c3.o:c3.c
    gcc -c c3.c
clean:
    rm -rf *.o

```

makefile
~/B21110920/3 行 2, 列 25

```

1 hello3:c3.o
2     gcc -o hello3 c3.o
3 c3.o:c3.c
4     gcc -c c3.c
5 clean:
6     rm -rf *.o
7

```

```

wch@wch-VirtualBox:~/B21110920/3$ make
gcc -c c3.c
gcc -o hello3 c3.o
wch@wch-VirtualBox:~/B21110920/3$ ls
c3.c  c3.o  hello3  makefile
wch@wch-VirtualBox:~/B21110920/3$ make clean
rm -rf *.o
wch@wch-VirtualBox:~/B21110920/3$ ls
c3.c  hello3  makefile

```

```

wch@wch-VirtualBox:~/B21110920/3$ ./hello3
/home/wch/B21110920/3
success
/home

```