


Experiment-12 Full Stack Development

~Keshav, 23BIS70053

Code:

```
JS app.js ×
src > JS app.js > ...
1  const express = require('express');
2  const bodyParser = require('body-parser');
3  const path = require("path");
4  const app = express();
5
6  app.use(bodyParser.json());
7
8  const routes = require('./routes'); // Import the routes
9
10 app.get('/', (req, res) => {
11   res.sendFile(path.join(__dirname + '/index.html'));
12 });
13
14 app.get('/ping', (req, res) => {
15   res.send('pong');
16 });
17
18 app.use('/api', routes); // Use the routes
19
20 const port = 3000;
21 app.listen(port, () => {
22   console.log(`Server is running on port ${port}`);
23 });
24
```



view in Postman Software:

Overview GET http://localhost:3000/api/data GET Untitled Request + No environment

http://localhost:3000/api/data Save Share

GET http://localhost:3000/api/data Send

Params Authorization Headers (9) Body Scripts Settings Cookies Beautify

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON

```
1 {
2   "name": "item1",
3   "value": 123
4 }
```

Body Cookies Headers (7) Test Results 200 OK • 11 ms • 268 B

{ JSON Preview Visualize

```
1 {
2   {},
3   {
4     "name": "item1",
5     "value": 123
6   }
7 }
```

http://localhost:3000/api/data Save Share

POST http://localhost:3000/api/data Send

Params Authorization Headers (9) Body Scripts Settings Cookies Beautify

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON

```
1 {
2   "name": "item1",
3   "value": 123
4 }
```

Body Cookies Headers (7) Test Results 200 OK • 705 ms • 263 B

{ JSON Preview Visualize

```
1 {
2   "name": "item1",
3   "value": 123
4 }
```