

Experiment-11 Full Stack Development

~Keshav, 23BIS70053

Code:

```
main.py 1 JS index.js X hello.py
FULL STACK > EXP 11 > EXP 11 > JS index.js > ...
1  const express = require("express");
2  const app = express();
3  app.use(express.json());
4
5  let cards = [
6    { id: 1, suit: 'hearts', value: 'ace', collection: 'standard' },
7    { id: 2, suit: 'spades', value: 'king', collection: 'vintage' }
8  ];
9
10 function nextId() {
11   return cards.length + 1;
12 }
13
14 app.get('/api/cards', (req, res) => {
15   res.json(cards);
16 });
17
18 app.get('/api/cards/:id', (req, res) => {
19   const card = cards.find(c => c.id === parseInt(req.params.id));
20   if (!card) return res.status(404).json({ error: 'Card not found' });
21   res.json(card);
22 });
23
24 app.post('/api/cards', (req, res) => {
25   const { suit, value, collection } = req.body;
26   if (!suit || !value || !collection) {
27     return res.status(400).json({ error: 'Missing fields' });
28   }
29   const newCard = {
30     id: nextId(),
31     suit,
32     value,
33     collection
34   };
35   cards.push(newCard);
36   res.status(201).json(newCard);
37 });
38
39 app.put('/api/cards/:id', (req, res) => {
40   const card = cards.find(c => c.id === parseInt(req.params.id));
```

View in Postman Software:

The screenshot displays the Postman interface for a POST request. The URL bar shows `http://localhost:3000/api/cards`. The request method is set to **POST**. The **Body** tab is selected, showing a JSON payload: `{ "id": 4, "suit": "Clubs", "value": "Joker", "collection": "Vintage" }`. The status bar at the bottom indicates a **201 Created** response with a time of **8 ms** and a size of **302 B**. The response body is also shown in the **Body** tab, displaying the same JSON payload.

HTTP `http://localhost:3000/api/cards` Save

POST `http://localhost:3000/api/cards` Send

Params Authorization Headers (8) **Body** Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary **JSON** Beautify

```
1 {
2   "id": 4,
3   "suit": "Clubs",
4   "value": "Joker",
5   "collection": "Vintage"
6 }
```

Body Cookies Headers (7) Test Results 201 Created 8 ms 302 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 4,
3   "suit": "Clubs",
4   "value": "Joker",
5   "collection": "Vintage"
6 }
```

GET http://localhost:3000/api/ + ...

HTTP http://localhost:3000/api/cards Save

GET http://localhost:3000/api/cards Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Body Cookies Headers (7) Test Results 200 OK 10 ms 491 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   {
3     "id": 1,
4     "suit": "hearts",
5     "value": "ace",
6     "collection": "standard"
7   },
8   {
9     "id": 2,
10    "suit": "spades",
11    "value": "king",
12    "collection": "vintage"
13  },
14  {
15    "id": 3,
16    "suit": "spades",
17    "value": "Queen",
18    "collection": "standard"
19  },
20  {
21    "id": 4,
22    "suit": "Clubs",
23    "value": "Joker",
```