Project Source Code: Secure Cloud File Sharing System

File: auto_run.bat

`bat @echo off title MERN Cloud - Auto Access Launcher (STABLE) echo ========== echo Starting MERN App with Auto Hosting echo ========== echo.

:: 1. Cleanup taskkill /F /IM node.exe /T >nul 2>&1

:: 2. Launch App (Backend + Frontend) echo [1/2] Starting MERN App (Backend Port: 5000, Frontend Port: 5173)... start "MERN App" cmd /k "npm run dev"

:: 3. Get IP & Start Tunnel echo [2/2] Getting Access IP... powershell -Command "(Invoke-WebRequest api.ipify.org).Content" > "%~~dp0ip.tmp" set /p IP_ADDR= < "%~~dp0ip.tmp" del "%~dp0ip.tmp"

echo. echo ========== echo ACCESS DETAILS: echo Public Link: https://varun-cloud-v2.loca.lt echo Password: %IP_ADDR% echo ========== echo. echo Starting Tunnel... echo Waiting for servers to stabilize... timeout /t 5 >nul npx -y localtunnel --port 5173 --subdomain varun-cloud-v2 --local-host 127.0.0.1 pause

`

File: backend\checkUsers.js

`js import mongoose from 'mongoose'; import User from './models/User.js'; import dotenv from 'dotenv'; dotenv.config();

mongoose.connect(process.env.MONGO_URI || 'mongodb://localhost:27017/file-sharing-app') .then(async () => { const users = await User.find({}); console.log('Registered Users:', users.map(u => ({ email: u.email, role: u.role, username: u.username }))); mongoose.disconnect(); }) .catch(err => console.error(err));

`

File: backend\controllers\adminController.js

`js import LoginHistory from '../models/LoginHistory.js'; import User from '../models/User.js';

export const getLoginHistory = async (req, res) => { try { const history = await LoginHistory.find({}).sort({ createdAt: -1 }); res.json(history); } catch (error) { res.status(500).json({ message: error.message }); } };

export const getAllUsers = async (req, res) => { try { const users = await User.find({}).select('-password').sort({ createdAt: -1 }); res.json(users); } catch (error) { res.status(500).json({ message: error.message }); } };

export const deleteUser = async (req, res) => { try { const user = await User.findById(req.params.id); if (user) { if (user.role === 'admin' && user._id.toString() === req.user._id.toString()) { return res.status(400).json({ message: 'You cannot delete yourself' }); } await user.deleteOne(); res.json({ message: 'User removed' }); } else { res.status(404).json({ message: 'User not found' }); } } catch (error) { res.status(500).json({ message: error.message }); } };

export const updateUserRole = async (req, res) => { try { const user = await User.findById(req.params.id); if (user) { user.role = req.body.role || user.role; const updatedUser = await user.save(); res.json({ _id: updatedUser._id, username: updatedUser.username, email: updatedUser.email, role: updatedUser.role, }); } else { res.status(404).json({ message: 'User not found' }); } } catch (error) { res.status(500).json({ message: error.message }); } };

`

File: backend\controllers\authController.js

`js import User from '../models/User.js'; import LoginHistory from '../models/LoginHistory.js'; import jwt from 'jsonwebtoken'; import crypto from 'crypto';

const generateToken = (id, rememberMe) => { const expiresIn = rememberMe ? '30d' : '1d'; return jwt.sign({ id }, process.env.JWT_SECRET || 'secret', { expiresIn, }); };

export const registerUser = async (req, res) => { const { username, email, password, role } = req.body;

```
try {
    const emailExists = await User.findOne({ email });
    if (emailExists) {
        return res.status(400).json({ message: 'User with this email already exists' });
    }

    const usernameExists = await User.findOne({ username });
    if (usernameExists) {
        return res.status(400).json({ message: 'Username is already taken' });
    }
```

```
    const user = await User.create({
        username,
        email,
        password,
        role: 'user', // Force 'user' role for self-registration. Admin must be manually promoted.
    });

    if (user) {
        res.status(201).json({
            _id: user._id,
            username: user.username,
            email: user.email,
            role: user.role,
            token: generateToken(user._id, false),
        });
    } else {
        res.status(400).json({ message: 'Invalid user data' });
    }
} catch (error) {
    if (error.code === 11000) {
        return res.status(400).json({ message: 'Username or email already exists' });
    }
    res.status(500).json({ message: error.message });
}
```

};

export const authUser = async (req, res) => { const { email, password, rememberMe } = req.body;

```
try {
    const user = await User.findOne({ email });

    if (user && (await user.matchPassword(password))) {

        // Log this login event for Admin auditing
        await LoginHistory.create({
            userId: user._id,
            email: user.email,
            role: user.role
        });

        res.json({
            _id: user._id,
            username: user.username,
            email: user.email,
            role: user.role,
            token: generateToken(user._id, rememberMe),
        });
    } else {
        res.status(401).json({ message: 'Invalid email or password' });
    }
} catch (error) {
    res.status(500).json({ message: error.message });
}
```

};

export const forgotPassword = async (req, res) => { const { email } = req.body;

```
try {
    const user = await User.findOne({ email });
    if (!user) {
        return res.status(404).json({ message: 'User with that email does not exist.' });
    }

    const resetToken = crypto.randomBytes(20).toString('hex');
    user.resetPasswordToken = crypto.createHash('sha256').update(resetToken).digest('hex');
    user.resetPasswordExpires = Date.now() + 10 * 60 * 1000; // 10 minutes

    await user.save();
```

```
    console.log(`Password reset link: http://localhost:5173/reset-password/${resetToken}`);
    res.status(200).json({ message: 'Password reset link generated. Check console for the link in this demo.', resetToken });
} catch (error) {
    res.status(500).json({ message: error.message });
}
```

};

export const resetPassword = async (req, res) => { const resetPasswordToken = crypto.createHash('sha256').update(req.params.token).digest('hex');

```
try {
    const user = await User.findOne({
        resetPasswordToken,
        resetPasswordExpires: { $gt: Date.now() },
    });

    if (!user) {
        return res.status(400).json({ message: 'Invalid or expired token' });
    }

    user.password = req.body.password;
    user.resetPasswordToken = undefined;
    user.resetPasswordExpires = undefined;

    await user.save();

    res.status(200).json({ message: 'Password has been updated successfully.' });
} catch (error) {
    res.status(500).json({ message: error.message });
}
```

};

export const socialLogin = async (req, res) => { const { email, username, provider } = req.body;

```
try {
    let user = await User.findOne({ email });

    if (!user) {
        user = await User.create({
            username: username || email.split('@')[0],
            email,
            password: crypto.randomBytes(16).toString('hex'),
            role: 'user',
        });
    }

    await LoginHistory.create({
        userId: user._id,
        email: user.email,
        role: user.role
    });

    res.json({
        _id: user._id,
        username: user.username,
        email: user.email,
        role: user.role,
        token: generateToken(user._id, true),
    });
} catch (error) {
    res.status(500).json({ message: error.message });
}
```

};

`

File: backend\controllers\fileController.js

`js import path from 'path'; import fs from 'fs'; import File from '../models/File.js';

// Setup multer upload directory const uploadDir = 'uploads/'; if (!fs.existsSync(uploadDir)) { fs.mkdirSync(uploadDir, { recursive: true }); }

export const uploadFile = async (req, res) => { try { if (!req.file) { return res.status(400).json({ message: 'No file uploaded' }); }

```
    const { originalname, filename, mimetype, size, path: filePath } = req.file;

    const fileDocument = await File.create({
        originalName: originalname,
        filename,
        mimetype,
        size,
        filePath,
        uploadedBy: req.user._id,
    });

    res.status(201).json(fileDocument);
} catch (error) {
    res.status(500).json({ message: error.message });
}
```

};

export const getFiles = async (req, res) => { try { const files = await File.find({}).populate('uploadedBy', 'username email role'); res.json(files); } catch (error) { res.status(500).json({ message: error.message }); } };

export const downloadFile = async (req, res) => { try { const file = await File.findById(req.params.id);

```
    if (!file) {
        return res.status(404).json({ message: 'File not found' });
    }

    // All users can download available files now.

    const absolutePath = path.resolve(file.filePath);
    res.download(absolutePath, file.originalName);
} catch (error) {
    res.status(500).json({ message: error.message });
}
```

};

export const deleteFile = async (req, res) => { try { const file = await File.findById(req.params.id);

```
    if (!file) {
        return res.status(404).json({ message: 'File not found' });
    }

    // Role check: Only admins can delete files
    if (req.user.role !== 'admin') {
        return res.status(403).json({ message: 'Not authorized to delete this file' });
    }

    // Remove from filesystem
    if (fs.existsSync(file.filePath)) {
        fs.unlinkSync(file.filePath);
    }

    await file.deleteOne();

    res.json({ message: 'File removed successfully' });
} catch (error) {
    res.status(500).json({ message: error.message });
}
```

}

`

File: backend\middleware\auth.js

`js import jwt from 'jsonwebtoken'; import User from '../models/User.js';

export const protect = async (req, res, next) => { let token;

```
if (req.headers.authorization && req.headers.authorization.startsWith('Bearer')) {
    try {
        token = req.headers.authorization.split(' ')[1];

        const decoded = jwt.verify(token, process.env.JWT_SECRET || 'secret');

        req.user = await User.findById(decoded.id).select('-password');

        next();
    } catch (error) {
        console.error(error);
        res.status(401).json({ message: 'Not authorized, token failed' });
    }
}

if (!token) {
    res.status(401).json({ message: 'Not authorized, no token' });
}
```

};

export const admin = (req, res, next) => { if (req.user && req.user.role === 'admin') { next(); } else { res.status(401).json({ message: 'Not authorized as an admin' }); } };

`

File: backend\models\File.js

`js import mongoose from 'mongoose';

const fileSchema = new mongoose.Schema({ filename: { type: String, required: true, }, originalName: { type: String, required: true, }, mimetype: { type: String, required: true, }, size: { type: Number, required: true, }, uploadedBy: { type: mongoose.Schema.Types.ObjectId, ref: 'User', required: true, }, filePath: { type: String, required: true, } }, { timestamps: true });

const File = mongoose.model('File', fileSchema); export default File;

`

File: backend\models\LoginHistory.js

`js import mongoose from 'mongoose';

const loginHistorySchema = new mongoose.Schema({ userId: { type: mongoose.Schema.Types.ObjectId, ref: 'User', required: true, }, email: { type: String, required: true, }, role: { type: String, required: true, }, }, { timestamps: true });

const LoginHistory = mongoose.model('LoginHistory', loginHistorySchema); export default LoginHistory;

`

File: backend\models\User.js

`js import mongoose from 'mongoose'; import bcrypt from 'bcryptjs';

const userSchema = new mongoose.Schema({ username: { type: String, required: true, unique: true, }, email: { type: String, required: true, unique: true, }, password: { type: String, required: true, }, role: { type: String, enum: ['user', 'admin'], default: 'user', }, resetPasswordToken: String, resetPasswordExpires: Date, }, { timestamps: true });

// Hash password before saving userSchema.pre('save', async function (next) { if (!this.isModified('password')) { return next(); } const salt = await bcrypt.genSalt(10); this.password = await bcrypt.hash(this.password, salt); next(); });

// Match user entered password to hashed password in database userSchema.methods.matchPassword = async function (enteredPassword) { return await bcrypt.compare(enteredPassword, this.password); };

const User = mongoose.model('User', userSchema); export default User;

`

File: backend\package.json

`json { "name": "backend", "version": "1.0.0", "description": "Backend for Role-Based File Sharing App", "main": "server.js", "type": "module", "scripts": { "start": "node server.js", "dev": "nodemon server.js" }, "dependencies": { "bcryptjs": "^2.4.3", "compression": "^1.8.1", "cors": "^2.8.5", "dotenv": "^16.4.5",

"express": "^4.19.2", "jsonwebtoken": "^9.0.2", "mongoose": "^8.3.4", "morgan": "^1.10.1", "multer": "^1.4.5-lts.1" }, "devDependencies": { "nodemon": "^3.1.0" } }

`

File: backend\routes\adminRoutes.js

`js import express from 'express'; import { getLoginHistory, getAllUsers, deleteUser, updateUserRole } from '../controllers/adminController.js'; import { protect, admin } from '../middleware/auth.js';

const router = express.Router();

router.get('/login-history', protect, admin, getLoginHistory); router.get('/users', protect, admin, getAllUsers); router.delete('/users/:id', protect, admin, deleteUser); router.put('/users/:id/role', protect, admin, updateUserRole); export default router;

`

File: backend\routes\authRoutes.js

`js import express from 'express'; import { authUser, registerUser, forgotPassword, resetPassword, socialLogin } from '../controllers/authController.js';

const router = express.Router();

router.post('/register', registerUser); router.post('/login', authUser); router.post('/social', socialLogin); router.post('/forgotpassword', forgotPassword); router.put('/resetpassword/:token', resetPassword); router.post('/demo', (req, res) => res.status(200).json({ message: 'Demo request received! Our enterprise team will connect with you at ' + req.body.email })); router.post('/activate-trial', (req, res) => res.status(200).json({ message: '90-Day Enterprise Trial Activated successfully!' }));

export default router;

`

File: backend\routes\fileRoutes.js

`js import express from 'express'; import multer from 'multer'; import { uploadFile, getFiles, downloadFile, deleteFile } from '../controllers/fileController.js'; import { protect, admin } from '../middleware/auth.js';

const router = express.Router();

const storage = multer.diskStorage({ destination(req, file, cb) { cb(null, 'uploads/'); }, filename(req, file, cb) { cb(null, `${Date.now()}-${file.originalname}`); }, });

const upload = multer({ storage });

router.route('/') .post(protect, upload.single('file'), uploadFile) .get(protect, getFiles);

router.route('/:id') .get(protect, downloadFile) .delete(protect, admin, deleteFile);

export default router;

`

File: backend\server.js

`js import express from 'express'; import mongoose from 'mongoose'; import cors from 'cors'; import dotenv from 'dotenv'; import morgan from 'morgan'; import compression from 'compression'; import path from 'path'; import { fileURLToPath } from 'url'; import authRoutes from './routes/authRoutes.js'; import fileRoutes from './routes/fileRoutes.js'; import adminRoutes from './routes/adminRoutes.js';

dotenv.config();

const __filename = fileURLToPath(import.meta.url); const __dirname = path.dirname(__filename);

const app = express();

// Middleware app.use(cors()); app.use(express.json()); app.use(morgan('dev')); // Logging for development app.use(compression()); // Compress responses for faster delivery

// Serve Uploads Folder app.use('/uploads', express.static(path.join(__dirname, 'uploads')));

// Routes app.use('/api/auth', authRoutes); app.use('/api/files', fileRoutes); app.use('/api/admin', adminRoutes);

// Error Handling Middleware app.use((err, req, res, next) => { console.error(err.stack); res.status(500).send({ message: 'Something went wrong!', error: err.message }); });

// MongoDB Connection const PORT = process.env.PORT || 5000; const MONGO_URI = process.env.MONGO_URI || 'mongodb://localhost:27017/file-sharing-app';

mongoose.connect(MONGO_URI) .then(() => { console.log('Connected to MongoDB'); app.listen(PORT, () => { console.log(`Server running on port ${PORT}`); }); }) .catch((error) => { console.error('Error connecting to MongoDB:', error.message); });

// Trigger Mongoose connection retry

`

File: backend\updateAdmin.js

`js import mongoose from 'mongoose'; import User from './models/User.js'; import dotenv from 'dotenv';

dotenv.config();

const emailToUpdate = process.argv[2];

if (!emailToUpdate) { console.log('Please provide an email address: node updateAdmin.js user@example.com'); process.exit(1); }

mongoose.connect(process.env.MONGO_URI || 'mongodb://localhost:27017/mern-file-sharing') .then(async () => { const user = await User.findOneAndUpdate({ email: emailToUpdate }, { role: 'admin' }, { new: true });

```
    if (user) {
        console.log(`Success! ${user.email} is now an admin.`);
    } else {
        console.log(`Error: User with email ${emailToUpdate} not found.`);
    }
    mongoose.disconnect();
})
.catch(err => {
    console.error('Connection error:', err);
});
```

`

File: build_and_compress.bat

`bat @echo off title Cloud Project - Build ^& Compress Tool echo ========== echo Building and Compressing Project echo ========== echo.

:: 1. Build Frontend echo [1/2] Building Frontend (Minifying Code)... cd frontend call npm run build cd ..

:: 2. Compress Project (Excluding node_modules) echo [2/2] Creating Project ZIP Archive (This skips node_modules to save space)...

:: Create an exclude file for xcopy echo \node_modules> exclude.txt echo .git>> exclude.txt echo \dist>> exclude.txt echo \uploads>> exclude.txt echo .zip>> exclude.txt echo \temp_cloud_build_zip>> exclude.txt

:: Copy to a temp folder mkdir temp_cloud_build_zip 2>nul xcopy . temp_cloud_build_zip /E /I /H /Y /EXCLUDE:exclude.txt >nul

:: Compress the temp folder powershell -Command "Compress-Archive -Path temp_cloud_build_zip* -DestinationPath 'Cloud_Project.zip' -Force"

:: Cleanup rmdir /s /q temp_cloud_build_zip del exclude.txt echo. echo ========== echo DONE! echo - Minified code created in: frontend/dist echo - Full source code compressed to: Cloud_Project.zip echo ========== echo. pause

`

File: frontend\index.html

`html

`

File: frontend\package.json

`json { "name": "frontend", "private": true, "version": "0.0.0", "type": "module", "scripts": { "dev": "vite", "build": "vite build", "lint": "eslint . --ext js,jsx --report-unused-disable-directives --max-warnings 0", "preview": "vite preview" }, "dependencies": { "@react-oauth/google": "^0.13.4", "axios": "^1.6.8", "crypto-js": "^4.2.0", "express": "^5.2.1", "express-http-proxy": "^2.1.2", "http-proxy": "^1.18.1", "http-proxy-middleware": "^3.0.5", "jwt-decode": "^4.0.0", "react": "^18.2.0", "react-dom": "^18.2.0", "react-router-dom": "^6.23.0" }, "devDependencies": { "@vitejs/plugin-react": "^4.2.1", "vite": "^5.2.0" } }

`

File: frontend\serve.js

`js import express from 'express'; import path from 'path'; import { fileURLToPath } from 'url'; import fs from 'fs'; import httpProxy from 'http-proxy';

const __filename = fileURLToPath(import.meta.url); const __dirname = path.dirname(__filename);

const app = express(); const PORT = 5173; const proxy = httpProxy.createProxyServer({});

// Handle proxy errors proxy.on('error', (err, req, res) => { console.error('Proxy Error:', err); if (!res.headersSent) { res.status(502).send('Proxy Error'); } });

// Use middleware to handle proxying manually to avoid the routing error app.use((req, res, next) => { if (req.url.startsWith('/api') || req.url.startsWith('/uploads')) { proxy.web(req, res, { target: 'http://localhost:5000' }); } else { next(); } });

// Serve static files app.use(express.static(path.join(__dirname, 'dist')));

// Final fallback for SPA app.use((req, res) => { const indexPath = path.resolve(__dirname, 'dist', 'index.html'); if (fs.existsSync(indexPath)) { res.setHeader('Content-Type', 'text/html'); res.send(fs.readFileSync(indexPath)); } else { res.status(404).send('Not Found'); } });

app.listen(PORT, '0.0.0.0', () => { console.log(`Bridge Server Running on port ${PORT}`); });

`

File: frontend\src\App.jsx

`jsx import { BrowserRouter as Router, Routes, Route, Navigate } from 'react-router-dom'; import Login from './pages/Login'; import Register from './pages/Register'; import ForgotPassword from './pages/ForgotPassword'; import ResetPassword from './pages/ResetPassword'; import Dashboard from './pages/Dashboard'; import { GoogleOAuthProvider } from '@react-oauth/google';

const GOOGLE_CLIENT_ID = import.meta.env.VITE_GOOGLE_CLIENT_ID || "YOUR_GOOGLE_CLIENT_ID_HERE";

function App() { return (

<Route path="/login" element={} /> <Route path="/register" element={} /> <Route path="/forgot-password" element={} /> <Route path="/reset-password/:token" element={} /> <Route path="/" element={} /> <Route path="*" element={} />
); }

export default App;

`

File: frontend\src\components\AwsHeader.css

`css .aws-header-m { width: 100%; font-family: inherit; display: flex; flex-direction: column; }

/* TOP BAR */ .aws-top-bar { background-color: #232f3e; height: 40px; display: flex; justify-content: flex-end; align-items: center; padding-right: 30px; }

.aws-top-nav-list { display: flex; align-items: center; gap: 20px; }

.aws-nav-item { display: flex; align-items: center; gap: 6px; color: #fff; font-size: 14px; cursor: pointer; font-weight: 500; position: relative; padding: 10px 0; }

.aws-nav-item:hover { text-decoration: underline; }

.aws-dropdown-menu { position: absolute; top: 40px; left: 0; background-color: #fff; border: 1px solid #ccc; border-radius: 4px; min-width: 250px; box-shadow: 0 4px 10px rgba(0, 0, 0, 0.15); z-index: 1000; padding: 10px 0; display: flex; flex-direction: column; }

.aws-dropdown-item { padding: 12px 20px; color: #16191f; font-size: 14px; font-weight: 500; text-decoration: none; cursor: pointer; }

.aws-dropdown-item:hover { background-color: #f2f3f3; color: #e47911; text-decoration: none; }

.aws-nav-item-login { display: flex; align-items: center; justify-content: center; margin-left: 10px; cursor: pointer; background: transparent; padding: 3px; border-radius: 50%; border: 1.5px solid #fff; }

/* MIDDLE BAR */ .aws-middle-bar { background-color: #fff; height: 65px; display: flex; justify-content: space-between; align-items: center; padding: 0 40px 0 20px; box-shadow: 0 1px 2px rgba(0, 0, 0, 0.1); z-index: 2; }

.aws-mid-left { display: flex; align-items: center; gap: 40px; }

.aws-logo-m { display: flex; align-items: center; justify-content: center; cursor: pointer; }

.aws-logo-text { font-size: 26px; font-weight: 800; color: #232f3e; letter-spacing: -1px; font-family: 'Helvetica', Arial, sans-serif; }

.aws-mid-links { display: flex; gap: 30px; align-items: center; }

.aws-mid-links span { font-size: 15px; font-weight: 700; color: #16191f; cursor: pointer; }

.aws-mid-links span:hover { color: #e47911; }

.aws-mid-right { display: flex; align-items: center; gap: 30px; }

.aws-search-m { display: flex; align-items: center; gap: 8px; cursor: pointer; }

.search-text-m { font-size: 15px; font-weight: 700; color: #16191f; }

.aws-auth-links { display: flex; align-items: center; gap: 25px; }

.aws-sign-in { font-size: 15px; font-weight: 700; color: #16191f; cursor: pointer; }

.aws-sign-in:hover { text-decoration: underline; }

.aws-create-btn { background-color: #16191f; color: #fff; border: none; border-radius: 20px; padding: 10px 22px; font-size: 15px; font-weight: 700; cursor: pointer; transition: background 0.2s; }

.aws-create-btn:hover { background-color: #232f3e; }

/* BOTTOM BAR */ .aws-bottom-bar { background: linear-gradient(90deg, #eedbfa 0%, #b8c9fd 100%); padding: 25px 50px; display: flex; justify-content: center; z-index: 1; }

.aws-bot-inner { background: #fff; width: 100%; max-width: 1500px; border-radius: 8px; padding: 0 30px; display: flex; align-items: center; height: 65px; box-shadow: 0 4px 10px rgba(0, 0, 0, 0.05); }

.aws-management-title { font-size: 17px; font-weight: 700; color: #16191f; margin-right: 60px; }

.aws-bot-links { display: flex; gap: 35px; height: 100%; }

.aws-bot-links span { display: flex; align-items: center; font-size: 14px; font-weight: 500; color: #16191f; cursor: pointer; position: relative; padding: 0 5px; }

.aws-bot-links span:hover { color: #e47911; }

.active-bot-link { font-weight: 700 !important; }

.active-bot-link::after { content: ''; position: absolute; bottom: 0px; left: 0; width: 100%; height: 3px; background-color: #16191f; } `

File: frontend\src\components\AwsHeader.jsx

`jsx import { useState } from 'react'; import './AwsHeader.css';

export default function AwsHeader() { const [isSupportOpen, setIsSupportOpen] = useState(false);

```
return (
    <header className="aws-header-m">
        {/* Top Bar - Dark Navy */}
        <div className="aws-top-bar">
            <div className="aws-top-nav-list">
                <div className="aws-nav-item">
                    <box-icon name='globe' color='#ccc' size='14px'></box-icon>
                    <span>English</span>
                    <box-icon name='chevron-down' color='#ccc' size='14px'></box-icon>
                </div>
                <div className="aws-nav-item">Contact us</div>
                <div className="aws-nav-item">AWS Marketplace</div>
                <div
                    className="aws-nav-item dropdown-trigger"
                    onMouseEnter={() => setIsSupportOpen(true)}
                    onMouseLeave={() => setIsSupportOpen(false)}
                >
                    <span>Support</span>
                    <box-icon name='chevron-down' color='#ccc' size='14px'></box-icon>

                    {isSupportOpen && (
                        <div className="aws-dropdown-menu">
                            <div className="aws-dropdown-item">Support Center</div>
                            <div className="aws-dropdown-item">Expert Help</div>
                            <div className="aws-dropdown-item">Documentation</div>
                            <div className="aws-dropdown-item">Knowledge Center</div>
                            <div className="aws-dropdown-item">AWS Support Overview</div>
                            <div className="aws-dropdown-item">AWS re:Post</div>
                        </div>
                    )}
                </div>
                <div className="aws-nav-item">
                    <span>My account</span>
                    <box-icon name='chevron-down' color='#ccc' size='14px'></box-icon>
                </div>
                <div className="aws-nav-item-login">
```

```
                    <box-icon name='user' type='regular' color='#fff' size='18px'></box-icon>
                </div>
            </div>
        </div>

        {/* Middle Bar - White */}
        <div className="aws-middle-bar">
            <div className="aws-mid-left">
                <div className="aws-logo-m">
                    <img src="https://upload.wikimedia.org/wikipedia/commons/9/93/Amazon_Web_Services_Logo.svg" alt="AWS
Logo" style={{ height: '28px' }} />
                </div>
                <div className="aws-mid-links">
                    <span>Discover AWS</span>
                    <span>Products</span>
                    <span>Solutions</span>
                    <span>Pricing</span>
                    <span className="active-link">Resources</span>
                </div>
            </div>
            <div className="aws-mid-right">
                <div className="aws-search-m">
                    <box-icon name='search' color='#16191f' size='16px'></box-icon>
                    <span className="search-text-m">Search</span>
                </div>
                <div className="aws-auth-links">
                    <span className="aws-sign-in">Sign in to console</span>
                    <button className="aws-create-btn">Create account</button>
                </div>
            </div>
        </div>

        {/* Bottom Bar - Gradient/White */}
        <div className="aws-bottom-bar">
            <div className="aws-bot-inner">
                <div className="aws-management-title">
                    AWS Management Console
                </div>
                <div className="aws-bot-links">
                    <span className="active-bot-link">Overview</span>
                    <span>Features</span>
                    <span>Mobile Application</span>
                    <span>FAQs</span>
                </div>
            </div>
        </div>
    </header>
);
```

}

`

File: frontend\src\components\DashboardHero.css

`css @import url('https://fonts.googleapis.com/css2?family=Outfit:wght@400;700;900&display=swap');

.dashboard-hero { position: relative; background-color: #001a33; padding: 60px 50px; border-radius: 20px; margin: 25px 0; overflow: hidden; display: flex; align-items: center; color: #ffffff; min-height: 400px; box-shadow: 0 20px 50px rgba(0, 0, 0, 0.4); font-family: 'Outfit', sans-serif; border: 1px solid rgba(255, 255, 255, 0.05); }

.hero-content { position: relative; z-index: 5; max-width: 700px; animation: fadeInUp 0.8s ease-out; }

@keyframes fadeInUp { from { opacity: 0; transform: translateY(30px); }

```
to {
    opacity: 1;
    transform: translateY(0);
}
```

}

.hero-title { font-size: 3.8rem; font-weight: 900; line-height: 1; margin-bottom: 24px; letter-spacing: -2px; }

.hero-title .highlight { background: linear-gradient(90deg, #ffffff 0%, #94a3b8 100%); -webkit-background-clip: text; background-clip: text; -webkit-text-fill-color: transparent; display: block; }

.hero-description { font-size: 1.3rem; color: #cbd5e1; margin-bottom: 40px; line-height: 1.5; font-weight: 400; max-width: 600px; }

.hero-actions { display: flex; gap: 20px; }

.btn-primary-hero { background-color: #ffb800; color: #000000; border: none; padding: 16px 32px; border-radius: 10px; font-size: 1.1rem; font-weight: 700; cursor: pointer; transition: all 0.3s cubic-bezier(0.175, 0.885, 0.32, 1.275); }

.btn-primary-hero:hover { background-color: #ffcc33; transform: scale(1.05) translateY(-3px); box-shadow: 0 15px 30px rgba(255, 184, 0, 0.4); }

.btn-secondary-hero { background-color: #ffffff; color: #000000; border: none; padding: 16px 32px; border-radius: 10px; font-size: 1.1rem; font-weight: 700; cursor: pointer; transition: all 0.3s cubic-bezier(0.175, 0.885, 0.32, 1.275); display: flex; align-items: center; gap: 12px; }

.btn-secondary-hero:hover { background-color: #f8fafc; transform: scale(1.05) translateY(-3px); box-shadow: 0 15px 30px rgba(255, 255, 255, 0.2); }

.btn-secondary-hero .arrow { transition: transform 0.3s ease; font-size: 1.2rem; }

.btn-secondary-hero:hover .arrow { transform: translateX(8px); }

.hero-background-text { position: absolute; right: -120px; top: 55%; transform: translateY(-50%); font-size: 18rem; font-weight: 950; color: rgba(255, 255, 255, 0.04); white-space: nowrap; pointer-events: none; z-index: 1; letter-spacing: -10px; text-transform: uppercase; }

.hero-glow-1 { position: absolute; top: -100px; right: -50px; width: 700px; height: 700px; background: radial-gradient(circle, rgba(59, 130, 246, 0.15) 0%, rgba(59, 130, 246, 0) 70%); z-index: 0; }

.hero-glow-2 { position: absolute; bottom: -150px; left: -50px; width: 500px; height: 500px; background: radial-gradient(circle, rgba(56, 189, 248, 0.1) 0%, rgba(56, 189, 248, 0) 70%); z-index: 0; }

.hero-toast { margin-top: 30px; background: rgba(34, 197, 94, 0.15); border: 1px solid rgba(34, 197, 94, 0.4); padding: 14px 24px; border-radius: 12px; display: flex; align-items: center; gap: 12px; width: fit-content; animation: fadeInUp 0.4s ease-out; backdrop-filter: blur(5px); }

.hero-toast span { color: #4ade80; font-weight: 700; font-size: 1.05rem; letter-spacing: 0.5px; }

/* BLUE GLOW EFFECT FOR ALL ICONS */ box-icon { filter: drop-shadow(0 0 8px rgba(56, 189, 248, 0.7)); transition: all 0.3s cubic-bezier(0.175, 0.885, 0.32, 1.275); }

box-icon:hover { filter: drop-shadow(0 0 15px rgba(56, 189, 248, 1)); transform: scale(1.2) rotate(5deg); }

@media (max-width: 1200px) { .hero-title { font-size: 3.2rem; }

```
.hero-background-text {
    font-size: 14rem;
    right: -80px;
}
```

}

@media (max-width: 1024px) { .hero-title { font-size: 2.8rem; } }

@media (max-width: 768px) { .dashboard-hero { padding: 50px 30px; min-height: auto; text-align: center; justify-content: center; }

```
.hero-content {
    max-width: 100%;
}

.hero-title {
    font-size: 2.4rem;
    letter-spacing: -1px;
}

.hero-description {
    font-size: 1.1rem;
    margin-bottom: 30px;
}

.hero-background-text {
    display: none;
}

.hero-actions {
    flex-direction: column;
    align-items: center;
```

```
}

.btn-primary-hero,
.btn-secondary-hero {
    width: 100%;
    max-width: 320px;
    justify-content: center;
}
```

}`

File: frontend\src\components\DashboardHero.jsx

`jsx import React, { useState } from 'react'; import axios from 'axios'; import './DashboardHero.css';

const DashboardHero = () => { const [message, setMessage] = useState(''); const [loading, setLoading] = useState(false);

```
const handleDemoRequest = async () => {
    setLoading(true);
    try {
        const userInfo = JSON.parse(localStorage.getItem('userInfo'));
        const { data } = await axios.post('/api/auth/demo', { email: userInfo.email });
        setMessage(data.message);
    } catch (err) {
        setMessage('Something went wrong. Please try again later.');
    } finally {
        setLoading(false);
        setTimeout(() => setMessage(''), 6000);
    }
};

const handleFreeTrial = async () => {
    setLoading(true);
    try {
        const { data } = await axios.post('/api/auth/activate-trial');
        setMessage(data.message);
    } catch (err) {
        setMessage('Trial activation failed. Check connection.');
    } finally {
        setLoading(false);
        setTimeout(() => setMessage(''), 6000);
    }
};

return (
    <section className="dashboard-hero">
        <div className="hero-content">
            <h1 className="hero-title">
                Ready to Transform Your <span className="highlight">Cloud Strategy?</span>
            </h1>
            <p className="hero-description">
                Gain full visibility, enforce compliance, and secure every workflow with trusted file sharing and policy-
driven automation.
            </p>
            <div className="hero-actions">
                <button className="btn-primary-hero" onClick={handleDemoRequest} disabled={loading}>
                    {loading ? 'Sending...' : 'Request a Demo'}
                </button>
                <button className="btn-secondary-hero" onClick={handleFreeTrial} disabled={loading}>
                    {loading ? 'Processing...' : 'Free Trial'} <span className="arrow">→</span>
                </button>
            </div>
            {message && (
                <div className="hero-toast fade-in">
                    <box-icon name='check-circle' color='#22c55e' size='18px'></box-icon>
                    <span>{message}</span>
                </div>
            )}
        </div>
        <div className="hero-background-text">
```

```
            GET STARTED
        </div>
        <div className="hero-glow-1"></div>
        <div className="hero-glow-2"></div>
    </section>
);
```

};

export default DashboardHero;

`

File: frontend\src\components\Footer.css

`css .aws-style-footer { background-color: #16191f; width: 100%; color: #fff; font-family: inherit; padding-top: 60px; margin-top: 50px; border-top: 1px solid rgba(255, 255, 255, 0.05); }

.aws-footer-content { display: flex; justify-content: space-between; max-width: 1200px; margin: 0 auto; padding: 0 40px; }

.aws-footer-column { display: flex; flex-direction: column; gap: 15px; flex: 1; }

.aws-footer-column h4 { font-size: 16px; font-weight: 700; color: #fff; margin-bottom: 8px; letter-spacing: 0.5px; display: flex; align-items: center; gap: 12px; }

.aws-footer-column h4 box-icon { filter: drop-shadow(0 0 8px rgba(56, 189, 248, 0.4)); transition: transform 0.3s cubic-bezier(0.175, 0.885, 0.32, 1.275); }

.aws-footer-column:hover h4 box-icon { transform: rotate(15deg) scale(1.2); filter: drop-shadow(0 0 12px rgba(56, 189, 248, 0.7)); }

.aws-footer-column a { color: #b1b5bd; font-size: 14px; text-decoration: none; font-weight: 400; transition: all 0.3s ease; position: relative; display: inline-block; width: fit-content; }

.aws-footer-column a::after { content: ''; position: absolute; width: 0; height: 1.5px; bottom: -2px; left: 0; background-color: #38bdf8; transition: width 0.3s cubic-bezier(0.4, 0, 0.2, 1); }

.aws-footer-column a:hover { color: #fff; transform: translateX(10px); }

.aws-footer-column a:hover::after { width: 100%; box-shadow: 0 0 8px rgba(56, 189, 248, 0.6); }

.aws-footer-back-to-top { text-align: center; padding: 25px 0; margin-top: 80px; cursor: pointer; font-size: 14px; font-weight: 800; color: #fff; background-color: #1a222c; transition: all 0.3s ease; text-transform: uppercase; letter-spacing: 2px; border-top: 1px solid rgba(255, 255, 255, 0.05); }

.aws-footer-back-to-top:hover { background-color: #243447; color: #38bdf8; box-shadow: 0 -5px 15px rgba(0, 0, 0, 0.3); }

.aws-footer-bottom { background-color: #0c0f14; padding: 35px 0; border-top: 1px solid rgba(255, 255, 255, 0.05); }

.bottom-content { max-width: 1200px; margin: 0 auto; padding: 0 40px; display: flex; justify-content: space-between; align-items: center; }

.bottom-content p { font-size: 13.5px; color: #94A3B8; margin: 0; }

.dev-name { color: #38BDF8; font-weight: 700; letter-spacing: 0.5px; text-shadow: 0 0 5px rgba(56, 189, 248, 0.2); }

.social-links { display: flex; gap: 20px; }

.social-links box-icon { cursor: pointer; transition: all 0.3s cubic-bezier(0.175, 0.885, 0.32, 1.275); filter: drop-shadow(0 0 5px rgba(56, 189, 248, 0.2)); }

.social-links box-icon:hover { transform: translateY(-8px) scale(1.15); filter: drop-shadow(0 0 12px rgba(56, 189, 248, 0.8)); color: #38BDF8 !important; }

@media (max-width: 768px) { .aws-footer-content { flex-direction: column; gap: 40px; }

```
.bottom-content {
    flex-direction: column;
    gap: 25px;
    text-align: center;
}
```

} `

File: frontend\src\components\Footer.jsx

`jsx import './Footer.css';

export default function Footer() { const scrollToTop = () => { window.scrollTo({ top: 0, behavior: 'smooth' }); };

```
return (
    <footer className="aws-style-footer">
        <div className="aws-footer-content">
```

```
            <div className="aws-footer-column">
                <h4><box-icon name='graduation-cap' type='solid' color='#38bdf8' size='20px'></box-icon> Learn</h4>
                <a href="#">What Is Secure Cloud?</a>
                <a href="#">What Is Cloud Storage?</a>
                <a href="#">What Is IAM Access?</a>
                <a href="#">Secure File Sharing Hub</a>
                <a href="#">Cloud Data Security</a>
                <a href="#">What's New</a>
                <a href="#">Blogs</a>
                <a href="#">Press Releases</a>
            </div>

            <div className="aws-footer-column">
                <h4><box-icon name='book-open' type='solid' color='#38bdf8' size='20px'></box-icon> Resources</h4>
                <a href="#">Getting Started</a>
                <a href="#">Training</a>
                <a href="#">Cloud Trust Center</a>
                <a href="#">Storage Solutions Library</a>
                <a href="#">Architecture Center</a>
                <a href="#">Product and Technical FAQs</a>
                <a href="#">Analyst Reports</a>
                <a href="#">Integration Partners</a>
            </div>

            <div className="aws-footer-column">
                <h4><box-icon name='code-block' type='solid' color='#38bdf8' size='20px'></box-icon> Developers</h4>
                <a href="#">Builder Center</a>
                <a href="#">SDKs & Tools</a>
                <a href="#">Cloud API Reference</a>
                <a href="#">React UI Components</a>
                <a href="#">Node.js on Secure Cloud</a>
                <a href="#">Python on Secure Cloud</a>
                <a href="#">Enterprise GitHub</a>
            </div>

            <div className="aws-footer-column">
                <h4><box-icon name='help-circle' type='solid' color='#38bdf8' size='20px'></box-icon> Help</h4>
                <a href="#">Contact Us</a>
                <a href="#">File a Support Ticket</a>
                <a href="#">Cloud re:Post</a>
                <a href="#">Knowledge Center</a>
                <a href="#">Platform Support Overview</a>
                <a href="#">Get Expert Help</a>
                <a href="#">Dashboard Accessibility</a>
                <a href="#">Legal</a>
            </div>
        </div>

        <div className="aws-footer-back-to-top" onClick={scrollToTop}>
            Back to top <span style={{ marginLeft: '5px' }}>↑</span>
        </div>

        <div className="aws-footer-bottom">
            <div className="bottom-content">
                <p>© 2026 SecureCloud System | Built by <span className="dev-name">VARUN KUMAR J</span></p>
                <div className="social-links">
                    <box-icon type='logo' name='linkedin-square' color='#94a3b8' size='22px'></box-icon>
                    <box-icon type='logo' name='github' color='#94a3b8' size='22px'></box-icon>
                    <box-icon name='envelope' type='solid' color='#94a3b8' size='22px'></box-icon>
                </div>
            </div>
        </div>
    </footer>
);

}
`
```

File: frontend\src\components\Logo.jsx

`jsx export default function Logo() { return (

<svg viewBox="0 0 100 100" xmlns="http://www.w3.org/2000/svg" style={{ overflow: 'visible', width: '100%', height: '100%' }}> {/* Deep Blue */} {/* Purple */} {/* Magenta/Pink */} {/* Light Blue */} {/* Light Magenta */}

```
            <g transform="translate(0, -5)" filter="url(#neonGlow)">
                {/* Cloud Arch */}
                <path d="M 38 78 L 28 78 A 15 15 0 0 1 30 45 A 24 24 0 0 1 70 45 A 15 15 0 0 1 72 78 L 62 78"
                    fill="none" stroke="url(#cloudGrad)" strokeWidth="6.5" strokeLinecap="round" strokeLinejoin="round" />

                {/* Top Server Blade */}
                <rect x="35" y="48" width="30" height="7.5" rx="1.5" fill="url(#serverGrad)" />
                <line x1="38" y1="51.75" x2="55" y2="51.75" stroke="#FFFFFF" strokeWidth="2" strokeLinecap="round" />
                <circle cx="61" cy="51.75" r="1.5" fill="#FFFFFF" />

                {/* Middle Server Blade */}
                <rect x="35" y="60" width="30" height="7.5" rx="1.5" fill="url(#serverGrad)" />
                <line x1="38" y1="63.75" x2="55" y2="63.75" stroke="#FFFFFF" strokeWidth="2" strokeLinecap="round" />
                <circle cx="61" cy="63.75" r="1.5" fill="#FFFFFF" />

                {/* Bottom Server Blade */}
                <rect x="35" y="72" width="30" height="7.5" rx="1.5" fill="url(#serverGrad)" />
                <line x1="38" y1="75.75" x2="55" y2="75.75" stroke="#FFFFFF" strokeWidth="2" strokeLinecap="round" />
                <circle cx="61" cy="75.75" r="1.5" fill="#FFFFFF" />
            </g>
        </svg>
    </div>
);
```

}

`

File: frontend\src\index.css

`css :root { --primary-color: #3b82f6; /* Blue 500 */ --primary-hover: #2563eb; /* Blue 600 */ --bg-dark-blue: #0f172a; /* Slate 900 */ --bg-deep-blue: #1e3a8a; /* Blue 900 */ --card-bg: rgba(30, 41, 59, 0.75); /* Slate 800 semi-transparent */ --text-primary: #f8fafc; /* Slate 50 */ --text-secondary: #94a3b8; /* Slate 400 */ --border-color: rgba(148, 163, 184, 0.2); --error: #ef4444; --success: #10b981; }

- { box-sizing: border-box; margin: 0; padding: 0; }

body { font-family: 'Inter', -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Helvetica, Arial, sans-serif; background: linear-gradient(-45deg, #0f172a, #1e3a8a, #2563eb, #0f172a); background-size: 400% 400%; animation: gradientBG 15s ease infinite; min-height: 100vh; color: var(--text-primary); display: flex; flex-direction: column; }

@keyframes gradientBG { 0% { background-position: 0% 50%; }

```
50% {
    background-position: 100% 50%;
}

100% {
    background-position: 0% 50%;
}
```

}

/* Glassmorphism Auth Cards */ .auth-container { display: flex; align-items: center; justify-content: center; min-height: 100vh; padding: 2rem; }

.auth-card { background: var(--card-bg); backdrop-filter: blur(16px); -webkit-backdrop-filter: blur(16px); border: 1px solid rgba(255, 255, 255, 0.1); border-radius: 1rem; padding: 3rem; width: 100%; max-width: 450px; box-shadow: 0 25px 50px -12px rgba(0, 0, 0, 0.5), inset 0 1px 0 rgba(255, 255, 255, 0.1); animation: fadeIn 0.5s ease-out; }

@keyframes fadeIn { from { opacity: 0; transform: translateY(10px); }

```
to {
    opacity: 1;
    transform: translateY(0);
}
```

}

.auth-header { text-align: center; margin-bottom: 2rem; }

.auth-header h2 { font-size: 1.875rem; font-weight: 700; margin-top: 1rem; color: var(--text-primary); }

.form-group { margin-bottom: 1.25rem; }

.form-group label { display: block; font-size: 0.875rem; font-weight: 500; color: var(--text-secondary); margin-bottom: 0.5rem; }

.form-group input[type="text"], .form-group input[type="email"], .form-group input[type="password"] { width: 100%; padding: 0.75rem 1rem; border: 1px solid var(--border-color); border-radius: 0.5rem; font-size: 1rem; transition: all 0.3s; background: rgba(15, 23, 42, 0.6); color: var(--text-primary); }

.form-group input:focus { outline: none; border-color: var(--primary-color); box-shadow: 0 0 0 3px rgba(79, 70, 229, 0.2); }

.form-options { display: flex; justify-content: space-between; align-items: center; font-size: 0.875rem; margin-bottom: 1.5rem; }

.btn-primary { width: 100%; background-color: var(--primary-color); color: white; padding: 0.875rem; border: none; border-radius: 0.5rem; font-size: 1rem; font-weight: 600; cursor: pointer; transition: background-color 0.3s, transform 0.1s; }

.btn-primary:hover { background-color: var(--primary-hover); }

.btn-primary:active { transform: scale(0.98); }

.form-footer { text-align: center; margin-top: 1.5rem; font-size: 0.875rem; color: var(--text-secondary); }

.form-footer a { color: var(--primary-color); text-decoration: none; font-weight: 600; }

.form-footer a:hover { text-decoration: underline; }

/* Dashboard Styles */ .dashboard-container { padding: 2rem; max-width: 1200px; margin: 0 auto; }

.dashboard-header { display: flex; justify-content: space-between; align-items: center; margin-bottom: 2rem; background: var(--card-bg); padding: 1.5rem 2rem; border-radius: 1rem; box-shadow: 0 10px 15px -3px rgba(0, 0, 0, 0.5); border: 1px solid rgba(255, 255, 255, 0.1); backdrop-filter: blur(10px); }

.user-info { display: flex; align-items: center; gap: 1rem; }

.role-badge { background: rgba(59, 130, 246, 0.2); color: #60a5fa; padding: 0.25rem 0.75rem; border-radius: 9999px; font-size: 0.75rem; font-weight: 600; text-transform: uppercase; }

.role-badge.admin { background: rgba(239, 68, 68, 0.2); color: #f87171; }

.file-list { background: var(--card-bg); border-radius: 1rem; overflow: hidden; box-shadow: 0 10px 15px -3px rgba(0, 0, 0, 0.5); border: 1px solid rgba(255, 255, 255, 0.1); backdrop-filter: blur(10px); }

.file-item { display: flex; justify-content: space-between; align-items: center; padding: 1rem 2rem; border-bottom: 1px solid var(--border-color); }

.file-item:last-child { border-bottom: none; }

.file-info h4 { font-size: 1rem; color: var(--text-primary); margin-bottom: 0.25rem; }

.file-info p { font-size: 0.875rem; color: var(--text-secondary); }

/* Unique Animated Cloud Logo */ .cloud-logo { display: flex; justify-content: center; perspective: 1000px; }

.cloud-logo svg { width: 95px; height: 95px; filter: drop-shadow(0 15px 15px rgba(37, 99, 235, 0.4)); animation: fly 4s ease-in-out infinite alternate; transform-style: preserve-3d; }

/* Ensure Dashboard Header Logo is Large */ .dashboard-logo-container .cloud-logo svg { min-width: 95px !important; min-height: 95px !important; }

@keyframes fly { 0% { transform: translateY(0px) rotateY(-8deg) rotateX(4deg) scale(0.95); filter: drop-shadow(0 10px 10px rgba(37, 99, 235, 0.3)); }

```
50% {
    transform: translateY(-12px) rotateY(8deg) rotateX(-4deg) scale(1.02);
    filter: drop-shadow(0 25px 20px rgba(96, 165, 250, 0.6));
}

100% {
    transform: translateY(0px) rotateY(-8deg) rotateX(4deg) scale(0.95);
    filter: drop-shadow(0 10px 10px rgba(37, 99, 235, 0.3));
}
```

}

/* Developer Footer Branding */ .dev-signature { text-align: center; padding: 2.5rem 1rem 1.5rem; margin-top: auto; width: 100%; color: var(--text-secondary); font-size: 0.95rem; letter-spacing: 0.5px; background: transparent; display: flex; flex-direction: column; align-items: center; gap: 0.75rem; transition: all 0.4s ease; cursor: default; }

```
.dev-logo-container { background: rgba(15, 23, 42, 0.6); border: 1px solid rgba(217, 70, 239, 0.3); border-radius: 50%; width: 45px; height: 45px; display: flex; justify-content: center; align-items: center; box-shadow: 0 0 15px rgba(217, 70, 239, 0.15); transition: all 0.5s cubic-bezier(0.4, 0, 0.2, 1); }

.dev-signature:hover .dev-logo-container { box-shadow: 0 0 25px rgba(217, 70, 239, 0.6); border-color: rgba(217, 70, 239, 0.8); transform: rotate(360deg) scale(1.1); }

.dev-signature:hover { transform: translateY(-5px); }

.dev-signature p { font-weight: 500; }

.dev-signature .highlighted-name { color: var(--primary-color); font-weight: 800; text-shadow: 0 0 10px rgba(59, 130, 246, 0.5); background: linear-gradient(90deg, #60A5FA, #D946EF, #60A5FA); background-size: 200% auto; -webkit-background-clip: text; background-clip: text; -webkit-text-fill-color: transparent; display: inline-block; letter-spacing: 1px; animation: dev-shine 3s linear infinite; }

@keyframes dev-shine { to { background-position: 200% center; } }

/* ========================================================== // DASHBOARD REDESIGN - GLASSMORPHISM & GRID // ========================================================== */

.glass-panel { background: rgba(15, 23, 42, 0.4); backdrop-filter: blur(12px); -webkit-backdrop-filter: blur(12px); border: 1px solid rgba(255, 255, 255, 0.1); box-shadow: 0 8px 32px 0 rgba(0, 0, 0, 0.3); border-radius: 12px; }

.interactive-zone { transition: transform 0.3s cubic-bezier(0.4, 0, 0.2, 1), box-shadow 0.3s ease, border-color 0.3s ease; }

.interactive-zone:hover { transform: translateY(-4px); box-shadow: 0 12px 40px 0 rgba(0, 0, 0, 0.5); border-color: rgba(96, 165, 250, 0.3); }

.user-badge { display: flex; align-items: center; gap: 0.75rem; padding: 0.5rem 1rem; background: rgba(0, 0, 0, 0.2); border-radius: 20px; border: 1px solid rgba(255, 255, 255, 0.05); }

.btn-logout { display: flex; align-items: center; gap: 0.5rem; background: transparent; border: 1px solid rgba(239, 68, 68, 0.5); color: #FCA5A5; padding: 0.5rem 1rem; border-radius: 8px; font-weight: 600; cursor: pointer; transition: all 0.2s; }

.btn-logout:hover { background: rgba(239, 68, 68, 0.1); color: #fff; border-color: #EF4444; }

.btn-share { display: flex; align-items: center; gap: 0.5rem; background: transparent; border: 1px solid rgba(16, 185, 129, 0.5); color: #6EE7B7; padding: 0.5rem 1rem; border-radius: 8px; font-weight: 600; cursor: pointer; transition: all 0.2s; }

.btn-share:hover { background: rgba(16, 185, 129, 0.1); color: #fff; border-color: #10B981; box-shadow: 0 0 10px rgba(16, 185, 129, 0.3); }

.upload-header { text-align: center; margin-bottom: 2rem; }

.upload-header box-icon { margin-bottom: 0.5rem; }

.upload-header p { color: var(--text-secondary); font-size: 0.9rem; margin-top: 0.25rem; }

.custom-file-input { display: flex; justify-content: center; margin-bottom: 1.5rem; }

.custom-file-input input[type="file"] { display: none; }

.file-label { display: flex; align-items: center; gap: 0.75rem; padding: 1rem 2rem; background: rgba(0, 0, 0, 0.3); border: 2px dashed rgba(96, 165, 250, 0.4); border-radius: 12px; color: var(--text-primary); font-weight: 500; cursor: pointer; transition: all 0.3s ease; width: 100%; max-width: 400px; justify-content: center; }

.file-label:hover { border-color: var(--primary-color); background: rgba(59, 130, 246, 0.05); }

.btn-upload { display: flex; align-items: center; justify-content: center; gap: 0.5rem; width: 100%; max-width: 400px; margin: 0 auto; background: linear-gradient(135deg, var(--primary-color), #9333EA); color: white; padding: 1rem; border: none; border-radius: 12px; font-size: 1rem; font-weight: 600; cursor: pointer; transition: all 0.3s; box-shadow: 0 4px 15px rgba(59, 130, 246, 0.3); }

.btn-upload:hover { box-shadow: 0 6px 20px rgba(147, 51, 234, 0.4); transform: translateY(-2px); }

.btn-upload:disabled { background: #374151; color: #9CA3AF; box-shadow: none; cursor: not-allowed; transform: none; }

/* File Grid System */ .file-list-container { padding: 1rem 0; }

.section-header { display: flex; align-items: center; gap: 0.75rem; margin-bottom: 1.5rem; padding-bottom: 1rem; border-bottom: 1px solid rgba(255, 255, 255, 0.1); }

.file-grid { display: grid; grid-template-columns: repeat(auto-fill, minmax(300px, 1fr)); gap: 1.5rem; }

.file-card { padding: 1.5rem; display: flex; flex-direction: column; position: relative; overflow: hidden; }

.file-card::before { content: ''; position: absolute; top: 0; left: 0; width: 4px; height: 100%; background: linear-gradient(to bottom, var(--primary-color), #D946EF); border-radius: 4px 0 0 4px; }

.file-icon-wrapper { display: flex; justify-content: center; align-items: center; height: 60px; background: rgba(0, 0, 0, 0.2); border-radius: 12px; margin-bottom: 1rem; }

.file-info { flex-grow: 1; margin-bottom: 1.5rem; }
```

.file-info h4 { font-size: 1.1rem; color: var(--text-primary); margin-bottom: 0.75rem; white-space: nowrap; overflow: hidden; text-overflow: ellipsis; }

.file-meta { display: flex; align-items: center; gap: 0.5rem; font-size: 0.85rem; color: var(--text-secondary); margin-bottom: 0.4rem; }

.admin-meta { color: #FBBF24; font-weight: 500; margin-top: 0.75rem; padding-top: 0.75rem; border-top: 1px dashed rgba(255, 255, 255, 0.1); }

.file-actions { display: flex; gap: 0.5rem; margin-top: auto; }

.action-btn { display: flex; align-items: center; justify-content: center; gap: 0.5rem; padding: 0.6rem; border: none; border-radius: 8px; font-weight: 600; font-size: 0.9rem; cursor: pointer; transition: all 0.2s; }

.download-btn { flex-grow: 1; background: rgba(59, 130, 246, 0.15); color: #93C5FD; border: 1px solid rgba(59, 130, 246, 0.3); }

.download-btn:hover { background: rgba(59, 130, 246, 0.3); color: #fff; }

.delete-btn { background: rgba(239, 68, 68, 0.1); border: 1px solid rgba(239, 68, 68, 0.3); width: 42px; }

.delete-btn:hover { background: rgba(239, 68, 68, 0.3); }

.empty-state { text-align: center; padding: 4rem 2rem; color: var(--text-secondary); background: rgba(0, 0, 0, 0.1); border-radius: 12px; border: 1px dashed rgba(255, 255, 255, 0.1); }

.empty-state p { margin-top: 1rem; font-size: 1.1rem; }

.upload-section { background: var(--card-bg); padding: 2rem; border-radius: 1rem; margin-bottom: 2rem; text-align: center; border: 2px dashed rgba(59, 130, 246, 0.5); background-color: rgba(59, 130, 246, 0.05); backdrop-filter: blur(10px); }

/* Cross-Platform Responsiveness (iPhone, Android, Tablets) */ @media screen and (max-width: 768px) { .dashboard-header { flex-direction: column; text-align: center; gap: 1.5rem; }

```
.user-info {
    flex-direction: column;
    width: 100%;
}

.file-item {
    flex-direction: column;
    align-items: flex-start;
    gap: 1rem;
}

.file-item>div:last-child {
    width: 100%;
    display: flex;
    justify-content: stretch;
}

.file-item button {
    flex: 1;
}

.auth-card {
    padding: 2rem 1.5rem;
}
```

} `

File: frontend\src\main.jsx

`jsx import React from 'react' import ReactDOM from 'react-dom/client' import App from './App.jsx' import './index.css'

ReactDOM.createRoot(document.getElementById('root')).render(<React.StrictMode> </React.StrictMode>,)

`

File: frontend\src\pages\Auth.css

`css @import url('https://fonts.googleapis.com/css2?family=Poppins:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;0,800;0,900;1,100;1,200;1,300;1,400;1,500;1,600;1,700;1,800;1,900&display=swap');

.auth-wrapper { display: flex; justify-content: center; align-items: center; min-height: 100vh; background: linear-gradient(-45deg, #0f172a, #1e293b, #030712, #1e293b); background-size: 400% 400%; animation: gradientBG 15s ease infinite; }

@keyframes gradientBG { 0% { background-position: 0% 50%; }

```
50% {
    background-position: 100% 50%;
}

100% {
    background-position: 0% 50%;
}
```

}

.auth-wrapper * { margin: 0; padding: 0; box-sizing: border-box; font-family: 'Poppins', sans-serif; color: #fff; }

.auth-wrapper .container { position: relative; width: 850px; height: 620px; background: rgba(15, 23, 42, 0.7); backdrop-filter: blur(15px); border: 1px solid rgba(255, 255, 255, 0.1); box-shadow: 0 25px 50px -12px rgba(0, 0, 0, 0.5), 0 0 30px rgba(59, 130, 246, 0.3); border-radius: 24px; overflow: hidden; animation: float 6s ease-in-out infinite; }

@keyframes float { 0% { transform: translateY(0px); }

```
50% {
    transform: translateY(-10px);
}

100% {
    transform: translateY(0px);
}
```

}

.auth-wrapper .form-box { position: absolute; top: 0; width: 50%; height: 100%; display: flex; justify-content: flex-start; flex-direction: column; z-index: 10; }

.auth-wrapper .form-box.Login { left: 0; padding: 60px 40px 0; }

.auth-wrapper .form-box.Login .animation { transform: translateX(0%); transition: .7s; opacity: 1; transition-delay: calc(.1s * var(--S)); }

.auth-wrapper .container.active .form-box.Login .animation { transform: translateX(-120%); opacity: 0; transition-delay: calc(.1s * var(--D)); }

.auth-wrapper .form-box.Register { right: 0; padding: 40px 60px 0; }

.auth-wrapper .form-box.Register .animation { transform: translateX(120%); transition: .7s ease; opacity: 0; filter: blur(10px); transition-delay: calc(.1s * var(--S)); }

.auth-wrapper .container.active .form-box.Register .animation { transform: translateX(0%); opacity: 1; filter: blur(0px); transition-delay: calc(.1s * var(--Li)); }

.auth-wrapper .form-box h2 { font-size: 32px; text-align: center; color: #fff; font-weight: 700; }

.form-header { display: flex; flex-direction: column; align-items: center; justify-content: center; margin-bottom: 5px; }

.header-icon { filter: drop-shadow(0 0 10px rgba(59, 130, 246, 0.6)); animation: iconPulse 3s infinite ease-in-out; margin-bottom: 5px; }

@keyframes iconPulse { 0% { transform: scale(1); filter: drop-shadow(0 0 5px rgba(59, 130, 246, 0.4)); }

```
50% {
    transform: scale(1.1);
    filter: drop-shadow(0 0 15px rgba(59, 130, 246, 0.9));
}

100% {
    transform: scale(1);
    filter: drop-shadow(0 0 5px rgba(59, 130, 246, 0.4));
}
```

}

.auth-wrapper .form-box .input-box { position: relative; width: 100%; height: 46px; margin-top: 16px; }

.auth-wrapper .input-box input { width: 100%; height: 100%; background: transparent; border: none; outline: none; font-size: 16px; color: #fff; font-weight: 600; border-bottom: 2px solid #fff; padding: 0 45px 0 15px; transition: all .3s ease; }

.auth-wrapper .input-box input:focus, .auth-wrapper .input-box input:valid { border-bottom: 2px solid #3B82F6; }

.auth-wrapper .input-box label { position: absolute; top: 50%; left: 15px; transform: translateY(-50%); font-size: 16px; color: #94A3B8; transition: .5s; pointer-events: none; }

.auth-wrapper .input-box input:focus~~label, .auth-wrapper .input-box input:valid~~label { top: -5px; left: 0; color: #3B82F6; text-shadow: 0 0 5px rgba(59, 130, 246, 0.5); }

.error-toast { position: absolute; top: 20px; left: 50%; transform: translateX(-50%); background: rgba(239, 68, 68, 0.9); border: 1px solid #FCA5A5; color: white; padding: 12px 24px; border-radius: 8px; font-size: 0.95rem; font-weight: 500; text-align: center; z-index: 9999; box-shadow: 0 4px 15px rgba(239, 68, 68, 0.4); animation: toastFadeIn 0.3s ease forwards; max-width: 90%; width: max-content; word-break: break-word; }

.info-toast { position: absolute; top: 20px; left: 50%; transform: translateX(-50%); background: rgba(59, 130, 246, 0.9); border: 1px solid #93C5FD; color: white; padding: 12px 24px; border-radius: 8px; font-size: 0.95rem; font-weight: 500; text-align: center; z-index: 9999; box-shadow: 0 4px 15px rgba(59, 130, 246, 0.4); animation: toastFadeIn 0.3s ease forwards; max-width: 90%; width: max-content; word-break: break-word; }

@keyframes toastFadeIn { from { opacity: 0; transform: translate(-50%, -10px); }

```
to {
    opacity: 1;
    transform: translate(-50%, 0);
}
```

}

.auth-wrapper .input-box box-icon { position: absolute; top: 50%; right: 0; font-size: 18px; transform: translateY(-50%); color: #fff; }

.auth-wrapper .input-box input:focus~~box-icon, .auth-wrapper .input-box input:valid~~box-icon { color: #3B82F6; }

.auth-wrapper .btn { position: relative; width: 100%; height: 45px; background: transparent; border-radius: 40px; cursor: pointer; font-size: 16px; font-weight: 600; border: 2px solid #3B82F6; overflow: hidden; z-index: 1; color: #fff; transition: all 0.3s ease; }

.auth-wrapper .btn::before { content: ""; position: absolute; height: 300%; width: 100%; background: linear-gradient(#0F172A, #3B82F6, #0F172A, #3B82F6); top: -100%; left: 0; z-index: -1; transition: .5s cubic-bezier(0.4, 0, 0.2, 1); }

.auth-wrapper .btn:hover { box-shadow: 0 6px 25px rgba(59, 130, 246, 0.6); transform: translateY(-2px); }

.auth-wrapper .btn:hover:before { top: 0; opacity: 1; }

.auth-wrapper .regi-link { font-size: 14.5px; text-align: center; margin: 25px 0 10px; width: 100%; display: flex; justify-content: center; }

.auth-wrapper .regi-link p { color: #94A3B8; margin: 0; display: flex; align-items: center; gap: 10px; }

.auth-wrapper .regi-link a { text-decoration: none; color: #3B82F6; font-weight: 600; }

.auth-wrapper .regi-link a:hover { text-decoration: underline; }

.auth-wrapper .form-options a { transition: all 0.3s ease; }

.auth-wrapper .form-options a:hover { color: #3B82F6 !important; text-shadow: 0 0 10px rgba(59, 130, 246, 0.8); transform: scale(1.05); }

.auth-wrapper .form-options input[type="checkbox"] { accent-color: #3B82F6; cursor: pointer; box-shadow: 0 0 5px rgba(59, 130, 246, 0.3); }

.auth-wrapper .form-options label:hover { color: #fff !important; text-shadow: 0 0 5px rgba(255, 255, 255, 0.5); }

.auth-wrapper .info-content { position: absolute; top: 0; height: 100%; width: 50%; display: flex; justify-content: flex-start; flex-direction: column; z-index: 10; }

.auth-wrapper .info-content.Login { right: 0; text-align: center; padding: 30px 30px 0 160px; }

.auth-wrapper .info-content.Login .animation { transform: translateX(0); transition: .7s ease; transition-delay: calc(.1s * var(--S)); opacity: 1; filter: blur(0px); }

.auth-wrapper .container.active .info-content.Login .animation { transform: translateX(120%); opacity: 0; filter: blur(10px); transition-delay: calc(.1s * var(--D)); }

.auth-wrapper .info-content.Register { left: 0; text-align: center; padding: 30px 160px 0 30px; pointer-events: none; }

.auth-wrapper .info-content.Register .animation { transform: translateX(-120%); transition: .7s ease; opacity: 0; filter: blur(10px); transition-delay: calc(.1s * var(--S)); }

.auth-wrapper .container.active .info-content.Register .animation { transform: translateX(0%); opacity: 1; filter: blur(0); transition-delay: calc(.1s * var(--Li)); }

.auth-wrapper .info-content h2 { text-transform: uppercase; font-size: 28px; line-height: 1.25; letter-spacing: 2.5px; font-weight: 800; color: #ffffff; text-shadow: 0 10px 30px rgba(96, 165, 250, 0.4); margin-bottom: 12px; }

.auth-wrapper .info-content p { font-size: 14.5px; line-height: 1.6; letter-spacing: 0.5px; color: #E2E8F0; font-weight: 400; text-shadow: 0 2px 4px rgba(0, 0, 0, 0.3); opacity: 0.9; }

/* Custom Segmented Radio Buttons for Role */ .role-options { display: flex; gap: 0.5rem; background: rgba(0, 0, 0, 0.3); padding: 0.25rem; border-radius: 12px; border: 1px solid rgba(255, 255, 255, 0.05); margin-bottom: 12px; }

.role-options label { flex: 1; text-align: center; padding: 0.6rem; cursor: pointer; color: #94A3B8; border-radius: 8px; transition: all 0.3s cubic-bezier(0.4, 0, 0.2, 1); font-size: 0.9rem; font-weight: 600; display: flex; align-items: center; justify-content: center; gap: 5px; }

.role-options input[type="radio"] { display: none; }

.role-options label:has(input[type="radio"]:checked) { background: rgba(59, 130, 246, 0.2); box-shadow: inset 0 0 0 1px rgba(59, 130, 246, 0.5), 0 0 15px rgba(59, 130, 246, 0.2); color: #60A5FA; }

.role-options label:has(input[type="radio"][value="admin"]:checked) { background: rgba(37, 99, 235, 0.2); box-shadow: inset 0 0 0 1px rgba(37, 99, 235, 0.5), 0 0 15px rgba(37, 99, 235, 0.2); color: #60A5FA; }

.auth-wrapper .info-content .logo-container { display: flex; width: 100%; margin-bottom: 20px; }

.auth-wrapper .info-content.Login .logo-container { justify-content: center; }

.auth-wrapper .info-content.Register .logo-container { justify-content: center; }

.auth-wrapper .info-content .logo-container .cloud-logo svg { max-width: 120px; max-height: 120px; }

.auth-wrapper .container .curved-shape { position: absolute; right: -50px; top: -50px; height: 700px; width: 900px; background: linear-gradient(45deg, #0F172A, #3B82F6); transform: rotate(10deg) skewY(40deg); transform-origin: bottom right; transition: 1.5s ease; transition-delay: 1.6s; z-index: 0; }

.auth-wrapper .container.active .curved-shape { transform: rotate(0deg) skewY(0deg); transition-delay: .5s; }

.auth-wrapper .container .curved-shape2 { position: absolute; left: 200px; top: 100%; height: 800px; width: 900px; background: #0F172A; border-top: 3px solid #3B82F6; transform: rotate(0deg) skewY(0deg); transform-origin: bottom left; transition: 1.5s ease; transition-delay: .5s; z-index: 0; }

.auth-wrapper .container.active .curved-shape2 { transform: rotate(-11deg) skewY(-41deg); transition-delay: 1.2s; }

/* Responsive edits */ @media screen and (max-width: 768px) { .auth-wrapper .container { width: 100%; margin: 0 1rem; height: 600px; }

```
 .auth-wrapper .form-box {
     width: 100%;
 }

 .auth-wrapper .info-content {
     display: none;
 }

 .auth-wrapper .form-box.Login {
     padding: 0 20px;
 }

 .auth-wrapper .form-box.Register {
     padding: 0 20px;
 }
```

}

/* Social Login Integration Styles */ .social-login { display: flex; flex-direction: row; gap: 15px; margin-top: 10px; width: 100%; }

.social-btn { display: flex; align-items: center; justify-content: center; gap: 12px; flex: 1; height: 48px; background: rgba(255, 255, 255, 0.03); border: 1px solid rgba(255, 255, 255, 0.2); border-radius: 12px; cursor: pointer; transition: all 0.3s cubic-bezier(0.4, 0, 0.2, 1); font-size: 15px; font-weight: 500; color: #fff; }

.social-btn:hover { background: rgba(255, 255, 255, 0.12); border-color: rgba(96, 165, 250, 0.6); transform: translateY(-3px); box-shadow: 0 8px 20px rgba(0, 0, 0, 0.3); }

.social-btn box-icon { width: 20px; height: 20px; }

.divider { display: flex; align-items: center; text-align: center; color: #94A3B8; font-size: 11.5px; margin: 18px 0 10px 0; width: 100%; }

.divider::before, .divider::after { content: ''; flex: 1; border-bottom: 1px solid rgba(255, 255, 255, 0.15); }

.divider span { padding: 0 15px; text-transform: uppercase; letter-spacing: 1.5px; }

.legal-disclaimer { margin-top: 15px; padding-top: 10px; border-top: 1px solid rgba(255, 255, 255, 0.1); text-align: center; font-size: 11px; color: #94a3b8; line-height: 1.5; }

.legal-disclaimer a { color: #60A5FA; text-decoration: none; font-weight: 500; }

.legal-disclaimer a:hover { text-decoration: underline; text-shadow: 0 0 5px rgba(96, 165, 250, 0.5); }

/* Mock Google Login Modal Styles */ .google-mock-overlay { position: fixed; top: 0; left: 0; width: 100vw; height: 100vh; background: rgba(0, 0, 0, 0.6); display: flex; justify-content: center; align-items: center; z-index: 1000; }

.google-mock-modal { background: #202124; border: 1px solid #3c4043; border-radius: 8px; padding: 36px 40px; width: 400px; display: flex; flex-direction: column; align-items: center; box-shadow: 0 4px 23px 0 rgba(0, 0, 0, 0.4); }

.google-mock-modal h3 { font-size: 24px; font-weight: 400; margin: 16px 0 8px; font-family: 'Google Sans', 'Roboto', Arial, sans-serif; }

.google-mock-modal p { font-size: 16px; margin-bottom: 32px; font-family: 'Roboto', Arial, sans-serif; }

.google-mock-modal input { width: 100%; padding: 13px 15px; background: transparent; border: 1px solid #5f6368; border-radius: 4px; color: #e8eaed; font-size: 16px; margin-bottom: 40px; }

.google-mock-modal input:focus { border: 2px solid #8ab4f8; outline: none; padding: 12px 14px; }

.google-mock-actions { display: flex; justify-content: flex-end; gap: 16px; width: 100%; }

.google-text-btn { background: transparent; border: none; color: #8ab4f8; font-weight: 500; font-size: 14px; cursor: pointer; padding: 8px 16px; border-radius: 4px; }

.google-text-btn:hover { background: rgba(138, 180, 248, 0.08); }

.google-primary-btn { background: #8ab4f8; color: #202124; border: none; font-weight: 500; font-size: 14px; padding: 8px 24px; border-radius: 4px; cursor: pointer; }

.google-primary-btn:hover { background: #9ebbff; box-shadow: 0 1px 2px 0 rgba(0, 0, 0, 0.3); }

@keyframes slideInRight { from { opacity: 0; transform: translateX(30px); }

```
to {
    opacity: 1;
    transform: translateX(0);
}
```

}

.google-mock-chip { display: flex; align-items: center; gap: 8px; border: 1px solid #5f6368; border-radius: 16px; padding: 4px 8px 4px 6px; margin-bottom: 32px; cursor: pointer; background: transparent; transition: background 0.2s ease; }

.google-mock-chip:hover { background: rgba(255, 255, 255, 0.04); }

.google-mock-chip span { font-size: 14px; color: #e8eaed; font-family: 'Roboto', Arial, sans-serif; font-weight: 500; }

/* Auth Developer Badge */ .auth-footer-badge { position: relative; margin-top: auto; margin-bottom: 15px; align-self: center; background: rgba(15, 23, 42, 0.4); border: 1px solid rgba(59, 130, 246, 0.3); padding: 10px 20px; border-radius: 30px; backdrop-filter: blur(5px); width: max-content; display: flex; flex-direction: column; align-items: center; transition: all 0.3s ease; cursor: pointer; }

.auth-footer-badge:hover { background: rgba(15, 23, 42, 0.85); border-color: rgba(96, 165, 250, 0.8); box-shadow: 0 4px 15px rgba(59, 130, 246, 0.3); }

.auth-footer-badge p { font-size: 13px !important; text-shadow: none !important; margin: 0; color: #94A3B8 !important; letter-spacing: 0.5px !important; transition: all 0.3s ease; }

.auth-footer-badge:hover p { color: #fff !important; }

.auth-footer-badge .highlighted-name { color: #60A5FA !important; font-weight: 700; letter-spacing: 1.5px; margin-left: 5px; text-shadow: 0 0 10px rgba(96, 165, 250, 0.5) !important; }

.tooltip-details { position: absolute; bottom: 120%; /* Push tooltip above the badge */ left: 50%; transform: translateX(-50%) translateY(10px); display: flex; flex-direction: column; align-items: center; gap: 6px; background: rgba(15, 23, 42, 0.95); border: 1px solid rgba(59, 130, 246, 0.5); padding: 12px 16px; border-radius: 8px; box-shadow: 0 10px 25px rgba(0, 0, 0, 0.5); opacity: 0; pointer-events: none; transition: all 0.3s cubic-bezier(0.175, 0.885, 0.32, 1.275); white-space: nowrap; z-index: 100; }

/* Tooltip Arrow */ .tooltip-details::after { content: ''; position: absolute; bottom: -6px; left: 50%; transform: translateX(-50%); border-width: 6px 6px 0; border-style: solid; border-color: rgba(59, 130, 246, 0.5) transparent transparent transparent; display: block; width: 0; }

.auth-footer-badge:hover .tooltip-details { opacity: 1; transform: translateX(-50%) translateY(0); }

.tooltip-details span { font-size: 11px; color: #cbd5e1; letter-spacing: 1px; }

.tooltip-details .tooltip-id { color: #93c5fd; font-weight: 600; letter-spacing: 2px; border-bottom: 2px solid #ef4444; /* Add red line under the ID */ padding-bottom: 2px; margin-bottom: 2px; }

.tooltip-details .tooltip-college { font-size: 10px; color: #94a3b8; margin-top: 2px; }

/* Adjust developer badge positioning to compensate for the diagonal screen split */ .auth-wrapper .info-content.Login .auth-footer-badge { transform: translateX(-45px); } `

File: frontend\src\pages\Auth.jsx

`jsx import { useState, useEffect } from 'react'; import { useNavigate, useLocation } from 'react-router-dom'; import axios from 'axios'; import { useGoogleLogin } from '@react-oauth/google'; import Logo from '../components/Logo'; import './Auth.css';

export default function Auth() { const location = useLocation(); const [isActive, setIsActive] = useState(location.pathname === '/register'); const [loginEmail, setLoginEmail] = useState(''); const [loginPassword, setLoginPassword] = useState(''); const [rememberMe, setRememberMe] = useState(false);

```
const [regUsername, setRegUsername] = useState('');
const [regEmail, setRegEmail] = useState('');
const [regPassword, setRegPassword] = useState('');
const [regRole, setRegRole] = useState('user');
const [error, setError] = useState('');
const [showLoginPassword, setShowLoginPassword] = useState(false);
const [showRegPassword, setShowRegPassword] = useState(false);
const [infoMessage, setInfoMessage] = useState('');
const [showMockGoogle, setShowMockGoogle] = useState(false);
const [showMockGooglePassword, setShowMockGooglePassword] = useState(false);
const [mockEmail, setMockEmail] = useState('varunkumarj23062006@gmail.com');
const [mockPassword, setMockPassword] = useState('');

const navigate = useNavigate();

const handleLogin = async (e) => {
    e.preventDefault();
    try {
        const { data } = await axios.post('/api/auth/login', {
            email: loginEmail,
            password: loginPassword,
            rememberMe,
        });
        localStorage.setItem('userInfo', JSON.stringify(data));
        navigate('/');
    } catch (err) {
        console.error('Login Detail Error:', err);
        setError(err.response?.data?.message || err.message || 'Login failed');
    }
};

const handleRegister = async (e) => {
    e.preventDefault();
    try {
        const { data } = await axios.post('/api/auth/register', {
            username: regUsername,
            email: regEmail,
            password: regPassword,
            role: regRole
        });
        localStorage.setItem('userInfo', JSON.stringify(data));
        navigate('/');
    } catch (err) {
        console.error('Registration Detail Error:', err);
        setError(err.response?.data?.message || err.message || 'Registration failed');
    }
};

const googleLogin = useGoogleLogin({
    onSuccess: async (tokenResponse) => {
        try {
            // Fetch user info using access token
            const userInfoResponse = await axios.get(
                'https://www.googleapis.com/oauth2/v3/userinfo',
                { headers: { Authorization: `Bearer ${tokenResponse.access_token}` } }
            );

            // Login via backend
            const { data } = await axios.post('/api/auth/social', {
                email: userInfoResponse.data.email,
                username: userInfoResponse.data.name,
                provider: 'Google'
            });

            localStorage.setItem('userInfo', JSON.stringify(data));
            navigate('/');
```

```
        } catch (err) {
            setError('Google authentication failed.');
        }
    },
    onError: () => setError('Google Login Failed')
});

const handleMockGoogleSubmit = async (e) => {
    e.preventDefault();
    const simulatedName = mockEmail.split('@')[0];
    try {
        const { data } = await axios.post('/api/auth/social', {
            email: mockEmail,
            username: simulatedName,
            provider: 'Google'
        });
        localStorage.setItem('userInfo', JSON.stringify(data));
        setShowMockGoogle(false);
        navigate('/');
    } catch (err) {
        setError('Mock Google Login Failed');
    }
};

const handleSocialLogin = async (provider) => {
    if (provider === 'Google') {
        const clientId = import.meta.env.VITE_GOOGLE_CLIENT_ID || '';
        const isConfigured = clientId && clientId !== 'YOUR_GOOGLE_CLIENT_ID_HERE' && !clientId.includes('dummy');

        if (!isConfigured) {
            // Use the custom mock UI instead of ugly window prompt
            setShowMockGoogle(true);
            return;
        }

        googleLogin();
    } else {
        setInfoMessage(`Simulating secure ${provider} connection... (Requires API Keys)`);
        setTimeout(() => setInfoMessage(''), 3500);
    }
};

return (
    <div className="auth-wrapper">
        <div className={`container ${isActive ? 'active' : ''}`}>
            <div className="curved-shape"></div>
            <div className="curved-shape2"></div>

            {error && <div className="error-toast">{error}</div>}
            {infoMessage && <div className="info-toast">{infoMessage}</div>}

            {/* Login Form */}
            <div className="form-box Login">
                <div className="form-header animation" style={{ '--D': 0, '--S': 21 }}>
                    <box-icon name='lock-alt' type='solid' color='#38bdf8' size='45px' className="header-icon"></box-icon>
                    <h2>Login</h2>
                </div>
                <form onSubmit={handleLogin}>
                    <div className="input-box animation" style={{ '--D': 1, '--S': 22 }}>
                        <input type="email" required onChange={(e) => setLoginEmail(e.target.value)} value={loginEmail} />
                        <label>Email Address</label>
                        <box-icon type='solid' name='envelope' color="gray"></box-icon>
                    </div>

                    <div className="input-box animation" style={{ '--D': 2, '--S': 23 }}>
                        <input type={showLoginPassword ? "text" : "password"} required onChange={(e) =>
setLoginPassword(e.target.value)} value={loginPassword} />
                        <label>Password</label>
                        <box-icon
                            name={showLoginPassword ? 'show' : 'hide'}
```

```
                            type='solid'
                            color="gray"
                            style={{ cursor: 'pointer' }}
                            onClick={() => setShowLoginPassword(!showLoginPassword)}
                        ></box-icon>
                    </div>

                    <div className="action-box animation" style={{ '--D': 3, '--S': 24, marginTop: '15px', width: '100%' }}>
                        <div className="form-options" style={{ display: 'flex', justifyContent: 'space-between', alignItems:
'center', marginBottom: '15px' }}>
                            <label style={{ display: 'flex', alignItems: 'center', gap: '0.5rem', cursor: 'pointer',
fontSize: '0.9rem', color: '#ccc' }}>
                                <input type="checkbox" checked={rememberMe} onChange={(e) => setRememberMe(e.target.checked)}
style={{ width: 'auto', marginBottom: 0 }} />  Remember me
                            </label>
                            <a href="#" style={{ color: '#ccc', textDecoration: 'none', fontSize: '0.9rem' }} onClick={(e) =>
{ e.preventDefault(); navigate('/forgot-password'); }}>Forgot Password?</a>
                        </div>
                        <button className="btn" type="submit">Login</button>
                    </div>
                </form>

                <div className="divider animation" style={{ '--D': 4, '--S': 25 }}>
                    <span>or continue with</span>
                </div>

                <div className="social-login animation" style={{ '--D': 5, '--S': 26 }}>
                    <button type="button" className="social-btn" onClick={() => handleSocialLogin('Google')}>
                        <box-icon type='logo' name='google' color="#ea4335"></box-icon> Continue with Google
                    </button>
                </div>

                <div className="regi-link animation" style={{ '--D': 6, '--S': 27, width: '100%', display: 'flex',
justifyContent: 'center' }}>
                    <p>Don't have an account? <a href="#" className="SignUpLink" onClick={(e) => { e.preventDefault();
setError(''); setIsActive(true); }}>Sign Up</a></p>
                </div>
            </div>

            <div className="info-content Login">
                <div className="logo-container animation" style={{ '--D': 0, '--S': 20 }}>
                    <Logo />
                </div>
                <h2 className="animation" style={{ '--D': 0, '--S': 20 }}>FILE SHARING <br /> SYSTEM</h2>
                <p className="animation" style={{ '--D': 1, '--S': 21 }}>Secure Cloud Storage</p>

                <div className="auth-footer-badge animation" style={{ '--D': 2, '--S': 22 }}>
                    <p>Developed by <span className="highlighted-name">VARUN KUMAR J</span></p>
                    <div className="tooltip-details">
                        <span className="tooltip-id">1U23CS125</span>
                        <span className="tooltip-course">bsc cs</span>
                        <span className="tooltip-college">rvs college of arts and science</span>
                    </div>
                </div>
            </div>

            {/* Register Form */}
            <div className="form-box Register">
                <div className="form-header animation" style={{ '--li': 17, '--S': 0 }}>
                    <box-icon name='user-plus' type='solid' color='#38bdf8' size='45px' className="header-icon"></box-icon>
                    <h2>Register</h2>
                </div>
                <form onSubmit={handleRegister}>
                    <div className="input-box animation" style={{ '--li': 18, '--S': 1 }}>
                        <input type="text" required onChange={(e) => setRegUsername(e.target.value)} value={regUsername} />
                        <label>Username</label>
                        <box-icon type='solid' name='user' color="gray"></box-icon>
                    </div>

                    <div className="input-box animation" style={{ '--li': 19, '--S': 2 }}>
```

```
                        <input type="email" required onChange={(e) => setRegEmail(e.target.value)} value={regEmail} />
                        <label>Email</label>
                        <box-icon name='envelope' type='solid' color="gray"></box-icon>
                    </div>

                    <div className="input-box animation" style={{ '--li': 19, '--S': 3 }}>
                        <input type={showRegPassword ? "text" : "password"} required onChange={(e) =>
setRegPassword(e.target.value)} value={regPassword} />
                        <label>Password</label>
                        <box-icon
                            name={showRegPassword ? 'show' : 'hide'}
                            type='solid'
                            color="gray"
                            style={{ cursor: 'pointer' }}
                            onClick={() => setShowRegPassword(!showRegPassword)}
                        ></box-icon>
                    </div>

                    <div className="action-box animation" style={{ '--li': 20, '--S': 4, marginTop: '15px', width: '100%' }}>
                        <div className="role-options">
                            <label>
                                <input type="radio" value="user" checked={regRole === 'user'} onChange={(e) =>
setRegRole(e.target.value)} />
                                <box-icon name='user' color={regRole === 'user' ? '#fff' : '#94A3B8'} size="sm"></box-icon>
                                User
                            </label>
                            <label>
                                <input type="radio" value="admin" checked={regRole === 'admin'} onChange={(e) =>
setRegRole(e.target.value)} />
                                <box-icon name='briefcase-alt-2' color={regRole === 'admin' ? '#fff' : '#94A3B8'} size="sm">
</box-icon>
                                Admin
                            </label>
                        </div>
                        <button className="btn" type="submit">Register</button>
                    </div>
                </form>

                <div className="divider animation" style={{ '--li': 21, '--S': 5 }}>
                    <span>or continue with</span>
                </div>

                <div className="social-login animation" style={{ '--li': 22, '--S': 6 }}>
                    <button type="button" className="social-btn" onClick={() => handleSocialLogin('Google')}>
                        <box-icon type='logo' name='google' color="#ea4335"></box-icon> Continue with Google
                    </button>
                </div>

                <div className="regi-link animation" style={{ '--li': 23, '--S': 7, width: '100%', display: 'flex',
justifyContent: 'center' }}>
                    <p>Already have an account? <a href="#" className="SignInLink" onClick={(e) => { e.preventDefault();
setError(''); setIsActive(false); }}>Sign In</a></p>
                </div>
            </div>

            <div className="info-content Register">
                <div className="logo-container animation" style={{ '--li': 17, '--S': 0 }}>
                    <Logo />
                </div>
                <h2 className="animation" style={{ '--li': 17, '--S': 0 }}>FILE SHARING <br /> SYSTEM</h2>
                <p className="animation" style={{ '--li': 18, '--S': 1 }}>Secure Cloud Storage</p>
            </div>
        </div>

        {/* Mock Google Login Modal */}
        {showMockGoogle && (
            <div className="google-mock-overlay" onClick={() => setShowMockGoogle(false)}>
                <div className="google-mock-modal" onClick={e => e.stopPropagation()}>
                    <box-icon type='logo' name='google' color="#ea4335" size="lg"></box-icon>
                    {!showMockGooglePassword ? (
```

```
                        <>
                            <h3 style={{ color: '#e8eaed' }}>Sign in</h3>
                            <p style={{ color: '#9aa0a6' }}>to continue to SecureCloud</p>
                            <form onSubmit={(e) => { e.preventDefault(); setShowMockGooglePassword(true); }} style={{ width:
'100%', animation: 'slideInRight 0.3s ease-out' }}>
                                <input
                                    type="email"
                                    value={mockEmail}
                                    onChange={(e) => setMockEmail(e.target.value)}
                                    placeholder="Email or phone"
                                    required
                                    autoFocus
                                />
                                <div className="google-mock-actions">
                                    <button type="button" className="google-text-btn" onClick={() =>
setShowMockGoogle(false)}>Cancel</button>
                                    <button type="submit" className="google-primary-btn">Next</button>
                                </div>
                            </form>
                        </>
                    ) : (
                        <>
                            <h3 style={{ color: '#e8eaed' }}>Welcome</h3>
                            <div className="google-mock-chip" onClick={() => setShowMockGooglePassword(false)}>
                                <box-icon name='user-circle' type='solid' color="#9aa0a6"></box-icon>
                                <span>{mockEmail}</span>
                                <box-icon name='chevron-down' color="#9aa0a6"></box-icon>
                            </div>
                            <form onSubmit={handleMockGoogleSubmit} style={{ width: '100%', animation: 'slideInRight 0.3s
ease-out' }}>
                                <input
                                    type="password"
                                    value={mockPassword}
                                    onChange={(e) => setMockPassword(e.target.value)}
                                    placeholder="Enter your password"
                                    required
                                    autoFocus
                                />
                                <div className="google-mock-actions">
                                    <button type="button" className="google-text-btn" onClick={() =>
setShowMockGooglePassword(false)}>Forgot password?</button>
                                    <button type="submit" className="google-primary-btn">Sign in</button>
                                </div>
                            </form>
                        </>
                    )}
                </div>
            </div>
        )}
    </div>
);
```

}

`

File: frontend\src\pages\Dashboard.css

`css /* PREMIUM DASHBOARD STYLES */ .dashboard-container-new { min-height: 100vh; background: #0f172a; background-image: radial-gradient(at 0% 0%, rgba(56, 189, 248, 0.15) 0, transparent 50%), radial-gradient(at 100% 0%, rgba(147, 51, 234, 0.15) 0, transparent 50%), radial-gradient(at 100% 100%, rgba(219, 39, 119, 0.1) 0, transparent 50%), radial-gradient(at 0% 100%, rgba(59, 130, 246, 0.15) 0, transparent 50%); color: #f8fafc; font-family: 'Inter', system-ui, -apple-system, sans-serif; padding-bottom: 50px; padding-top: 10px; }

.main-full-width { max-width: 1200px; margin: 0 auto; padding: 20px; }

/* Glass Panels */ .glass-panel { background: rgba(30, 41, 59, 0.5); backdrop-filter: blur(12px); -webkit-backdrop-filter: blur(12px); border: 1px solid rgba(255, 255, 255, 0.1); box-shadow: 0 8px 32px 0 rgba(0, 0, 0, 0.4); border-radius: 20px; padding: 30px; margin-bottom: 30px; }

.glass-card { background: rgba(30, 41, 59, 0.7); backdrop-filter: blur(8px); border: 1px solid rgba(255, 255, 255, 0.1); border-radius: 16px; padding: 24px; transition: transform 0.3s cubic-bezier(0.34, 1.56, 0.64, 1); }

```
.glass-card:hover { transform: translateY(-5px); background: rgba(30, 41, 59, 0.85); border-color: rgba(56, 189, 248, 0.4); }

/* Top Bar */ .top-bar-premium { display: flex; justify-content: space-between; align-items: center; padding: 10px 30px; background: rgba(15, 23, 42, 0.6); backdrop-filter: blur(20px); border-radius: 20px; border: 1px solid rgba(255, 255, 255, 0.08); margin-bottom: 30px; position: sticky; top: 15px; z-index: 100; }

.top-left-premium { display: flex; align-items: center; gap: 20px; }

.logo-compact { width: 60px; height: 60px; display: flex; align-items: center; justify-content: center; }

.header-nav { display: flex; gap: 10px; }

.nav-link { cursor: pointer; padding: 8px 16px; border-radius: 12px; font-size: 14px; font-weight: 500; color: #94a3b8; transition: 0.2s; }

.nav-link.active { background: #38bdf8; color: #0f172a; font-weight: 600; }

.nav-link:hover { color: #fff; background: rgba(255, 255, 255, 0.05); }

/* User Profile */ .top-right-premium { display: flex; align-items: center; }

.user-section-premium { display: flex; align-items: center; gap: 15px; }

.avatar-premium { width: 40px; height: 40px; background: linear-gradient(135deg, #3b82f6, #8b5cf6); border-radius: 50%; display: flex; justify-content: center; align-items: center; font-weight: 700; cursor: pointer; transition: 0.3s; border: 2px solid rgba(255, 255, 255, 0.2); }

.avatar-premium:hover { transform: scale(1.1); box-shadow: 0 0 20px rgba(59, 130, 246, 0.4); }

/* Cards Grid */ .cards { display: grid; grid-template-columns: repeat(auto-fit, minmax(280px, 1fr)); gap: 20px; margin-bottom: 40px; }

.card h3 { font-size: 14px; color: #94a3b8; margin-bottom: 10px; }

.card h1 { font-size: 32px; font-weight: 800; margin-bottom: 5px; background: linear-gradient(to right, #fff, #94a3b8); -webkit-background-clip: text; background-clip: text; -webkit-text-fill-color: transparent; }

.card p { font-size: 12px; color: #64748b; }

/* Upload Box */ .upload-box { text-align: center; max-width: 600px; margin: 0 auto 40px; }

.security-key-input { text-align: left; margin: 20px 0; }

.security-key-input label { font-size: 13px; color: #94a3b8; display: block; margin-bottom: 8px; }

.security-key-input input { width: 100%; padding: 12px 16px; background: rgba(15, 23, 42, 0.5); border: 1px solid rgba(255, 255, 255, 0.1); border-radius: 12px; color: #38bdf8; outline: none; font-family: monospace; }

.file-drop-area { border: 2px dashed rgba(56, 189, 248, 0.3); border-radius: 16px; padding: 40px; margin-bottom: 24px; transition: 0.2s; position: relative; cursor: pointer; }

.file-drop-area:hover { background: rgba(56, 189, 248, 0.05); border-color: #38bdf8; }

.file-drop-area input { position: absolute; top: 0; left: 0; width: 100%; height: 100%; opacity: 0; cursor: pointer; }

.neon-btn { background: linear-gradient(135deg, #38bdf8, #818cf8); color: #fff; border: none; padding: 14px 32px; border-radius: 14px; font-weight: 700; cursor: pointer; transition: 0.3s; box-shadow: 0 4px 20px rgba(56, 189, 248, 0.3); width: 100%; }

.neon-btn:hover:not(:disabled) { transform: translateY(-2px); box-shadow: 0 8px 25px rgba(56, 189, 248, 0.5); }

.neon-btn:disabled { background: #475569; cursor: not-allowed; opacity: 0.5; }

/* Tables */ .table-header { display: flex; justify-content: space-between; align-items: center; margin-bottom: 25px; }

.search-box-premium { display: flex; align-items: center; background: rgba(15, 23, 42, 0.4); border: 1px solid rgba(255, 255, 255, 0.1); padding: 8px 16px; border-radius: 12px; width: 300px; }

.search-box-premium input { background: transparent; border: none; color: #fff; margin-left: 10px; outline: none; width: 100%; font-size: 14px; }

table { width: 100%; border-collapse: collapse; }

th { text-align: left; padding: 16px; font-size: 13px; color: #64748b; border-bottom: 1px solid rgba(255, 255, 255, 0.05); }

td { padding: 16px; font-size: 14px; border-bottom: 1px solid rgba(255, 255, 255, 0.03); }

.file-row:hover { background: rgba(255, 255, 255, 0.02); }

.file-name-cell { display: flex; align-items: center; gap: 12px; font-weight: 500; }

.status-badge { background: rgba(34, 197, 94, 0.1); color: #4ade80; padding: 4px 10px; border-radius: 6px; font-size: 11px; font-weight: 700; }

.action-cells { display: flex; gap: 10px; }
```

.download-icon-btn, .delete-icon-btn { width: 32px; height: 32px; border-radius: 8px; display: flex; justify-content: center; align-items: center; border: none; cursor: pointer; transition: 0.2s; }

.download-icon-btn { background: rgba(56, 189, 248, 0.15); }

.download-icon-btn:hover { background: #38bdf8; }

.delete-icon-btn { background: rgba(239, 68, 68, 0.15); }

.delete-icon-btn:hover { background: #ef4444; }

/* Admin Grid */ .admin-grid { display: grid; grid-template-columns: repeat(auto-fit, minmax(400px, 1fr)); gap: 30px; }

.role-badge { padding: 4px 8px; border-radius: 6px; font-size: 11px; font-weight: 700; }

.role-badge.admin { background: rgba(245, 158, 11, 0.2); color: #f59e0b; }

.role-badge.user { background: rgba(59, 130, 246, 0.2); color: #3b82f6; }

.status-dot { display: inline-block; width: 8px; height: 8px; border-radius: 50%; margin-right: 6px; }

.status-dot.online { background: #22c55e; box-shadow: 0 0 8px #22c55e; }

.gate-authorized { color: #22c55e; font-weight: 600; font-size: 12px; }

/* Animations */ .fade-in { animation: fadeIn 0.8s ease-out forwards; }

@keyframes fadeIn { from { opacity: 0; transform: translateY(10px); }

```
to {
    opacity: 1;
    transform: translateY(0);
}
```

}

.progress { background: rgba(255, 255, 255, 0.05); height: 8px; border-radius: 10px; margin-bottom: 20px; overflow: hidden; }

.progress-bar { height: 100%; background: #38bdf8; transition: width 0.3s ease; }

@media (max-width: 768px) { .top-bar-premium { flex-direction: column; gap: 15px; top: 10px; }

```
.header-nav {
    overflow-x: auto;
    width: 100%;
    padding-bottom: 10px;
}

.search-box-premium {
    width: 100%;
}

.admin-grid {
    grid-template-columns: 1fr;
}
```

}`

File: frontend\src\pages\Dashboard.jsx

`jsx import { useEffect, useState } from 'react'; import { useNavigate } from 'react-router-dom'; import Logo from '../components/Logo'; import Footer from '../components/Footer'; import DashboardHero from '../components/DashboardHero'; import axios from 'axios'; import './Dashboard.css';

export default function Dashboard() { const [user, setUser] = useState(null); const [files, setFiles] = useState([]); const [loginHistory, setLoginHistory] = useState([]); const [adminUsers, setAdminUsers] = useState([]); const [selectedFile, setSelectedFile] = useState(null); const [activeTab, setActiveTab] = useState('Dashboard'); const [searchQuery, setSearchQuery] = useState(''); const [securityKey, setSecurityKey] = useState('cloud-secure-2024'); const [isEncrypting, setIsEncrypting] = useState(false); const [uploadProgress, setUploadProgress] = useState(0); const navigate = useNavigate();

```
useEffect(() => {
    const userInfo = localStorage.getItem('userInfo');
    if (userInfo) {
        const parsedUser = JSON.parse(userInfo);
        setUser(parsedUser);
        fetchFiles(parsedUser.token);
        if (parsedUser.role === 'admin') {
```

```
            fetchLoginHistory(parsedUser.token);
            fetchUsers(parsedUser.token);
        }
    } else {
        navigate('/login');
    }
}, [navigate]);

const fetchLoginHistory = async (token) => {
    try {
        const { data } = await axios.get('/api/admin/login-history', {
            headers: { Authorization: `Bearer ${token}` }
        });
        setLoginHistory(data);
    } catch (err) {
        console.error('Error fetching login history', err);
    }
};

const fetchUsers = async (token) => {
    try {
        const { data } = await axios.get('/api/admin/users', {
            headers: { Authorization: `Bearer ${token}` }
        });
        setAdminUsers(data);
    } catch (err) {
        console.error('Error fetching users', err);
    }
};

const fetchFiles = async (token) => {
    try {
        const { data } = await axios.get('/api/files', {
            headers: { Authorization: `Bearer ${token}` }
        });
        setFiles(data);
    } catch (err) {
        console.error('Error fetching files', err);
    }
};

const handleLogout = () => {
    localStorage.removeItem('userInfo');
    navigate('/login');
};

const handleFileChange = (e) => {
    setSelectedFile(e.target.files[0]);
};

const handleUpload = async () => {
    if (!selectedFile) return;
    setIsEncrypting(true);
    setUploadProgress(10);

    try {
        const arrayBuffer = await selectedFile.arrayBuffer();
        const encodedKey = new TextEncoder().encode(securityKey.padEnd(32, '0').slice(0, 32));
        const cryptoKey = await window.crypto.subtle.importKey(
            'raw', encodedKey, { name: 'AES-GCM' }, false, ['encrypt']
        );
        const iv = window.crypto.getRandomValues(new Uint8Array(12));
        const encryptedBuffer = await window.crypto.subtle.encrypt(
            { name: 'AES-GCM', iv }, cryptoKey, arrayBuffer
        );

        setUploadProgress(50);

        const combined = new Uint8Array(iv.length + encryptedBuffer.byteLength);
        combined.set(iv);
```

```
        combined.set(new Uint8Array(encryptedBuffer), iv.length);

        const encryptedBlob = new Blob([combined], { type: 'application/octet-stream' });
        const formData = new FormData();
        formData.append('file', encryptedBlob, selectedFile.name + '.enc');

        await axios.post('/api/files', formData, {
            headers: {
                'Content-Type': 'multipart/form-data',
                Authorization: `Bearer ${user.token}`
            },
            onUploadProgress: (progressEvent) => {
                const percentCompleted = Math.round((progressEvent.loaded * 100) / progressEvent.total);
                setUploadProgress(50 + (percentCompleted / 2));
            }
        });

        fetchFiles(user.token);
        setSelectedFile(null);
        setUploadProgress(0);
    } catch (err) {
        console.error('Upload error', err);
        alert('Encryption or Upload failed. Check your security key.');
    } finally {
        setIsEncrypting(false);
    }
};

const handleDownload = async (fileId, filename) => {
    try {
        const response = await axios.get(`/api/files/${fileId}`, {
            headers: { Authorization: `Bearer ${user.token}` },
            responseType: 'arraybuffer'
        });

        const data = new Uint8Array(response.data);
        const iv = data.slice(0, 12);
        const encryptedContent = data.slice(12);

        const encodedKey = new TextEncoder().encode(securityKey.padEnd(32, '0').slice(0, 32));
        const cryptoKey = await window.crypto.subtle.importKey(
            'raw', encodedKey, { name: 'AES-GCM' }, false, ['decrypt']
        );

        const decryptedBuffer = await window.crypto.subtle.decrypt(
            { name: 'AES-GCM', iv }, cryptoKey, encryptedContent
        );

        const url = window.URL.createObjectURL(new Blob([decryptedBuffer]));
        const link = document.createElement('a');
        link.href = url;
        link.setAttribute('download', filename.replace('.enc', ''));
        document.body.appendChild(link);
        link.click();
        link.remove();
    } catch (err) {
        console.error('Download error', err);
        alert('Decryption failed. Ensure your Security Key is correct!');
    }
};

const handleDelete = async (fileId) => {
    if (!window.confirm("Are you sure you want to delete this file?")) return;
    try {
        await axios.delete(`/api/files/${fileId}`, {
            headers: { Authorization: `Bearer ${user.token}` }
        });
        fetchFiles(user.token);
    } catch (err) {
        console.error('Delete error', err);
```

```
    }
};

if (!user) return null;

const storageUsedMB = (files.reduce((acc, file) => acc + (file.size || 0), 0) / (1024 * 1024)).toFixed(2);
const filteredFiles = files.filter(file =>
    file.originalName.toLowerCase().includes(searchQuery.toLowerCase())
);

return (
    <div className="dashboard-container-new">
        <div className="main-full-width fade-in">
            {/* Fixed Premium Header */}
            <div className="top-bar-premium">
                <div className="top-left-premium">
                    <div className="logo-compact"><Logo /></div>
                    <nav className="header-nav">
                        <span className={activeTab === 'Dashboard' ? 'nav-link active' : 'nav-link'} onClick={() =>
setActiveTab('Dashboard')}>Overview</span>
                        <span className={activeTab === 'Files' ? 'nav-link active' : 'nav-link'} onClick={() =>
setActiveTab('Files')}>Storage</span>
                        {user.role === 'admin' && (
                            <span className={activeTab === 'Admin' ? 'nav-link active' : 'nav-link'} onClick={() =>
setActiveTab('Admin')}>Admin Panel</span>
                        )}
                    </nav>
                </div>
                <div className="top-right-premium">
                    <div className="user-section-premium">
                        <div className="welcome-pill">
                            <span>Hello, <strong>{user.username}</strong></span>
                        </div>
                        <div className="avatar-premium" onClick={handleLogout} title="Logout">
                            {user.username.charAt(0).toUpperCase()}
                        </div>
                    </div>
                </div>
            </div>

            {activeTab === 'Dashboard' && (
                <>
                    <DashboardHero />
                    <div className="cards">
                        <div className="card glass-card">
                            <h3>Total Cloud Files</h3>
                            <h1>{files.length}</h1>
                            <p>Securely stored</p>
                        </div>
                        <div className="card glass-card">
                            <h3>Storage Consumption</h3>
                            <h1>{storageUsedMB} MB</h1>
                            <p>Used of Unlimited</p>
                        </div>
                        <div className="card glass-card">
                            <h3>Security Status</h3>
                            <h1 style={{ color: '#4ade80', fontSize: '24px' }}>PROTECTED</h1>
                            <p>End-to-End Encrypted</p>
                        </div>
                    </div>

                    {/* Quick Action: Upload */}
                    <div className="upload-box premium-card glass-panel">
                        <h2><box-icon name='cloud-upload' color='#38bdf8' size="lg"></box-icon></h2>
                        <h3>Upload New Secure File</h3>

                        <div className="security-key-input">
                            <label>🔒 Security Key (E2EE):</label>
                            <input
                                type="password"
```

```
                            value={securityKey}
                            onChange={(e) => setSecurityKey(e.target.value)}
                        />
                        <small>Your files are encrypted in your browser before being sent to our servers.</small>
                    </div>

                    <div className="file-drop-area">
                        <input type="file" id="fileInput" onChange={handleFileChange} />
                        <label htmlFor="fileInput" className="file-label">
                            {selectedFile ? selectedFile.name : 'Click to select or drag & drop file'}
                        </label>
                    </div>

                    {uploadProgress > 0 && (
                        <div className="progress">
                            <div className="progress-bar" style={{ width: `${uploadProgress}%` }}></div>
                        </div>
                    )}

                    <button className="upload-btn neon-btn" onClick={handleUpload} disabled={!selectedFile ||
isEncrypting}>
                        {isEncrypting ? 'Encrypting...' : 'Secure Upload'}
                    </button>
                </div>
            </>
        )}

        {(activeTab === 'Files' || activeTab === 'Dashboard') && (
            <div className="table-section glass-panel">
                <div className="table-header">
                    <h3>File Inventory</h3>
                    <div className="search-box-premium">
                        <box-icon name='search' color='#94a3b8' size='18px'></box-icon>
                        <input
                            type="text"
                            placeholder="Filter files..."
                            value={searchQuery}
                            onChange={(e) => setSearchQuery(e.target.value)}
                        />
                    </div>
                </div>
                <table>
                    <thead>
                        <tr>
                            <th>File Name</th>
                            <th>Size</th>
                            <th>Modified</th>
                            <th>Status</th>
                            <th>Actions</th>
                        </tr>
                    </thead>
                    <tbody>
                        {filteredFiles.length === 0 ? (
                            <tr>
                                <td colSpan="5" style={{ textAlign: 'center', padding: '40px' }}>Your cloud storage is
empty.</td>
                            </tr>
                        ) : (
                            filteredFiles.map(file => (
                                <tr key={file._id} className="file-row">
                                    <td className="file-name-cell">
                                        <box-icon name='file-blank' color='#38bdf8' size="sm"></box-icon>
                                        {file.originalName}
                                    </td>
                                    <td>{(file.size / 1024).toFixed(1)} KB</td>
                                    <td>{new Date(file.createdAt).toLocaleDateString()}</td>
                                    <td><span className="status-badge">Encrypted</span></td>
                                    <td class="action-cells">
                                        <button class="download-icon-btn" onClick={() => handleDownload(file._id,
file.originalName)} title="Download">
```

```
                                            <box-icon name='download' color='#fff' size="xs"></box-icon>
                                        </button>
                                        {user.role === 'admin' && (
                                            <button className="delete-icon-btn" onClick={() => handleDelete(file._id)}
title="Delete">
                                                <box-icon name='trash' color='#fff' size="xs"></box-icon>
                                            </button>
                                        )}
                                    </td>
                                </tr>
                            ))
                        )}
                    </tbody>
                </table>
            </div>
        )}

        {activeTab === 'Admin' && user.role === 'admin' && (
            <div className="admin-grid fade-in">
                <div className="table-section glass-panel">
                    <h3>User Management</h3>
                    <table>
                        <thead>
                            <tr>
                                <th>User</th>
                                <th>Email</th>
                                <th>Role</th>
                                <th>Status</th>
                            </tr>
                        </thead>
                        <tbody>
                            {adminUsers.map(u => (
                                <tr key={u._id}>
                                    <td>{u.username}</td>
                                    <td>{u.email}</td>
                                    <td><span className={`role-badge ${u.role}`}>{u.role}</span></td>
                                    <td><span className="status-dot online"></span> Active</td>
                                </tr>
                            ))}
                        </tbody>
                    </table>
                </div>

                <div className="table-section glass-panel">
                    <h3>Access Logs</h3>
                    <table>
                        <thead>
                            <tr>
                                <th>User Email</th>
                                <th>Time</th>
                                <th>Gate</th>
                            </tr>
                        </thead>
                        <tbody>
                            {loginHistory.slice(0, 10).map((log, i) => (
                                <tr key={i}>
                                    <td>{log.email}</td>
                                    <td>{new Date(log.createdAt).toLocaleTimeString()}</td>
                                    <td><span className="gate-authorized">Authorized</span></td>
                                </tr>
                            ))}
                        </tbody>
                    </table>
                </div>
            </div>
        )}

        <Footer />
    </div>
```

```
    </div>
);
```

}

`

File: frontend\src\pages\ForgotPassword.jsx

`jsx import { useState } from 'react'; import { useNavigate } from 'react-router-dom'; import Logo from '../components/Logo'; import axios from 'axios'; import './Auth.css';

export default function ForgotPassword() { const [email, setEmail] = useState(''); const [message, setMessage] = useState(''); const [error, setError] = useState(''); const navigate = useNavigate();

```
const handleSubmit = async (e) => {
    e.preventDefault();
    try {
        const { data } = await axios.post('/api/auth/forgotpassword', { email });
        setMessage(data.message);
        setError('');
    } catch (err) {
        setError(err.response?.data?.message || 'Request failed');
        setMessage('');
    }
};

return (
    <div className="auth-wrapper">
        <div className="container">
            <div className="curved-shape"></div>
            <div className="curved-shape2"></div>

            <div className="form-box Login">
                <h2 className="animation" style={{ '--D': 0, '--S': 21 }}>Recovery</h2>

                {error && <div className="error-toast animation" style={{ '--D': 1, '--S': 21 }}>{error}</div>}
                {message && <div className="error-toast animation" style={{ '--D': 1, '--S': 21, background: 'rgba(16, 185,
129, 0.9)', borderColor: '#6EE7B7' }}>{message}</div>}

                <form onSubmit={handleSubmit}>
                    <div className="input-box animation" style={{ '--D': 1, '--S': 22 }}>
                        <input type="email" required onChange={(e) => setEmail(e.target.value)} value={email} />
                        <label>Email Address</label>
                        <box-icon type='solid' name='envelope' color="gray"></box-icon>
                    </div>

                    <div className="action-box animation" style={{ '--D': 3, '--S': 24, marginTop: '25px', width: '100%' }}>
                        <button className="btn" type="submit">Send Reset Link</button>
                    </div>

                    <div className="regi-link animation" style={{ '--D': 4, '--S': 25, width: '100%', display: 'flex',
justifyContent: 'center' }}>
                        <p>Remember your password? <a href="#" className="SignInLink" onClick={(e) => { e.preventDefault();
navigate('/login'); }}>Sign In</a></p>
                    </div>
                </form>
            </div>

            <div className="info-content Login">
                <div className="logo-container animation" style={{ '--D': 0, '--S': 20 }}>
                    <Logo />
                </div>
                <h2 className="animation" style={{ '--D': 0, '--S': 20 }}>Secure Cloud</h2>
                <p className="animation" style={{ '--D': 1, '--S': 21 }}>Safe password recovery</p>
            </div>
        </div>
    </div>
);
```

}

`

File: frontend\src\pages\Login.css

`css .google-container { display: flex; justify-content: center; align-items: center; height: 100vh; background-color: var(--bg-dark-blue); font-family: 'Inter', -apple-system, sans-serif; }

.google-card { background-color: #202124; border-radius: 28px; padding: 36px 40px; width: 448px; box-shadow: 0 4px 6px rgba(0, 0, 0, 0.3); display: flex; flex-direction: column; align-items: center; }

.google-logo { width: 48px; height: 48px; margin-bottom: 16px; }

.google-heading { font-size: 24px; font-weight: 400; color: #e8eaed; margin-bottom: 24px; text-align: center; }

.google-account-pill { display: flex; align-items: center; border: 1px solid #5f6368; border-radius: 16px; padding: 4px 8px 4px 6px; cursor: pointer; margin-bottom: 32px; transition: background-color 0.2s; }

.google-account-pill:hover { background-color: rgba(255, 255, 255, 0.04); }

.pill-icon { width: 20px; height: 20px; background-color: #1a73e8; border-radius: 50%; display: flex; justify-content: center; align-items: center; margin-right: 8px; }

.pill-icon svg { width: 12px; height: 12px; fill: #fff; }

.pill-email { font-size: 14px; color: #e8eaed; font-weight: 500; margin-right: 8px; }

.pill-arrow { fill: #9aa0a6; width: 16px; height: 16px; }

.google-input-group { width: 100%; margin-bottom: 24px; position: relative; box-sizing: border-box; }

.google-input { width: 100%; background: transparent; border: 1px solid #5f6368; border-radius: 4px; padding: 15px 15px; font-size: 16px; color: #e8eaed; transition: border-color 0.3s, box-shadow 0.3s; outline: none; box-sizing: border-box; }

.google-input:focus { border-color: #8ab4f8; box-shadow: 0 0 0 1px #8ab4f8; }

.google-input::placeholder { color: #9aa0a6; }

.google-links { width: 100%; display: flex; justify-content: space-between; align-items: center; margin-bottom: 32px; }

.google-link { color: #8ab4f8; font-size: 14px; font-weight: 500; cursor: pointer; text-decoration: none; background: transparent; border: none; padding: 0; }

.google-link:hover { text-decoration: underline; }

.google-actions { width: 100%; display: flex; justify-content: flex-end; gap: 16px; }

.google-btn { padding: 10px 24px; font-size: 14px; font-weight: 500; border-radius: 20px; cursor: pointer; border: none; transition: background-color 0.2s, color 0.2s; }

.google-btn-cancel { background: transparent; color: #8ab4f8; }

.google-btn-cancel:hover { background-color: rgba(138, 180, 248, 0.08); }

.google-btn-submit { background-color: #8ab4f8; color: #202124; }

.google-btn-submit:hover { background-color: #aecbfa; box-shadow: 0 1px 2px 0 rgba(60, 64, 67, 0.3), 0 1px 3px 1px rgba(60, 64, 67, 0.15); }

.password-visibility-toggle { position: absolute; right: 12px; top: 50%; transform: translateY(-50%); background: none; border: none; cursor: pointer; display: flex; align-items: center; justify-content: center; padding: 4px; }

.password-visibility-toggle svg { fill: #9aa0a6; width: 24px; height: 24px; } `

File: frontend\src\pages\Login.jsx

`jsx import { useState } from 'react'; import { useNavigate, Link } from 'react-router-dom'; import axios from 'axios'; import './Login.css';

export default function Login() { const [step, setStep] = useState(1); const [email, setEmail] = useState(''); const [password, setPassword] = useState(''); const [showPassword, setShowPassword] = useState(false); const [error, setError] = useState(''); const navigate = useNavigate();

```
const handleNext = (e) => {
    e.preventDefault();
    if (!email) {
        setError('Enter your email');
        return;
    }
    setError('');
```

```
    setStep(2);
};

const handleLogin = async (e) => {
    e.preventDefault();
    try {
        const { data } = await axios.post('/api/auth/login', {
            email: email, password, rememberMe: true
        });
        localStorage.setItem('userInfo', JSON.stringify(data));
        navigate('/');
    } catch (err) {
        setError(err.response?.data?.message || 'Login failed. Please try again.');
    }
};

return (
    <div className="google-container">
        <div className="google-card">
            <svg className="google-logo" viewBox="0 0 24 24">
                <path fill="#4285F4" d="M22.56 12.25c0-.78-.07-1.53-.2-2.25H12v4.26h5.92c-.26 1.37-1.04 2.53-2.21
3.31v2.77h3.57c2.08-1.92 3.28-4.74 3.28-8.09z" />
                <path fill="#34A853" d="M12 23c2.97 0 5.46-.98 7.28-2.66l-3.57-2.77c-.98.66-2.23 1.06-3.71 1.06-2.86 0-5.29-
1.93-6.16-4.53H2.18v2.84C3.99 20.53 7.7 23 12 23z" />
                <path fill="#FBBC05" d="M5.84 14.09c-.22-.66-.35-1.36-.35-2.09s.13-1.43.35-2.09V7.07H2.18C1.43 8.55 1 10.22 1
12s.43 3.45 1.18 4.93l2.85-2.22.81-.62z" />
                <path fill="#EA4335" d="M12 5.38c1.62 0 3.06.56 4.21 1.64l3.15-3.15C17.45 2.09 14.97 1 12 1 7.7 1 3.99 3.47
2.18 7.07l3.66 2.84c.87-2.6 3.3-4.53 6.16-4.53z" />
            </svg>

            {step === 1 ? (
                <>
                    <h1 className="google-heading" style={{ marginBottom: '8px' }}>Sign in</h1>
                    <p style={{ color: '#e8eaed', marginBottom: '32px', fontSize: '16px' }}>to access your Cloud Files</p>

                    {error && <div style={{ color: '#ff8a80', marginBottom: '16px', fontSize: '14px', width: '100%',
textAlign: 'left' }}>{error}</div>}

                    <form onSubmit={handleNext} style={{ width: '100%' }}>
                        <div className="google-input-group">
                            <input
                                type="email"
                                className="google-input"
                                placeholder="Email or phone"
                                value={email}
                                onChange={(e) => setEmail(e.target.value)}
                                autoFocus
                            />
                        </div>

                        <div className="google-links">
                            <Link to="/forgot-password" className="google-link">Forgot email?</Link>
                        </div>

                        <div className="google-actions">
                            <Link to="/register"><button type="button" className="google-btn google-btn-cancel" style={{
marginRight: 'auto' }}>Create account</button></Link>
                            <button type="submit" className="google-btn google-btn-submit">Next</button>
                        </div>
                    </form>
                </>
            ) : (
                <>
                    <h1 className="google-heading" style={{ marginBottom: '16px' }}>Welcome</h1>

                    <div className="google-account-pill" onClick={() => { setStep(1); setError(''); }}>
                        <div className="pill-icon">
                            <svg viewBox="0 0 24 24">
                                <path d="M12 12c2.21 0 4-1.79 4-4s-1.79-4-4-4-4 1.79-4 4 1.79 4 4 4zm0 2c-2.67 0-8 1.34-8
4v2h16v-2c0-2.66-5.33-4-8-4z" />
```

```
                            </svg>
                        </div>
                        <span className="pill-email">{email}</span>
                        <svg className="pill-arrow" viewBox="0 0 24 24">
                            <path d="M7 10l5 5 5-5z" />
                        </svg>
                    </div>

                    {error && <div style={{ color: '#ff8a80', marginBottom: '16px', fontSize: '14px', width: '100%',
textAlign: 'left' }}>{error}</div>}

                    <form onSubmit={handleLogin} style={{ width: '100%' }}>
                        <div className="google-input-group">
                            <input
                                type={showPassword ? "text" : "password"}
                                className="google-input"
                                placeholder="Enter your password"
                                value={password}
                                onChange={(e) => setPassword(e.target.value)}
                                autoFocus
                            />
                            <button
                                type="button"
                                className="password-visibility-toggle"
                                onClick={() => setShowPassword(!showPassword)}
                            >
                                {showPassword ? (
                                    <svg viewBox="0 0 24 24"><path d="M12 4.5C7 4.5 2.73 7.61 1 12c1.73 4.39 6 7.5 11
7.5s9.27-3.11 11-7.5c-1.73-4.39-6-7.5-11-7.5zM12 17c-2.76 0-5-2.24-5-5s2.24-5 5-5 5 2.24 5 5-2.24 5-5 5zm0-8c-1.66 0-3 1.34-3
3s1.34 3 3 3 3-1.34 3-3-1.34-3-3-3z" /></svg>
                                ) : (
                                    <svg viewBox="0 0 24 24"><path d="M12 7c2.76 0 5 2.24 5 5 0 .65-.13 1.26-.36 1.83l2.92
2.92c1.51-1.26 2.7-2.89 3.43-4.75-1.73-4.39-6-7.5-11-7.5-1.4 0-2.74.25-3.98.7l2.16 2.16C10.74 7.13 11.35 7 12 7zM2 4.27l2.28
2.28.46.46C3.08 8.3 1.78 10.02 1 12c1.73 4.39 6 7.5 11 7.5 1.55 0 3.03-.3 4.38-.84l.42.42L19.73 22 21 20.73 3.27 3 2
4.27zM7.53 9.8l1.55 1.55c-.05.21-.08.43-.08.65 0 1.66 1.34 3 3 3 .22 0 .44-.03.65-.08l1.55 1.55c-.67.33-1.41.53-2.2.53-2.76
0-5-2.24-5-5 0-.79.2-1.53.53-2.2zm4.31-.78l3.15 3.15.02-.16c0-1.66-1.34-3-3-3l-.17.01z" /></svg>
                                )}
                            </button>
                        </div>

                        <div className="google-links">
                            <Link to="/forgot-password" className="google-link">Forgot password?</Link>
                        </div>

                        <div className="google-actions">
                            <button type="button" className="google-btn google-btn-cancel" onClick={() =>
setStep(1)}>Cancel</button>
                            <button type="submit" className="google-btn google-btn-submit">Sign in</button>
                        </div>
                    </form>
                </>
            )}
        </div>
    </div>
);
```

}

`

File: frontend\src\pages\Register.jsx

`jsx import { useState } from 'react'; import { useNavigate, Link } from 'react-router-dom'; import Logo from '../components/Logo'; import axios from 'axios';

export default function Register() { const [username, setUsername] = useState(''); const [email, setEmail] = useState(''); const [password, setPassword] = useState(''); const [role, setRole] = useState('user'); const [error, setError] = useState(''); const navigate = useNavigate();

```
const handleRegister = async (e) => {
    e.preventDefault();
```

```
    try {
        const { data } = await axios.post('/api/auth/register', {
            username, email, password, role
        });
        localStorage.setItem('userInfo', JSON.stringify(data));
        navigate('/');
    } catch (err) {
        setError(err.response?.data?.message || 'Registration failed');
    }
};

return (
    <div className="auth-container">
        <div className="auth-card">
            <div className="auth-header">
                <Logo />
                <h2>Create Account</h2>
                <p style={{ color: 'var(--text-secondary)', marginTop: '0.5rem' }}>Join our secure cloud platform</p>
            </div>

            {error && <div style={{ color: 'var(--error)', marginBottom: '1rem', textAlign: 'center' }}>{error}</div>}

            <form onSubmit={handleRegister}>
                <div className="form-group">
                    <label>Username</label>
                    <input type="text" required value={username} onChange={(e) => setUsername(e.target.value)}
placeholder="johndoe" />
                </div>
                <div className="form-group">
                    <label>Email Address</label>
                    <input type="email" required value={email} onChange={(e) => setEmail(e.target.value)}
placeholder="john@example.com" />
                </div>
                <div className="form-group">
                    <label>Password</label>
                    <input type="password" required value={password} onChange={(e) => setPassword(e.target.value)}
placeholder="••••••••" />
                </div>
                <div className="form-group">
                    <label>Role</label>
                    <select
                        value={role}
                        onChange={(e) => setRole(e.target.value)}
                        style={{ width: '100%', padding: '0.75rem', borderRadius: '0.5rem', border: '1px solid var(--border-
color)', background: 'rgba(255,255,255,0.8)' }}
                    >
                        <option value="user">Standard User</option>
                        <option value="admin">Administrator</option>
                    </select>
                </div>

                <button type="submit" className="btn-primary">Register</button>
            </form>

            <div className="form-footer">
                Already have an account? <Link to="/login">Sign In</Link>
            </div>
        </div>
    </div>
);
```

}

`

File: frontend\src\pages\ResetPassword.jsx

`jsx import { useState } from 'react'; import { useNavigate, useParams } from 'react-router-dom'; import Logo from '../components/Logo'; import axios from 'axios'; import './Auth.css';

export default function ResetPassword() { const [password, setPassword] = useState(''); const [showPassword, setShowPassword] = useState(false); const [message, setMessage] = useState(''); const [error, setError] = useState(''); const { token } = useParams(); const navigate = useNavigate();

```
const handleSubmit = async (e) => {
    e.preventDefault();
    try {
        const { data } = await axios.put(`/api/auth/resetpassword/${token}`, { password });
        setMessage(data.message);
        setTimeout(() => navigate('/login'), 3000);
        setError('');
    } catch (err) {
        setError(err.response?.data?.message || 'Password reset failed');
        setMessage('');
    }
};

return (
    <div className="auth-wrapper">
        <div className="container">
            <div className="curved-shape"></div>
            <div className="curved-shape2"></div>

            <div className="form-box Login">
                <h2 className="animation" style={{ '--D': 0, '--S': 21 }}>Reset Password</h2>

                {error && <div className="error-toast animation" style={{ '--D': 1, '--S': 21 }}>{error}</div>}
                {message && <div className="error-toast animation" style={{ '--D': 1, '--S': 21, background: 'rgba(16, 185,
129, 0.9)', borderColor: '#6EE7B7' }}>{message}</div>}

                <form onSubmit={handleSubmit}>
                    <div className="input-box animation" style={{ '--D': 2, '--S': 23 }}>
                        <input type={showPassword ? "text" : "password"} required onChange={(e) =>
setPassword(e.target.value)} value={password} />
                        <label>New Password</label>
                        <box-icon
                            name={showPassword ? 'show' : 'hide'}
                            type='solid'
                            color="gray"
                            style={{ cursor: 'pointer' }}
                            onClick={() => setShowPassword(!showPassword)}
                        ></box-icon>
                    </div>

                    <div className="action-box animation" style={{ '--D': 3, '--S': 24, marginTop: '25px', width: '100%' }}>
                        <button className="btn" type="submit">Update Password</button>
                    </div>

                    <div className="regi-link animation" style={{ '--D': 4, '--S': 25, width: '100%', display: 'flex',
justifyContent: 'center' }}>
                        <p><a href="#" className="SignInLink" onClick={(e) => { e.preventDefault(); navigate('/login');
}}>Back to Sign In</a></p>
                    </div>
                </form>
            </div>

            <div className="info-content Login">
                <div className="logo-container animation" style={{ '--D': 0, '--S': 20 }}>
                    <Logo />
                </div>
                <h2 className="animation" style={{ '--D': 0, '--S': 20 }}>Secure Cloud</h2>
                <p className="animation" style={{ '--D': 1, '--S': 21 }}>Enter a strong new password</p>
            </div>
        </div>
    </div>
);
```

}

`

File: frontend\vite.config.mjs

`mjs import { defineConfig } from 'vite'; import react from '@vitejs/plugin-react'; import { fileURLToPath } from 'url'; import { dirname } from 'path';

const __filename = fileURLToPath(import.meta.url); const __dirname = dirname(__filename);

export default defineConfig({ plugins: [react()], root: __dirname, server: { host: '0.0.0.0', port: 5173, strictPort: true, allowedHosts: true, hmr: { overlay: false, }, proxy: { '/api': { target: 'http://localhost:5000', changeOrigin: true }, '/uploads': { target: 'http://localhost:5000', changeOrigin: true }, }, }, });

`

File: package.json

```
json { "name": "mern-file-sharing-root", "private": true, "workspaces": [ "frontend", "backend" ], "engines": { "node": ">=18.0.0" }, "packageManager": "npm@10.2.4", "devDependencies": { "concurrently": "^9.2.1" }, "scripts": { "install-all": "npm install && npm install --workspace=backend && npm install --workspace=frontend", "dev": "concurrently -n \"BACKEND,FRONTEND\" -c \"blue,green\" \"npm run dev --workspace=backend\" \"npm run dev --workspace=frontend\"", "backend": "npm run dev --workspace=backend", "frontend": "npm run dev --workspace=frontend", "build": "npm run build --workspace=frontend" } }
```

File: run.bat

`bat @echo off title MERN File Sharing App - Launcher echo ========== echo Starting MERN Cloud File Sharing App echo ========== echo.

:: Force injection of Node.js path for the current session (avoids restart requirement) set PATH=%PATH%;C:\Program Files\nodejs

:: Check if Node is installed node -v >nul 2>&1 if %errorlevel% neq 0 (echo [ERROR] Node.js is not recognized in this terminal. echo Please restart your computer or Visual Studio Code so the new PATH is applied, then try again! pause exit)

echo [1/3] Installing Dependencies... echo Starting Background Processes... echo.

:: Start Application (Backend + Frontend) echo Starting App... start "MERN App" cmd /k "set PATH=%PATH%;C:\Program Files\nodejs && npm install && npm run dev" echo ========== echo Services are starting up! echo - Backend will run on http://localhost:5000 echo - Frontend will open at http://localhost:5173 echo ========== echo. echo Please wait a few seconds for Vite to compile and open the browser... timeout /t 5 >nul start http://localhost:5173 `

File: share.bat

`bat @echo off title Secure Cloud - Public Link Generator echo ========== echo Generating Public HTTPS Link for Secure Cloud echo ========== echo. echo Instructions: echo 1. Wait a few seconds for an SSH connection to establish. echo 2. You will see a green link that looks like: "your url is: https://[random-string].loca.lt" echo 3. Copy out that EXACT link. That is your Public Sharing Link! echo 4. Send this link to your friends or open it on your phone. echo 5. IMPORTANT: Keep this black window OPEN. If you close it, the link dies. echo. echo ========== echo YOUR TUNNEL PASSWORD (REQUIRED FOR FIRST VISIT): echo ========== curl -s ifconfig.me echo. echo. echo Please give this password to your friend! echo ========== echo. echo Starting Tunnel... call npx -y localtunnel --port 5173 pause

`

File: stop.bat

`bat @echo off title MERN File Sharing App - Stopper echo ========== echo Safely Stopping All Services... echo ========== echo.

:: Kill all node processes (Backend, Frontend, and LocalTunnel) echo [1/2] Terminating Node.js processes... taskkill /F /IM node.exe /T >nul 2>&1

:: Kill any stray cmd windows titled with our app names if possible :: Note: taskkill by title is tricky, but killing node usually stops the heart of the app.

:: Kill localtunnel specifically if it's named separately echo [2/2] Cleaning up tunnel connections... taskkill /F /IM lt.exe /T >nul 2>&1

echo. echo ========== echo SUCCESS: All services have been stopped. echo ========== echo. timeout /t 3 exit

`