

OhMyGAD!

System Architecture Document

Kasarian Gender Studies Program
University of the Philippines Baguio

May 27, 2026

Version 1.0

CMSC 128: Software Engineering
by 128 Sheeps
Abiva, Shaun Julius; De Guzman, Duncan Red Benedict; Novesteras, Jessica Bea; Solis, Arielle
Mae

Revision History

Version	Description of Versions / Changes	Date
1.0	Prototype 1 - Create and normalize database - Add login and user registration - Create dashboards for admin, student, and faculty - Add course, user, and event management for admin - Add profile management for student and faculty - Add CRUD functionalities for admin - Add role-based access control	March 6, 2026
2.0	Prototype 2 - Change and fix user interface - Add survey management for admin with CRUD - Add user registration to events - Add event banner option for admin - Student and faculty accounts can view categorized upcoming and past events - Global search function for every user - Sort and filter function for every page - Add error handling	March 18, 2026
3.0	Prototype 3 - Improvement of existing user interface - Add survey for users - Add survey analytics for admin - Add stackable dashboard filter for admin - Add list of registered and attended view in admin event management - Add footer - Add confirmation for editing and deleting for admin - Replacement of course page to rules and guidelines page	April 10, 2026
4.0	Final Prototype - Finalize and uniformize changes - Add staff role with downgraded admin privileges - Final user interface revisions - Finalize mobile view for student and faculty accounts	April 29, 2026

Contents

1	Introduction	3
1.1	Purpose	3
1.2	Scope	3
1.3	Definitions, Acronyms, and Abbreviations	4
1.4	References	5
2	Architectural Goals and Constraints	6
3	Use Case View	7
3.1	Use Case View	7
3.1.1	Authentication Use Case View	7
3.1.2	Onboarding Use Case View	8
3.1.3	Dashboard and Analytics Use Case View	9
3.1.4	Events Management Use Case View	13
3.1.5	Users Management Use Case View	18
3.1.6	Guidelines Management Use Case View	20
3.1.7	Surveys Management Use Case View	23
3.1.8	Profile Management Use Case View	26
3.1.9	Account Management Use Case View	30
3.2	Activity Diagrams	33
3.2.1	Event Management	34
3.2.2	User Management	37
3.2.3	Guideline Management	40
3.2.4	Survey Management	43
3.2.5	Profile Management	46
3.2.6	Settings Management	47
4	Deployment View	49
5	Size and Performance	50
6	Quality	51
7	Appendices	53
7.1	Appendix A – Technology Stack	53
7.2	Appendix B – CRUD Functionalities	54
7.3	Appendix C – Helper Functionalities	93
7.4	Appendix D – Export Functionalities	101
7.5	Appendix E – Event Registration/Cancellation and Survey Take Functionalities	104

1 Introduction

OhMyGAD! is a web-based Gender and Development (GAD) information system developed for the Kasarian Gender Studies Program Office of the University of the Philippines Baguio. The system centralizes GAD event publication, event registration, registration and attendance monitoring, post-event survey distribution, analytics, guideline publication, and role-based user administration. It supports four user roles: **Admin**, **Staff**, **Student**, and **Faculty**. This document provides an in-depth description of the OhMyGAD! and describes its software architecture and design.

The document outlines the architecture's objectives, the use cases that the web application supports, architectural styles, and the functionalities that have been requested by the client. From the initial conceptualization through the final outcome, the document explains the reasoning behind the architectural and design choices.

The application follows a client-server web architecture. The browser-based user interface is implemented with Next.js, React, TypeScript, Tailwind CSS, and reusable interface components. Supabase provides authentication, relational data persistence through PostgreSQL, and storage for event banner images. Server-side route protection, role-scoped layouts, Supabase client utilities, and API endpoints coordinate access to protected resources and derived analytics.

1.1 Purpose

This Software Architecture Document (SAD) provides a comprehensive architectural overview of the OhMyGAD! Event Management Platform. It presents several different architectural views to depict the different aspects of the system. It explains how the system is organized, how its modules interact, how user workflows are supported, and why the selected architecture satisfies the system's academic, administrative, usability, security, and analytics goals. It is intended to serve as a technical reference for implementation, testing, maintenance, deployment, and future extension.

The purpose of this document is to provide a complete architectural description of OhMyGAD! using use case views, activity diagrams, and a deployment view. In general, the document describes the static structure of the application, the dynamic behavior of major workflows, deployment assumptions, database design, security controls, performance considerations, and quality attributes.

1.2 Scope

The OhMyGAD! platform is a web-based Event Management System developed for the Kasarian Gender Studies Program of the University of the Philippines Baguio. The system facilitates:

- **Event Management** – Creation, editing, deletion, and viewing of GAD-related events (GSO, ASHO, Forum, Research, Training, Workshop).
- **User Management** – Registration, onboarding, role-based access control, and profile management for Admin, Staff, Faculty, and Student users.
- **Survey Management** – Creation and distribution of surveys linked to events, with analytics.
- **Guidelines Management** – Publishing and browsing of GAD guidelines.

- **Dashboard Analytics** – Real-time statistics on user demographics (sex at birth, gender identity, college distribution), event attendance trends, and survey completion rates.

The system is built as a full-stack Next.js application using Supabase as the backend-as-a-service, deployed on Vercel. Authentication is handled via Google OAuth and Supabase Auth.

1.3 Definitions, Acronyms, and Abbreviations

Term	Definition
GAD	Gender and Development
SAD	Software Architecture Document
GSO	Gender Sensitivity Orientation
ASHO	Anti-Sexual Harassment Orientation
UPB	University of the Philippines Baguio
BaaS	Backend-as-a-Service
RLS	Row-Level Security (Supabase database policy mechanism)
OAuth	Open Authorization (authentication protocol)
SSR	Server-Side Rendering
API	Application Programming Interface
CRUD	Create, Read, Update, Delete
RBAC	Role-Based Access Control
ORM	Object-Relational Mapping
CS	College of Science
CAC	College of Arts and Communication
CSS	College of Social Sciences
Admin	Core system administrator role with master CRUD clearance, override authority, configuration controls, and report generation tools.
Staff	Operational system role assigned to non-GAD employees to facilitate event oversight, check rosters, and manage configuration records.
Student	Primary end-user system role enabling individuals to complete profile setup, register for GSO/ASHO events, and fill out surveys.
Faculty	Assigned to university teaching faculty members. Similar to the Student, it is an end-user system role enabling individuals to complete profile setup, register for GSO/ASHO events, and fill out surveys.
Tailwind CSS	A utility-first CSS framework used for building responsive, highly customized user interfaces natively through structural class styling.

Term	Definition
TypeScript	A programming language built on top of JavaScript that adds static type definitions to catch errors early during development.
Supabase	An open-source Backend-as-a-Service platform providing instant PostgreSQL hosting, built-in authentication, storage buckets, and auto-generated APIs.
PostgreSQL	A powerful, open-source object-relational database management system known for structural reliability, advanced data types, and performance scalability.
Next.js	A production-grade React framework providing server-side rendering, edge middleware route protection, and optimization tooling for web applications.
Recharts	A composable, declarative charting library built on React components used to render interactive data visualizations and analytics.
Vercel	A cloud platform engineered to host static assets and serverless edge functions, optimized for deploying and scaling Next.js web applications.

1.4 References

- [1] C.D. Ayyang, L. Lucero, M.C.A. Sinco, and M. Uson. "Software Architecture Document: Barcode-based Museo Kordilyera Collection Information System," University of the Philippines - Baguio. 2023.
- [2] J. Mooney, S. Shimpi, M. Osman, and K. Pendergrass, "Software Architecture Document," Portland State University, Portland, OR, Tech. Rep. 3146, 2024. [Online]. Available: <https://www.studocu.com/row/document/hacettepe-universitesi/remote-sensing/software-architecture-document/10805892>
- [3] "Next.js documentation," Vercel. [Online]. Available: <https://nextjs.org/docs>
- [4] "Recharts charting library," Recharts. [Online]. Available: <https://recharts.org>
- [5] "React documentation," Meta Open Source. [Online]. Available: <https://react.dev>
- [6] "Shadcn/ui component library," Shadcn. [Online]. Available: <https://ui.shadcn.com>
- [7] "Supabase documentation," Supabase. [Online]. Available: <https://supabase.com/docs>
- [8] "Supabase Auth (OAuth with Google)," Supabase. [Online]. Available: <https://supabase.com/docs/guides/auth>
- [9] "Tailwind CSS documentation," Tailwind Labs. [Online]. Available: <https://tailwindcss.com/docs>
- [10] "Vercel deployment platform documentation," Vercel. [Online]. Available: <https://vercel.com/docs>
- [11] "What is Activity Diagram?," Visual Paradigm. [online]. Available: <https://www.visual-paradigm.com/guide/uml-unified-modeling-language/what-is-activity-diagram/>
- [12] "What is Use Case Diagram?," Visual Paradigm. [online]. Available: <https://www.visual-paradigm.com/guide/uml-unified-modeling-language/what-is-use-case-diagram/>

2 Architectural Goals and Constraints

The following are some key requirements and system constraints that have a significant bearing on the architecture:

1. The application shall be accessible through modern web browsers and deployed through a web hosting platform compatible with Next.js. It can be accessed through the link: <https://upb-kasarian-omg.vercel.app/>. The architecture is a cloud-hosted Next.js deployment rather than a local-only installation.
2. The system shall use role-based access control. Admin, Staff, Student, and Faculty users must be routed only to pages appropriate to their role. Protected route prefixes include `/admin`, `/staff`, `/student`, and `/faculty`.
3. Authentication shall be handled by Supabase Auth using email/password and Google OAuth sign-in flows. After authentication, the application must resolve the user's profile, role, and onboarding status before allowing access to role-specific pages.
4. The system shall protect sensitive profile and demographic data. Fields such as sex at birth, gender identity, college, degree program, attendance counts, and survey response information must be used carefully and exposed only through authorized admin views or aggregate analytics.
5. The system shall support maintainability by organizing features into route pages, shared components, administrative components, hooks, validation utilities, Supabase helpers, and API routes. This organization allows event, survey, guideline, user, and dashboard behavior to be maintained independently.
6. The system shall support dashboard analytics for administrative decision-making. Analytics include registered users, onboarded users, total GAD events, active surveys, attendance over time, users per college, users by sex at birth, users by gender identity, and response rates by survey. Additionally, a survey analytics view is available for analyzing user feedback for events.
7. Dashboard filters shall recalculate all relevant analytics based on the matched profile set. If no users match the selected filters, the dashboard shall display zero or empty values rather than stale unfiltered data.
8. Survey availability shall depend on attendance. Student and Faculty users may only see surveys linked to events for which they were marked as attended, and open date and close date rules must also be satisfied. That is, only open surveys are available for Student/Faculty view.
9. The system shall support usability through search, sorting, filtering, pagination, active filter chips, modals, tabbed views, progress indicators, form validation, and toast notifications.
10. The system shall support scalability for expected institutional use. The architecture must be sufficient for hundreds or thousands of profiles, repeated GAD events, growing attendance records, and increasing survey responses. Future scaling may require server-side aggregation or database views for analytics.
11. The system shall support accessibility and responsive use. Since the system serves a university community, the interface must remain readable, navigable, and usable across common desktop and mobile screen sizes. Mobile view is only available for Student/Faculty view and not available for Admin/Faculty view. This is given careful considerations regarding the respective roles' use case scenarios.
12. CSV export shall be available for administrative event records and event details. Exported files must reflect the current relevant dataset, including event details, registered users, and attended users where applicable.

3 Use Case View

A use case view is a modeling tool used to describe the expected operation of a software system. Use case diagrams help identify the system context, capture requirements, validate the architecture, drive implementation, and produce test cases.

The use case diagrams that show the major aspects of OhMyGAD! are listed and discussed in this section. The paper also covers the sequence of events that corresponds to the intended behavior of the system.

For the management-oriented use cases, each subsection considers the flows according to user role. Separate use case diagrams are provided for Admin, Staff, and Student/Faculty users where the role has a distinct degree of privilege. This follows the structure of the sample SAD, where the same functional area is described through separate user views depending on access rights.

3.1 Use Case View

The use case diagrams that show the major aspects of OhMyGAD! are listed and discussed in this section. The paper also covers the sequence of events that corresponds to the intended behavior of the system.

3.1.1 Authentication Use Case View




Figure 1: Authentication Use Case View

3.1.1.1. Name and Description of the Use Case View This use case diagram shows the use cases involved in the authentication system. It describes the processes involved in logging in, signing up, using Google sign-in, resetting a password, resolving the user's role, and redirecting the user to the correct page.

3.1.1.2. Flow of Events of the Use Case View The main flow begins when the user visits the login page. The system displays a form that requests the user's email and password and

also provides an option to sign in with Google. After the user submits credentials, Supabase Auth validates the identity. The application then retrieves the user's profile record to determine role and onboarding status.

If the credentials are valid and the profile is complete, the user is redirected to the role-specific dashboard. Admin users are redirected to the Admin dashboard, Staff users to the Staff dashboard, Faculty users to the Faculty dashboard, and Student users to the Student dashboard. If the profile is incomplete, the user is redirected to onboarding.

There are several subflows:

1. Incorrect credentials. The login attempt fails and the system displays an authentication error.
2. New account. The user signs up by providing account details (email and password) or using Google/UP Mail, then proceeds to onboarding.
3. Forgot password. The user requests a password reset link through Supabase Auth.
4. Invalid or missing role. The system redirects the user to setup or onboarding behavior instead of allowing role page access.

3.1.1.3. Relationships Among Use Cases The login use case includes role resolution because the system cannot route a user without determining the user's role. Role resolution extends to onboarding when the profile is incomplete. Password reset and sign-up are related authentication use cases but do not replace the main login flow.

3.1.2 Onboarding Use Case View




Figure 2: Onboarding Use Case View

3.1.2.1. Name and Description of the Use Case View This use case diagram shows the onboarding process. Onboarding collects the profile information required before users can fully use the system. Student users provide personal, academic, and identity information. Faculty users provide personal, professional (college and department), and identity information. Similarly, Admin and Staff users provide personal, professional (office), and identity information.

3.1.2.2. Flow of Events of the Use Case View The flow begins after authentication when the system finds that a profile is not yet onboarded. The system reads the role from the profile and displays the appropriate onboarding form. The user enters required personal details and role-specific information. The system validates the data and updates the `profile` table. Once the profile is saved, the system marks onboarding as complete and redirects the user to the correct role dashboard.

There are several subflows:

1. User onboarding. The system requires college, degree program, student number, and year level. Each user, regardless of role, starts as a student role if the account was signed up and not created by an Admin.
2. Duplicate or invalid data. If a student number or contact number conflicts with an existing profile, the system displays an error and prevents submission.
3. Forced re-onboarding. An Admin may set a user's onboarding flag to false, causing the user to complete onboarding again on the next login.

3.1.2.3. Relationships Among Use Cases Onboarding extends authentication and is required before dashboard use. Profile management later allows users to update information initially collected during onboarding.

3.1.3 Dashboard and Analytics Use Case View




Figure 3: Admin Dashboard and Analytics Use Case View




Figure 4: Staff Dashboard and Analytics Use Case View




Figure 5: Student/Faculty Dashboard Use Case View

3.1.3.1. Name and Description of the Use Case View

This use case view shows how each user role interacts with the dashboard.

Admin Use Case View. The Admin dashboard is an analytics-oriented workspace. It displays: number of registered users, number of onboarded users, total events, active surveys, attendance over time, users per college, users by sex at birth, users by gender identity, survey response rates, quick actions, global search, active filters, a mini calendar, a today timeline, and quick action buttons. The mini-calendar allows the Admin to select a date, view a modal containing events scheduled on that date, open an event detail modal, and edit event details from that modal. The Today Timeline similarly allows the Admin to click an event scheduled for the

current date, open its event detail modal, and edit its details. The quick action buttons allow the Admin to create new events, users, guidelines, and surveys without having to go to their respective management pages.

Staff Use Case View. The Staff dashboard follows the administrative dashboard pattern for operational monitoring. Staff users can view analytics, use dashboard search, use mini calendar, use today timeline, and access quick actions limited to events and surveys.

Student / Faculty Use Case View. Student and Faculty dashboards are personal participation dashboards. They display registered events grouped as Today, Upcoming, and Past, GSO and ASHO attendance progress, and pending surveys linked to attended events.

3.1.3.2. Flow of Events of the Use Case View

We consider three flows of the use case diagrams.

Admin Use Case View. The flow of the use case diagram for the Admin begins when the Admin logs in to the system and proceeds to the Admin Dashboard. The dashboard displays analytics and administrative controls, namely (1) viewing key performance indicators, (2) viewing attendance over time, (3) viewing demographic charts, (4) viewing response rate by survey, (5) applying dashboard filters, (6) using global search, (7) opening quick actions, (8) using the mini calendar, and (9) using the today timeline. These subflows will be discussed individually.

1. **Viewing Key Performance Indicators (KPI) Cards.** This subflow begins when the Admin arrives at the dashboard. The system counts registered users, onboarded users, total GAD events, and active surveys, then displays the values in KPI cards. If there is no matching data, the corresponding card displays zero.
2. **Viewing Attendance Over Time.** This subflow begins when the dashboard requests attendance analytics. The system groups attended event registrations into date buckets based on the selected date range and displays the result in the attendance line chart.
3. **Viewing Demographic Charts.** This subflow begins when the dashboard retrieves profile data. The system aggregates users by college, sex at birth, and gender identity, then displays the counts as a bar chart for users per college, and a donut chart for users sex at birth and users gender identity.
4. **Viewing Response Rate by Survey.** This subflow begins when the system retrieves survey and response data. The dashboard computes completion percentages per survey and displays them in the survey response-rate bar chart.
5. **Applying Dashboard Filters.** This subflow begins when the Admin clicks the Filters button and selects demographic criteria. The system resolves the profiles matching the selected filters and recalculates all affected KPI cards and charts.
6. **Using Global Search.** This subflow begins when the Admin types a keyword into the global search bar. The system searches across events, guidelines, surveys, and user records available to the Admin, then displays matching results.
7. **Opening Quick Actions.** This subflow begins when the Admin selects a quick action from the dashboard. The system opens the corresponding administrative form, such as the event form, user form, guideline form, or survey form.
8. **Using the Mini Calendar.** This subflow begins when the Admin clicks a date on the mini-calendar. The system opens a modal popup showing the events scheduled on the selected date. When the Admin clicks an event in the date modal, the system opens the event detail modal. From the event detail modal, the Admin may inspect the event information and edit the event details.
9. **Using the Today Timeline.** This subflow begins when the Admin clicks an event displayed in the Today Timeline. The system opens the event detail modal for the selected event. From the event detail modal, the Admin may edit the details of the event.

Staff Use Case View. The flow of the use case diagram for Staff begins when the Staff user logs in and proceeds to the Staff Dashboard. The Staff dashboard provides operational analytics similar to the Admin dashboard, namely (1) viewing KPI cards, (2) viewing attendance over time, (3) viewing demographic charts, (4) viewing response rate by survey, (5) applying dashboard filters, (6) using global search, (7) opening quick actions (for event form and survey form only), (8) using the mini calendar, and (9) using the today timeline.

Student / Faculty Use Case View. The flow of the use case diagram for Student and Faculty users begins when the user logs in and proceeds to the personal dashboard. The dashboard displays (1) an events panel with tabs for: registered events for today, upcoming registered events, and past registered events, (2) GSO and ASHO attendance progress, (3) pending surveys, and (4) global search. These subflows will be discussed individually.

1. Viewing the Events Panel

- **Viewing Today's Registered Events.** This subflow begins when the dashboard loads the user's registered events. Events scheduled for the current date are displayed in the Today group so the user can quickly identify events happening on that day.
 - **Viewing Upcoming Registered Events.** This subflow begins when the system identifies registered events whose start date has not yet passed. These events are displayed in chronological order under Upcoming.
 - **Viewing Past Registered Events.** This subflow begins when the system identifies registered events that have already ended. These records are displayed under Past for participation tracking.
2. **Viewing Attendance Progress.** This subflow begins when the dashboard retrieves attendance counters from the user's profile. The system displays progress for GSO session and ASHO session categories.
 3. **Viewing Pending Surveys.** This subflow begins when the system checks surveys linked to events where the user was marked attended. Surveys that are open and not yet answered are displayed as pending.
 4. **Using Global Search.** This subflow begins when the user enters a keyword in the search bar. The system searches events, guidelines, and surveys available to the Student or Faculty user.

3.1.3.3. Relationships Among Use Cases Applying dashboard filters extends viewing dashboard analytics. Global search extends dashboard use because it can be invoked from the dashboard header. Pending survey display includes attendance verification because surveys appear only for events where the user was marked attended.

3.1.3.4. Related Use Cases Related use cases include Authentication, Onboarding, Event Management, Survey Management, Profile Management, and Account Management.

3.1.4 Events Management Use Case View




Figure 6: Admin Events Management Use Case View




Figure 7: Staff Events Management Use Case View




Figure 8: Student/Faculty Events Management Use Case View

3.1.4.1. Name and Description of the Use Case View

This use case view shows how each user role interacts with GAD events.

Admin Use Case View. Admin users can manage all GAD-related events. This includes viewing events, searching events, sorting events, filtering events, creating events, editing events, deleting events, exporting all events data to CSV, exporting per-event data to CSV, viewing event details, viewing registered and attended users, and marking attendance.

Staff Use Case View. Staff users can perform operational event management. Staff can view, search, sort, filter, create, edit, inspect event details, export all events data to CSV, export per-event data to CSV, and mark attendance where the Staff route enables these operations.

Student / Faculty Use Case View. Student and Faculty users can discover events, view event cards, search and filter events, open event details, register for events while registration is open, and cancel registration when allowed.

3.1.4.2. Flow of Events of the Use Case View

We consider three flows of the use case diagrams.

Admin Use Case View. The flow of the use case diagram for the Admin begins when the Admin logs in and opens Events Management. The Events Management page displays all events in table form and provides the following options: (1) searching events, (2) sorting events, (3) filtering events, (4) creating an event, (5) viewing event details, (6) editing an event, (7) deleting an event, (8) exporting all events data to CSV, (9) exporting per-event data to CSV, and (10) marking attendance. These subflows will be discussed individually.

1. **Searching Events.** This subflow begins when the Admin types a keyword into the event search bar. The displayed events are updated according to the title, category, location, or other searchable event information. If no records match the query, the table displays an empty state.
2. **Sorting Events.** This subflow begins when the Admin selects a sort option. The system reorders the event list according to title, category, status, date, capacity, or location.

3. **Filtering Events.** This subflow begins when the Admin opens the filter dropdown and selects one or more event categories or statuses. The event table updates according to the selected filters, and active filters are displayed as chips.
4. **Creating an Event.** This subflow begins when the Admin clicks the Add Event button. The system displays the event form and requests the title, description, location, category, capacity, event start and end dates, registration open and close dates, and optional banner image. If the submitted values are valid, the event is saved to the database; otherwise, validation errors are displayed.
5. **Viewing Event Details.** This subflow begins when the Admin clicks an event row. The system opens a detail modal containing event information, registration information, and attendance information.
6. **Editing an Event.** This subflow begins when the Admin clicks the edit icon or edit button. The system displays the event form with existing values. The Admin may save the changes or cancel the operation.
7. **Deleting an Event.** This subflow begins when the Admin clicks the delete icon. The system displays a confirmation window. Once confirmed, the event record is removed from the database.
8. **Exporting All Events Data to CSV.** This subflow begins when the Admin clicks the Export CSV button from the Events Management toolbar. The system generates a CSV file containing the current events dataset, including the effect of active search or filter selections where applicable.
9. **Exporting Per-Event Data to CSV.** This subflow begins when the Admin opens an event detail modal and clicks the Export CSV button inside that modal. The system generates a CSV file containing the selected event details, registered users, and attended users.
10. **Marking Attendance.** This subflow begins when the Admin opens the Registrations tab and toggles the attendance checkbox beside a registered user. The system immediately updates the attendance value and refreshes the attended users list in the Attendance tab.

Staff Use Case View. The flow of the use case diagram for Staff begins when the Staff user opens Events Management. Staff users may perform the operational event actions available in the Staff route, namely (1) searching events, (2) sorting events, (3) filtering events, (4) creating an event, (5) viewing event details, (6) editing an event, (7) deleting an event, (8) exporting all events data to CSV, (9) exporting per-event data to CSV, and (10) marking attendance.

Student / Faculty Use Case View. The flow of the use case diagram for Student and Faculty users begins when the user opens the Events page. The page shows event cards grouped by Today, Upcoming, and Past. The available options are (1) searching events, (2) sorting events, (3) filtering events by category or status tab, (4) viewing event details (except registration and attendance information), (5) registering for an event, and (6) cancelling registration. Students and Faculty cannot create, edit, delete, export, or mark attendance for events. Subflows (5) and (6) for Student / Faculty are discussed below.

5. **Registering for an Event.** This subflow begins when the Student or Faculty user opens an event detail and clicks the Register button. The button is available only when registration is currently open. The system records the registration and updates the button state to reflect that the user is already registered. If registration is closed or the event has reached capacity, the Register button is disabled and the user cannot register.
6. **Cancelling Registration.** This subflow begins when the Student or Faculty user opens an event detail for an event they are already registered for and clicks the Cancel Registration button. The system displays a notification. Once cancelled, the registration record is removed and the event detail reflects the updated registration state. If the event has already started or ended, the option to cancel is no longer available.

3.1.4.3. Relationships Among Use Cases Searching, sorting, and filtering extend viewing events. Creating, editing, and deleting extend managing events. Viewing registrations and marking attendance extend viewing event details. Exporting all events data to CSV extends the Events Management toolbar, while exporting per-event data to CSV extends viewing event details. Event registration and cancellation extend Student/Faculty event viewing.

3.1.4.4. Related Use Cases Related use cases include Dashboard Analytics, Survey Management, Profile Management, and Account Management. Survey access is related because surveys become available to users only after attendance has been marked.

3.1.5 Users Management Use Case View




Figure 9: Admin Users Management Use Case View

3.1.5.1. Name and Description of the Use Case View

This use case view shows how user account and profile records are managed.

Admin Use Case View. Admin users can view all registered users, search users, sort users, filter users by role, create user accounts, edit existing users, delete users, view user details, manage roles, manage onboarding status, and update session attendance values.

3.1.5.2. Flow of Events of the Use Case View

We consider one flow of the use case diagram.

Admin Use Case View. The flow of the use case diagram for the Admin begins when the Admin opens Users Management. The Users Management page displays all registered users in a table and provides the following options: (1) searching users, (2) sorting users, (3) filtering users, (4) viewing user details, (5) creating a user, (6) editing a user, and (7) deleting a user. These subflows will be discussed individually.

1. **Searching Users.** This subflow begins when the Admin types a keyword into the user search bar. The system filters the displayed users according to matching names, emails, or roles.
2. **Sorting Users.** This subflow begins when the Admin selects a sort option. The users table is reordered according to name, email, role, or creation date.
3. **Filtering Users.** This subflow begins when the Admin selects role filters such as Student, Faculty, Staff, or Admin. The table updates according to the selected role filters.
4. **Viewing User Details.** This subflow begins when the Admin clicks a user row. The system displays a detail modal containing the selected user's profile details and attendance information.
5. **Creating a User.** This subflow begins when the Admin clicks Add User. The user form requests account information, personal information, role-specific fields, identity data, and session attendance values. If validation succeeds, the user account and profile are created.
6. **Editing a User.** This subflow begins when the Admin clicks the edit icon. The system displays the user form with the existing profile values, and the Admin may save or discard changes.
 - **Changing a User's Role.** This subflow begins when the Admin changes the role field in the user form. The system displays a confirmation because the selected role determines protected route access.
 - **Managing the Onboarding Flag.** This subflow begins when the Admin changes the onboarding toggle. Turning it off forces the user to complete onboarding on the next login.
 - **Updating Attendance Counts.** This subflow begins when the Admin manually changes attendance values in the session attendance section. The updated counts are saved to the user's profile.
7. **Deleting a User.** This subflow begins when the Admin clicks the delete icon. The system asks for confirmation before deleting the user account and profile data.

3.1.5.3. Relationships Among Use Cases Searching, sorting, and filtering extend viewing users. Creating, editing, deleting, managing roles, and managing onboarding status extend Users Management. User profile records are related to Dashboard Analytics because profile demographic fields are used for filters and charts.

3.1.5.4. Related Use Cases Related use cases include Authentication, Onboarding, Dashboard Analytics, Profile Management, and Account Management.

3.1.6 Guidelines Management Use Case View




Figure 10: Admin Guidelines Management Use Case View




Figure 11: Staff Guidelines Management Use Case View




Figure 12: Student/Faculty Guidelines Management Use Case View

3.1.6.1. Name and Description of the Use Case View

This use case view shows how GAD guidelines are managed and accessed.

Admin Use Case View. Admin users can view, search, sort, create, edit, delete, and inspect guideline details.

Staff Use Case View. Staff users can view, search, sort, create, edit, and inspect guideline details where operational guideline management is enabled.

Student / Faculty Use Case View. Student and Faculty users can browse the “I’ve GAD to Know” page, search guidelines, sort guidelines, and view guideline details. They cannot create, edit, or delete guideline records.

3.1.6.2. Flow of Events of the Use Case View

We consider three flows of the use case diagrams.

Admin Use Case View. The flow of the use case diagram for the Admin begins when the Admin opens Guidelines Management. The page displays guideline records and provides the following options: (1) searching guidelines, (2) sorting guidelines, (3) viewing guideline details, (4) creating a guideline, (5) editing a guideline, and (6) deleting a guideline.

1. **Searching Guidelines.** This subflow begins when the Admin enters a keyword into the guideline search bar. The displayed guidelines are updated according to matching title or content.

2. **Sorting Guidelines.** This subflow begins when the Admin selects a sort option. The guideline list is reordered according to the title.
3. **Viewing Guideline Details.** This subflow begins when the Admin clicks a guideline row. The system opens the detail view containing the guideline title and content.
4. **Creating a Guideline.** This subflow begins when the Admin clicks Add Guideline. The system displays a form requesting a title and content. If validation succeeds, the guideline is saved.
5. **Editing a Guideline.** This subflow begins when the Admin clicks the edit icon. The existing guideline data becomes editable, and the Admin may save or discard changes.
6. **Deleting a Guideline.** This subflow begins when the Admin clicks the delete icon. The system displays a confirmation window before removing the guideline.

Staff Use Case View. The flow for Staff users begins when the user opens the “I’ve GAD to Know” Guidelines page. The available options are (1) searching guidelines, (2) sorting guidelines, and (3) viewing guideline details. Staff users cannot create, edit, or delete guidelines.

Student / Faculty Use Case View. Similar to Staff users, the flow for Student and Faculty users begins when the user opens the “I’ve GAD to Know” Guidelines page. The available options are (1) searching guidelines, (2) sorting guidelines, and (3) viewing guideline details. Student and Faculty users cannot create, edit, or delete guidelines.

3.1.6.3. Relationships Among Use Cases Searching and sorting extend viewing guidelines. Creating, editing, and deleting extend guideline management for Admin and Staff. Viewing guideline details extends both management and read-only guideline browsing.

3.1.6.4. Related Use Cases Related use cases include Dashboard Analytics, Authentication, Profile Management, and Account Management.

3.1.7 Surveys Management Use Case View




Figure 13: Admin Surveys Management Use Case View




Figure 14: Student/Faculty Surveys Management Use Case View




Figure 15: Student/Faculty Surveys Management Use Case View

3.1.7.1. Name and Description of the Use Case View

This use case view shows how surveys are managed by administrative roles and answered by end users.

Admin Use Case View. Admin users can view, search, sort, filter, create, edit, delete, and analyze surveys. They can link surveys to events and configure survey questions.

Staff Use Case View. Staff users can view, search, sort, filter, create, and edit surveys where operational survey management is enabled. However, they cannot view survey analytics.

Student / Faculty Use Case View. Student and Faculty users can view and answer

only open surveys linked to events they attended. They cannot create, edit, delete, or inspect administrative survey analytics.

3.1.7.2. Flow of Events of the Use Case View

We consider three flows of the use case diagrams.

Admin Use Case View. The flow of the use case diagram for the Admin begins when the Admin opens Surveys Management. The page displays all surveys and provides the following options: (1) searching surveys, (2) sorting surveys, (3) filtering surveys, (4) creating a survey, (5) editing a survey, (6) deleting a survey, and (7) viewing survey analytics. These subflows will be discussed individually.

1. **Searching Surveys.** This subflow begins when the Admin types a keyword into the survey search bar. The survey list updates according to matching survey titles or descriptions.
2. **Sorting Surveys.** This subflow begins when the Admin selects a sort option. The survey table is reordered by title, status, open date, or close date.
3. **Filtering Surveys.** This subflow begins when the Admin selects a survey status filter. The table displays surveys classified as Upcoming, Open, or Closed.
4. **Creating a Survey.** This subflow begins when the Admin clicks Add Survey. The system asks for survey details, linked event, availability dates, and questions. If validation succeeds, the survey and its questions are saved.
5. **Editing a Survey.** This subflow begins when the Admin clicks the edit icon. The survey form opens with existing values and questions, and the Admin may save changes or discard them.
 - (a) **Configuring Survey Questions.** This subflow begins while creating or editing a survey. The Admin may add text, multiple-choice, rating, or yes/no questions, mark questions as required, and order the questions.
6. **Deleting a Survey.** This subflow begins when the Admin clicks the delete icon. The system asks for confirmation before removing the survey.
7. **Viewing Survey Details and Analytics.** This subflow begins when the Admin opens the survey analytics modal. The system displays the survey information and linked event, as well as response summaries per question according to the question type.

Staff Use Case View. The Staff flow begins when the Staff user opens Surveys Management. Staff users may search, sort, filter, create, and edit where operational survey management is enabled. Staff users cannot view survey analytics.

Student / Faculty Use Case View. The Student and Faculty flow begins when the user opens the Surveys page. The system first retrieves the user's attended event IDs, then displays open surveys linked to those attended events. The available options are (1) searching surveys, (2) sorting surveys, (3) opening a survey, (4) answering each question, and (5) submitting the survey. The system prevents duplicate submissions by checking whether a response already exists for the user and survey. These subflows will be discussed individually.

1. **Searching Surveys.** This subflow begins when the Student or Faculty user types a keyword into the survey search bar. The system filters the displayed surveys according to matching survey titles or descriptions.
2. **Sorting Surveys.** This subflow begins when the Student or Faculty user selects a sort option. The survey list is reordered according to the selected criterion.
3. **Opening a Survey.** This subflow begins when the Student or Faculty user clicks a survey card. The system opens the survey and displays its questions. If the user has already submitted a response, the system displays thank you page indicating that the survey has already been answered and prevents re-entry.

4. **Answering Each Question.** This subflow begins when the user proceeds through the open survey. The user provides a response to each question according to its type, which may be text, multiple-choice, rating, or yes/no. Required questions must be answered before the user can submit.
5. **Submitting the Survey.** This subflow begins when the user clicks the Submit button after answering the questions. The system validates that all required fields are complete, records the responses, and marks the survey as answered for that user. The survey card is then updated to reflect the completed state.

3.1.7.3. Relationships Among Use Cases Question configuration extends creating or editing a survey. Survey analytics extends viewing survey details. Answering a survey includes attendance verification and duplicate submission prevention. Survey availability is related to Event Management because attendance is recorded there.

3.1.7.4. Related Use Cases Related use cases include Event Management, Dashboard Analytics, Profile Management, and Account Management.

3.1.8 Profile Management Use Case View




Figure 16: Admin Profile Management Use Case View




Figure 17: Staff Profile Management Use Case View




Figure 18: Student/Faculty Profile Management Use Case View

3.1.8.1. Name and Description of the Use Case View

This use case view shows how users manage profile information.

Admin Use Case View. Admin users can view and update their own personal, professional, and identity information. Admins also see a profile summary card.

Staff Use Case View. Staff users can view and update their own personal, professional, and identity information.

Student / Faculty Use Case View. Student users can update personal, academic, and identity information. Faculty users can update personal, professional, and identity information. Student and Faculty profile cards display attendance progress.

3.1.8.2. Flow of Events of the Use Case View

We consider three flows of the use case diagrams.

Admin Use Case View. The flow begins when the Admin opens the My Profile page. The page displays (1) a profile summary card showing the user's full name, display name, role, and attendance progress for GSO, ASHO, forums, research, trainings, and workshops, and the available profile tabs namely (2) personal information, (4) professional information, and (5) identity information. The Admin may edit allowed fields and save the changes.

Staff Use Case View. The flow begins when the Staff user opens the My Profile page. The page displays (1) a profile summary card showing the user's full name, display name, role, and attendance progress for GSO, ASHO, forums, research, trainings, and workshops, and the available profile tabs namely (2) personal information, (4) professional information, and (5) identity

information. The Staff user may update permitted fields and submit the form.

Student / Faculty Use Case View. The flow begins when a Student or Faculty user opens the My Profile page. The page displays (1) a profile summary card showing the user's full name, display name, role, and college or department, and attendance progress for GSO, ASHO, forums, research, trainings, and workshops, and the available profile tabs namely (2) personal information, (3) academic information for Students, (4) professional information for Faculty, and (5) identity information. These subflows will be discussed individually for all roles.

1. **Viewing the Profile Summary Card.** This subflow begins when the profile page loads. The system displays the user's full name, display name, role badge, office/unit for admin and staff, and college/department for student and faculty. The system also displays progress bars for GSO attendance, ASHO attendance, forums attended, research attended, trainings attended, and workshops attended. This subflow applies to all roles.
2. **Editing Personal Information.** This subflow begins when the user opens the Personal tab. The user may update full name, display name, pronouns, contact number, and address. The system validates and saves the updated profile data. This subflow applies to all roles.
3. **Editing Academic Information.** This subflow begins when the user opens the Academic tab. The user may update college, degree program, student number, and year level. This subflow applies to Student users only.
4. **Editing Professional Information.** This subflow begins when the user opens the Professional tab. The user may update professional fields available on the tab. This subflow applies to Faculty, Staff, and Admin users.
5. **Editing Identity Information.** This subflow begins when the user opens the Identity tab. The system saves these values to the profile and uses them for authorized analytics where applicable. This subflow applies to all roles.

3.1.8.3. Relationships Among Use Cases Editing profile information extends viewing profile information. Attendance progress extends the profile summary card. Profile Management is related to Onboarding because onboarding collects the initial profile data.

3.1.8.4. Related Use Cases Related use cases include Onboarding, Dashboard Analytics, Users Management, and Account Management.

3.1.9 Account Management Use Case View




Figure 19: Admin Account Management Use Case View




Figure 20: Staff Account Management Use Case View




Figure 21: Student/Faculty Account Management Use Case View

3.1.9.1. Name and Description of the Use Case View

This use case view shows account settings management. Account Management corresponds to the Settings page in the user manuals.

Admin Use Case View. Admin users can change their login email address and password. Admins who signed in through Google OAuth may not change their password, and a message will explain that password management is handled through their Google account.

Staff Use Case View. Staff users can change their login email address and password. Staff who signed in through Google OAuth may not change their password, and a message will explain that password management is handled through their Google account.

Student / Faculty Use Case View. Student and Faculty users can change their login email address and password. Students and Faculty who signed in through Google OAuth may not change their password, and a message will explain that password management is handled through their Google account.

3.1.9.2. Flow of Events of the Use Case View

We consider three flows of the use case diagrams.

Admin Use Case View. The flow begins when the Admin opens the Settings page. The page displays account management options, namely (1) changing the email address and (2) changing the password. The password change section is unavailable if the Admin account is authenticated through Google OAuth.

Staff Use Case View. The flow begins when the Staff user opens the Settings page. The Staff

user may (1) change the email address or (2) change the password associated with the account. The password change section is unavailable if the Staff account is authenticated through Google OAuth.

Student / Faculty Use Case View. The flow begins when a Student or Faculty user opens the Settings page. The available account management options are the same: (1) changing the email address and (2) changing the password. The password change section is unavailable if the account is authenticated through Google OAuth. These subflows will be discussed individually.

1. **Changing the Email Address.** This subflow begins when the user enters a new email address and submits the email change form. The system sends verification links to both the old and new email addresses, and the user must confirm ownership from both inboxes before the change takes effect. The system displays a confirmation or a validation error accordingly.
2. **Changing the Password.** This subflow begins when the user enters the current password and the new password with confirmation, each subject to a 16-character limit, with the new password requiring a minimum of 8 characters. Supabase Auth verifies the current password before applying the update. This subflow is unavailable for accounts authenticated through Google OAuth; instead, the system displays a message indicating that password management is handled through the Google account.

3.1.9.3. Relationships Among Use Cases Changing email and changing password extend Account Management. Account Management includes authentication because only authenticated users may access settings. Password management is conditionally excluded for Google OAuth accounts.

3.1.9.4. Related Use Cases Related use cases include Authentication and Profile Management.

3.2 Activity Diagrams

An activity diagram is an important behavioral diagram that describes dynamic aspects of the system. This section shows the activities that can be done given the various functionalities of the software. The diagrams make use of swim lanes to demonstrate the interaction mainly between the system and the users of the software.

3.2.1 Event Management

3.2.1.1. Create New Event




Figure 22: Add New Event Activity Diagram

3.2.1.2. Edit Existing Event




Figure 23: Edit Existing Event Activity Diagram

3.2.1.3. Delete Existing Event




Figure 24: Delete Existing Event Activity Diagram

3.2.2 User Management

3.2.2.1. Add New User




Figure 25: Add New User Activity Diagram

3.2.2.2. Edit Existing User




Figure 26: Edit Existing User Activity Diagram

3.2.2.3. Delete Existing User




Figure 27: Delete Existing User Activity Diagram

3.2.3 Guideline Management

3.2.3.1. Add New Guideline




Figure 28: Add New Guideline Activity Diagram

3.2.3.2. Edit Existing Guideline




Figure 29: Edit Existing Guideline Activity Diagram

3.2.3.3. Delete Existing Guideline




Figure 30: Delete Existing Guideline Activity Diagram

3.2.4 Survey Management

3.2.4.1. Create New Survey




Figure 31: Create New Survey Activity Diagram

3.2.4.2. Edit Existing Survey




Figure 32: Edit Existing Survey Activity Diagram


3.2.4.3. Delete Existing Survey

Figure 33: Delete Existing Survey Activity Diagram

3.2.5 Profile Management

Edit Profile




Figure 34: Edit Profile Activity Diagram

3.2.6 Settings Management

Edit Settings




Figure 35: Change Email Activity Diagram




Figure 36: Change Password Activity Diagram

4 Deployment View

The OhMyGAD! platform follows a modern cloud-native deployment architecture with the following components:

Client Layer (Browser)

Users access the application through any web browser. The Next.js framework serves a combination of server-rendered HTML and client-side React components. The client communicates with the backend via HTTPS.

Application Layer (Vercel)

The Next.js application is deployed on Vercel's edge network. Vercel handles:

- Server-side rendering of pages
- API route handling (`/api/*` endpoints)
- Server Actions (form submissions, data mutations)
- Static asset serving and CDN distribution
- Middleware execution for authentication and route protection

Backend-as-a-Service Layer (Supabase Cloud)

Supabase provides the following services:

- **PostgreSQL Database:** Stores all application data across tables: `profile`, `event`, `event_registration`, `guideline`, `survey`, `survey_questions`, and `survey_responses`.
- **Authentication:** Manages user sessions and Google OAuth flows. Issues JWT tokens for session management.
- **Row-Level Security (RLS):** Enforces data access policies at the database level, ensuring users can only access data appropriate for their role.
- **Storage:** Hosts uploaded files such as event banner images, accessible via the Supabase CDN.
- **REST API:** Auto-generated RESTful endpoints for all database tables, used by the Supabase client SDK.

External Services • **Google OAuth:** Provides third-party authentication. Users authenticate with their Google accounts, and Supabase handles the OAuth token exchange.

The deployment specifics can be summarized as follows:




Figure 37: Deployment View

5 Size and Performance

The chosen software architecture supports the key sizing and timing requirements:

1. Multiple users may concurrently access the platform, as both Vercel's serverless functions and Supabase's managed PostgreSQL scale to handle concurrent connections.

Component	Details
Frontend Host	Vercel (Edge Network, global CDN)
Backend	Supabase Cloud (PostgreSQL, Auth, Storage, REST API)
Database	PostgreSQL (managed by Supabase)
Authentication	Supabase Auth and Google OAuth 2.0
File Storage	Supabase Storage
Communication	HTTPS (TLS 1.3)
Session Management	HTTP-only cookies managed by @supabase/ssr

- Minimal page load times for initial server-rendered pages, leveraging Next.js server components and Vercel's global CDN.
- Dashboard analytics data (user statistics, event attendance, survey completion rates) are fetched via parallel API calls and rendered with loading states (pulsing loaders) to maintain perceived responsiveness.
- The Supabase client library provides connection pooling and automatic retry logic to handle transient network errors.
- Image assets (event banners) are served via Supabase's CDN with Next.js Image optimization for responsive loading.
- The application requires Node.js ≥ 20 for the development and build environment.

The selected architecture supports the sizing and timing requirements through the implementation of a serverless, cloud-native architecture. The client portion is rendered in the user's browser with server-side pre-rendering for optimal initial load performance. Components have been designed to ensure that minimal client-side JavaScript is shipped, using React Server Components where possible and Client Components only for interactive elements.

6 Quality

The software architecture supports the following quality requirements:

- The web-based user interface is **cross-platform compatible**, tested and accessible from any modern browser on Windows, macOS, Linux, iOS, and Android devices.
- The UI follows a **responsive design** approach using Tailwind CSS breakpoints, ensuring usability across desktop, tablet, and mobile screen sizes. The layout adapts with a collapsible sidebar for mobile viewports.
- The user interface of OhMyGAD! is designed for **ease of use** and is appropriate for a computer-literate user community familiar with web applications. The onboarding process guides new users through profile setup. No additional training on the system should be required.
- Input validation** is applied consistently across all forms using a centralized validation module (`lib/validation.ts`). Validation covers full name format, email format, student number (9 digits), contact number (11 digits), password requirements (8–16 characters), session counts (0–5), and field length limits.
- Security** is enforced through multiple layers:
 - Supabase Auth for authentication with email verification.
 - Google OAuth for authentication (no password storage).
 - Supabase Row-Level Security for database access control.

- Middleware-based route protection with role verification.
 - Admin-only operations use the Supabase service role client (server-side only).
- The system provides **error handling** with user-friendly error messages, loading states, and empty-state placeholders throughout the interface.
- **Theme support** is provided via **next-themes**, with the default light theme featuring a consistent UPB Kasarian color palette. The architecture supports future dark mode implementation.
- **Typography and legibility** are prioritized through a dual-font architectural hierarchy. The interface leverages **Clash Display** for high-impact structural elements like headers, titles, and hero sections to maintain a clean, modern aesthetic. For long-form text, descriptive labels, and dense operational data components, the design utilizes **Plus Jakarta Sans** ensure readability and geometric clarity across varying screen pixel densities.

7 Appendices

7.1 Appendix A – Technology Stack

Category	Technology	Purpose
Framework	Next.js 16	Full-stack React framework with App Router
Language	TypeScript	Type-safe JavaScript
UI Library	React 19	Component-based UI
Styling	Tailwind CSS 3.4	Utility-first CSS framework
Animation	Framer Motion	Declarative animations
Charts	Recharts 3.7	Data visualization (line, bar, donut charts)
Backend	Supabase	BaaS (PostgreSQL, Auth, Storage)
Auth	Supabase Auth + Google Cloud Console for Google OAuth	Authentication and session management
Icons	Lucide React	SVG icon library
Deployment	Vercel	Serverless hosting and CDN

7.2 Appendix B – CRUD Functionalities

B.1. Global and Local Search

OhMyGAD! provides two levels of search: a **global search** bar on the dashboard header that queries across all records simultaneously, and **local search bars** on each management page that filter the visible list in real time. All searches are case-insensitive and update as the user types. Clearing either search bar restores the full list.

Admin

- **Dashboard (Global Search)**




Figure 38: Admin — Searching for an Event, User, Guideline, or Survey Globally

The global search bar is located at the top of the Admin dashboard. Type a keyword to search across events, guidelines, surveys, and user records simultaneously; matching results appear in a dropdown below the search bar. Click on a result to navigate directly to the corresponding record.

- **Event Management (Local Search)**




Figure 39: Admin — Searching for an Event

The local search bar on the Events Management page filters the event table in real time. Events are matched by title, category, or location. Clear the search bar to restore the full event list.

- **User Management (Local Search)**




Figure 40: Admin — Searching for a User

The local search bar on the Users Management page filters the user table in real time. Users are matched by full name, email address, or role. Clear the search bar to restore the full user list.

- **Guidelines Management (Local Search)**




Figure 41: Admin — Searching for a Guideline

The local search bar on the Guidelines Management page filters guidelines in real time. Guidelines are matched by title or content. Clear the search bar to restore the full guideline list.

- Surveys Management (Local Search)




Figure 42: Admin — Searching for a Survey

The local search bar on the Surveys Management page filters surveys in real time. Surveys are matched by title or description. Clear the search bar to restore the full survey list.

Staff

- Dashboard (Global Search)




Figure 43: Staff — Searching for an Event, Guideline, or Survey Globally

The global search bar on the Staff dashboard functions identically to the Admin global search bar, querying events, guidelines, and surveys across the system. Type a keyword and click on a result to navigate directly to the corresponding record.

- Event Management (Local Search)




Figure 44: Staff — Searching for an Event

The local search bar on the Staff Events Management page filters events in real time. Events are matched by title, category, or location. Clear the search bar to restore the full event list.

- Guidelines Management (Local Search)




Figure 45: Staff — Searching for a Guideline

The local search bar on the Staff Guidelines page filters guidelines in real time. Guidelines are matched by title or content. Clear the search bar to restore the full guideline list.

- **Surveys Management (Local Search)**




Figure 46: Staff — Searching for a Survey

The local search bar on the Staff Surveys Management page filters surveys in real time. Surveys are matched by title or description. Clear the search bar to restore the full survey list.

Student/Faculty

- **Dashboard (Global Search)**




Figure 47: Student/Faculty — Searching for an Event, Guideline, or Survey Globally

The global search bar on the Student and Faculty dashboard searches across all events, guidelines, and surveys available to that role. Type a keyword and click on a result to navigate directly to the corresponding record.

- **Events (Local Search)**




Figure 48: Student/Faculty — Searching for an Event

The local search bar on the Events page filters event cards in real time. Events are matched by title, category, or location. Clear the search bar to restore the full event list.

- **I've GAD to Know (Local Search)**




Figure 49: Student/Faculty — Searching for a Guideline

The local search bar on the I've GAD to Know page filters guideline entries in real time. Guidelines are matched by title or content. Clear the search bar to restore the full guideline list.

- **Surveys (Local Search)**




Figure 50: Student/Faculty — Searching for a Survey

The local search bar on the Surveys page filters available survey cards in real time. Surveys are matched by title or description. Clear the search bar to restore the full survey list.

B.2. Viewing Dashboard, Event, User, Guideline, Survey, Profile, and Account

Records are viewed either as a paginated list or by opening a detail modal or page. List views display summary columns; detail views display the complete record. The specific fields visible depend on the viewer's role.

Admin

• Dashboard





Figure 51: Admin — Viewing the Dashboard

The Admin dashboard displays system-wide key performance indicators (registered users, on-boarded users, total GAD events, and active surveys), an attendance-over-time line chart, demographic charts (users per college, users by sex at birth, users by gender identity), a survey response-rate bar chart, a mini calendar, a today timeline, and a quick actions panel. Dashboard filters, global search, and quick action shortcuts are also accessible from this page.

- Event (List, Detail)



TITLE	CATEGORY	STATUS	START DATE	END DATE	CAPACITY	LOCATION	ACTIONS
Gender Sensitivity Orientation June - July 2	GSO	Upcoming	Jun 1, 2026	Jul 31, 2026	21	UP Baguio	Edit Delete
ASH Orientation June - July 2026	ASHO	Upcoming	Jun 1, 2026	Jun 1, 2026	50	UP Baguio, UP Drive	Edit Delete
Gender	Forum	Upcoming	May 30, 2026	May 30, 2026	5	test	Edit Delete
Violence Against Women and Children Onl...	Forum	Upcoming	May 29, 2026	May 30, 2026	30	Online, Zoom	Edit Delete
Sexual Harassment Reporting Training	Training	Today	May 27, 2026	May 31, 2026	25	Office of Anti Sexual Harassme...	Edit Delete
Anti-Violence Against Women Creative Wo...	Workshop	Today	May 27, 2026	May 27, 2026	15	UP Baguio	Edit Delete
Hells World	ASHO	Today	May 26, 2026	May 31, 2026	2	Bee	Edit Delete
WANC Research 2	Research	Today	May 25, 2026	May 29, 2026	100	University of the Philippines Ba...	Edit Delete
Effects of Violence Against Women (VAM)	Research	Today	May 18, 2026	May 31, 2026	6	University of the Philippines - B...	Edit Delete
Gender Sensitivity Orientation May - June ...	GSO	Today	May 13, 2026	May 31, 2026	10	UP Baguio	Edit Delete

Figure 52: Admin — Viewing the Events Management List

The Events Management list displays each event's title, category, status badge, start and end dates, capacity, and location, with Edit and Delete action icons.





Figure 53: Admin — Viewing the Event Detail Modal

Clicking any row opens the Event Detail Modal, which shows the full event information, an optional banner image, and two tabs: the **Registrations** tab listing all registered users with an attendance checkbox per row, and the **Attendance** tab listing only users marked as attended.

- User (List, Detail)




USER	EMAIL	ROLE	TOTAL EVENTS ATTENDED	ACTIONS
Achim Lumague	ablumague31@up.edu.ph	Faculty	5	 
Admin User	jbonvesters@gmail.com	Admin	0	 
Alysa Aljan Mendoza	amendoza@up.edu.ph	Student	0	 
Alaina Salazar	asalazar@up.edu.ph	Student	1	 
Angeline Joy Miguel	amiguel@up.edu.ph	Student	0	 
Axl Rhone David Conchada	aconchada@up.edu.ph	Student	2	 
Carlo Luyon	cluyon@up.edu.ph	Admin	0	 
Criselda Libatique	clibatique2@up.edu.ph	Faculty	0	 
Different Colored Cats	arckyan1214@gmail.com	Student	0	 
Ele Aranne Baldaras	ebaldaras@up.edu.ph	Student	0	 

Showing 1-10 of 44 users

Kasarin / Deenar Studies UP Baguio University of the Philippines Baguio kasarin.upbaguio@up.edu.ph © 2024 UP Baguio

Figure 54: Admin — Viewing the Users Management List

The Users Management list displays each user's name, email, role badge, and total events attended, with Edit and Delete action icons.



STUDENT

Shaun Julius Abiva

sbabiva@up.edu.ph

ShaunTheSheep

202316419

Edit user

ACADEMIC PROFILE

COLLEGE

College of Science (CS)

PROGRAM

BS Computer Science

YEAR LEVEL

3rd Year

STATUS

ONBOARDING

Complete

DETAILS

CONTACT NUMBER

09999999998

ADDRESS

Marville, Benguet

GENDER IDENTITY

Prefer not to say

SEX AT BIRTH

Male

PRONOUNS

he/him

EVENTS ATTENDED

18 total

GSO3

ASHO2

FORUM5

RESEARCH4

TRAINING2

WORKSHOP2

Figure 55: Admin — Viewing the User Detail Modal

Clicking any row opens the User Detail Modal, which shows personal information, identity information, role-specific academic or professional information, session attendance counts, and onboarding status.

• Guideline (List, Detail)




Figure 56: Admin — Viewing the Guidelines Management List

The Guidelines Management list displays each guideline’s title and a truncated description, with Edit and Delete action icons.




Figure 57: Admin — Viewing the Guideline Detail Modal

Clicking any row opens the Guideline Detail Modal showing the full title and complete content.

• Survey (List, Detail and Analytics)




Figure 58: Admin — Viewing the Surveys Management List

The Surveys Management list displays each survey’s title, status badge, open date, and close date, with View Analytics, Edit, and Delete action icons.




Figure 59: Admin — Viewing the Survey Analytics Modal

Clicking any row or the analytics icon opens the Survey Analytics Modal, which shows the linked event, availability dates, and per-question response summaries: bar charts for multiple-choice questions, donut charts for yes/no questions, stacked bar charts with statistics for Likert scale questions, and paginated text cards for open-ended responses.

- **Profile**

Profile Admin

Admin User
Kasarian Admin

Administrative **Kasarian Gender Studies**

GSO Attendance 0 / 2 completed
ASHO Attendance 0 / 2 completed
Forums Attended 0 attended
Research Attended 0 attended
Trainings Attended 0 attended
Workshops Attended 0 attended

Personal Professional Identity

FULL NAME Admin User DISPLAY NAME Kasarian Admin
PRONOUNS she/they CONTACT NUMBER 09087278192
ADDRESS Baguio City

Save changes

Kasarian / Gender Studies UP Baguio University of the Philippines Baguio kasarian.up@upbaguio.edu.ph © 2024 UP Baguio

Figure 60: Admin — Viewing the My Profile Page

The Admin Profile page displays a summary card showing the user's full name, display name, role badge, office or unit, and progress bars for GSO, ASHO, Forums, Research, Training, and Workshop attendance. The page is organized into three tabs: Personal, Professional, and Identity.

- Account

The screenshot displays the 'Settings' page for an 'Admin' user. The page is divided into two main sections: 'Change Email Address' and 'Change Password'. The 'Change Email Address' section includes a 'CURRENT EMAIL' field with the value 'jonovestera@gmail.com' and a 'NEW EMAIL' field with the value 'e.g. new.email@up.edu.ph'. An 'Update Email' button is located at the bottom right of this section. The 'Change Password' section includes a 'CURRENT PASSWORD' field, a 'NEW PASSWORD' field, and a 'CONFIRM NEW PASSWORD' field, each with a password strength indicator. An 'Update Password' button is located at the bottom right of this section. The page footer contains the text 'Kasarin / Center Studies UP Baguio University of the Philippines Baguio kasarin-upbaguio.edu.ph' and '© 2024 UP Baguio'.

Figure 61: Admin — Viewing the Settings Page

The Admin Settings page displays the current login email address and two account management sections: Change Email Address and Change Password. Accounts authenticated through Google OAuth show a message in place of the password section explaining that password management is handled through Google.

Staff

- Dashboard




Figure 62: Admin — Viewing the Dashboard




Figure 63: Admin — Viewing the Dashboard

The Staff dashboard displays the same analytics and widgets as the Admin dashboard, including KPI cards, attendance-over-time chart, demographic charts, survey response-rate chart,

mini calendar, Today Timeline, Quick Actions panel, dashboard filters, and global search.

- **Event (List, Detail)**




Figure 64: Staff — Viewing the Event Detail Modal

The Staff Events Management list and Event Detail Modal display the same event information as the Admin view, including the Registrations and Attendance tabs. Staff users can mark attendance and export event data.

- **Guideline (List, Detail)**




Figure 65: Staff — Viewing the Guidelines List




Figure 66: Staff — Viewing a Guideline Detail

Staff users browse the I've GAD to Know page, which lists guideline titles and short descriptions. Clicking a guideline opens its full content. Create, edit, and delete controls are not available.

- **Survey (List)**




Figure 67: Staff — Viewing the Surveys Management List

Staff users see the Surveys list with title, status, open date, and close date columns, and Edit and Delete action icons. Staff do not have access to the Survey Analytics Modal.

- Profile

Figure 68: Staff — Viewing the My Profile Page

The Staff Profile page displays the same summary card and tabs as the Admin profile, with a Professional tab in place of the academic tab.

- Account

Figure 69: Staff — Viewing the Settings Page

The Staff Settings page is identical in layout to the Admin Settings page, with Change Email Address and Change Password sections.

Student/Faculty

- Dashboard




Figure 70: Student/Faculty — Viewing the Dashboard

The Student and Faculty dashboard displays a personal participation view: registered events grouped by Today, Upcoming, and Past tabs, GSO and ASHO attendance progress bars, pending surveys linked to attended events, and a global search bar.

- Event (List, Detail)




Figure 71: Student/Faculty — Viewing the Events Page Card List

Events are displayed as cards grouped by Today, Upcoming, and Past tabs. Each card shows the title, category, dates, capacity bar, and status badge.




Figure 72: Student/Faculty — Viewing the Event Detail Modal

Clicking a card opens the Event Detail Modal, which shows the banner image, full description, dates, and a Register or Cancel Registration button based on the current registration state. Registration and attendance information visible to Admin and Staff is not shown.

- **Guideline (List, Detail)**




Figure 73: Student/Faculty — Viewing the Guidelines Page List



Figure 74: Student/Faculty — Viewing a Guideline Detail

Students and Faculty browse the I've GAD to Know page, which lists guideline titles and short descriptions. Clicking a guideline opens its full content. Create, edit, and delete controls are not available.

• Survey (List)




Figure 75: Student/Faculty — Viewing the Surveys Page

The Surveys page shows only open surveys linked to events the user attended. Each card displays the survey title, open and close dates, and a Done badge if already submitted. Survey analytics are not accessible.

• Profile




Figure 76: Student — Viewing the My Profile Page

The screenshot shows the 'Profile' page for a Faculty member. On the left, there's a summary card for 'User' (Faculty) with a role badge 'Faculty' and a college badge 'CS'. Below this, attendance progress bars are shown for GSO (1/2 completed), ASHO (1/2 completed), Forums (2 attended), Research (1 attended), Trainings (1 attended), and Workshops (2 attended). On the right, there's a form with tabs for 'Personal', 'Professional', and 'Identity'. The 'Personal' tab is active, showing fields for Full Name (User), Display Name (Faculty), Pronouns (any/all), Contact Number (09655634220), and Address (Street, Barangay, City, Province). A 'Save changes' button is at the bottom right. The footer includes the text 'Kasarin / Gender Studies UP Baguio University of the Philippines Baguio kasarin.upbaguio.edu.ph' and '© 2026 UP Baguio'.

Figure 77: Faculty — Viewing the My Profile Page

The Student and Faculty Profile page displays a summary card with name, display name, role badge, college or department, and attendance progress bars. Students have Personal, Academic, and Identity tabs; Faculty have Personal, Professional, and Identity tabs.

- **Account**

The screenshot shows the 'Settings' page for a User. It has two main sections: 'Change Email Address' and 'Change Password'. The 'Change Email Address' section includes a note about verification, fields for 'CURRENT EMAIL' (beanovestera@gmail.com) and 'NEW EMAIL' (e.g. new_email@up.edu.ph), and an 'Update Email' button. The 'Change Password' section includes a note about password security, fields for 'CURRENT PASSWORD', 'NEW PASSWORD', and 'CONFIRM NEW PASSWORD', and an 'Update Password' button. The footer is the same as Figure 77.

Figure 78: Student/Faculty — Viewing the Settings Page

The Student and Faculty Settings page provides Change Email Address and Change Password sections, with the same Google OAuth restriction as the Admin and Staff settings.

B.3. Creating an Event, User, Guideline, and Survey

New records are created through forms accessible from the management page toolbar or from the Dashboard Quick Actions panel. All required fields must be completed before submission. A green success notification confirms the operation after saving.

Admin

- Event

Add Event

Basic Information

TITLE *
Gender Sensitivity Orientation - 1st Semester 2026-

DESCRIPTION
Describe the event...

LOCATION *
Himnasyo Amianan

BANNER IMAGE
Click to upload a banner image
JPG, PNG or WebP · max 5MB

CAPACITY *
200

CATEGORY *
Select category

STATUS
Upcoming

Event Schedule

START DATE & TIME
Aug 18, 2026 12:00 PM

END DATE & TIME *
Aug 18, 2026 04:30 PM

REGISTRATION OPENS
Aug 1, 2026 12:00 AM


REGISTRATION CLOSES
Aug 18, 2026 04:30 PM

Cancel Create Event

Figure 79: Admin — Creating a New Event

Click *Add Event* in the Events toolbar or *New Event* in the Quick Actions panel to open the event creation form. Fill in the Title (required, up to 500 characters), Location (required, up to 100 characters), Capacity (required, 1–500), and Category (required: GSO, ASHO, Forum, Research, Training, or Workshop). Optionally provide a Description and upload a Banner Image (JPG, PNG, or WebP, up to 5 MB). Set the Start Date and Time, End Date and Time, Registration Opens, and Registration Closes fields, all of which are required. The system enforces that the end date is after the start date and that the registration window closes no later than when the event ends. Click *Create Event* to save.

- User



The screenshot shows a mobile application interface for adding a new user. The form is titled "Add User" and is organized into several sections:

- ACCOUNT INFORMATION**: Includes fields for "FULL NAME *" (filled with "Carlo Frances Luayon"), "EMAIL *" (filled with "chluayon@up.edu.ph"), "PASSWORD" (masked with dots), and "ROLE *" (a dropdown menu currently showing "Admin").
- PROFILE DETAILS**: Includes a "DISPLAY NAME" field (placeholder: "Nickname or preferred name"), an "OFFICE / UNIT" field (placeholder: "e.g. Office of the Chancellor"), a "CONTACT NUMBER (OPTIONAL)" field (placeholder: "e.g. 09123456789"), an "ADDRESS (OPTIONAL)" field (placeholder: "City, Province"), and a "PRONOUNS" field.

Figure 80: Admin — Creating a New User

Click *Add User* in the Users toolbar or *New User* in the Quick Actions panel to open the user creation form. The form has five sections: (1) Account Information – Full Name, Email, Password, and Role (all required); (2) Personal Information – Display Name, Contact Number, and Address (optional); (3) Role-Specific Fields – Student Number, Year Level, College, and Program (required for students), College and Department (optional for faculty), or Office or Unit (optional for staff and admin); (4) Identity – Sex at Birth and Gender Identity (required), Pronouns (optional); and (5) Session Attendance – optional counts from 0 to 5 for GSO, ASHO, Forums, Research, Training, and Workshops, applicable to students and faculty. Click *Create User* to save.

- **Guideline**

The screenshot shows a modal window titled "Add Guideline" with a close button (X) in the top right corner. Below the title is the section "Guideline Information". It contains two main input fields: "TITLE *" and "DESCRIPTION". The "TITLE" field has a text icon and contains the text "UP Gender Guidelines". The "DESCRIPTION" field has a list icon and contains the text "Guidelines on Promoting Women's Empowerment and Gender Equality in the University of the Philippines Approved by the UP Board of Regents on its 1309th Meeting, 22 July 2015". Below the description is a "PREAMBLE" section with four paragraphs of text. At the bottom right of the modal are two buttons: "Cancel" and "Create Guideline".

Figure 81: Admin — Creating a New Guideline

Click *Add Guideline* in the Guidelines toolbar or *New Guideline* in the Quick Actions panel. Enter a Title (required, up to 500 characters) and the guideline Content (at least 10 characters if provided). Click *Create Guideline* to save.

- **Survey**

The first screenshot shows the "Add Survey" modal with the "Survey Details" section. It includes fields for "TITLE *" (containing "Anti-Violence Against Women Creative Workshop Feedback Survey"), "DESCRIPTION" (containing a paragraph about evaluating the effectiveness of the program), "LINKED EVENT *" (a dropdown menu showing "Anti-Violence Against Women Creative Workshop"), and "STATUS" (a dropdown menu showing "Upcoming"). Below these is the "Availability" section with "OPENS AT *" and "CLOSES AT *" fields, each containing a date and time. At the bottom is the "Questions" section with a "1/50 question" indicator. The second screenshot shows the "Add Survey" modal with the "Availability" section. It includes fields for "OPENS AT *" and "CLOSES AT *" with date and time pickers. Below these is the "Questions" section with a "1/50 question" indicator. It shows a "QUESTION 1" with the text "How would you rate this event?" and a "QUESTION TYPE" dropdown menu set to "Likert Scale (1-5)". There is a "REQUIRED" checkbox checked. At the bottom right are "Cancel" and "Create Survey" buttons.

Figure 82: Admin — Creating a New Survey

Click *Add Survey* in the Surveys toolbar or *New Survey* in the Quick Actions panel. Enter a Title (required) and an optional Description. Select the Linked Event (required). Set the Opens At and Closes At dates (both required; the survey must open after the linked event ends). Add questions using the Questions section: for each question, specify the text, type (Text, Multiple Choice, Likert Scale 1–5, or Yes/No), required flag, and display order. Multiple-choice questions require at least two non-duplicate answer options. Click *Create Survey* to save.

Staff

- Event

Add Event

Basic Information

TITLE *
Gender Sensitivity Orientation - 1st Semester 2026-

DESCRIPTION
Describe the event...

LOCATION *
Himnasyo Amianan

BANNER IMAGE
Click to upload a banner image
JPG, PNG or WebP · max 5MB

CAPACITY *
200

CATEGORY *
Select category

STATUS
Upcoming

Event Schedule

START DATE & TIME
Aug 18, 2026 12:00 PM

END DATE & TIME *
Aug 18, 2026 04:30 PM

REGISTRATION OPENS
Aug 1, 2026 12:00 AM

REGISTRATION CLOSES
Aug 18, 2026 04:30 PM

Cancel Create Event

Figure 83: Staff — Creating a New Event

Staff users can create events using the same form and fields available to Admin. Click *Add Event* in the Staff Events toolbar or *New Event* in the Quick Actions panel and complete the required fields as described above.

- Survey

The figure displays two side-by-side screenshots of the 'Add Survey' form for Staff users. The left screenshot shows the 'Survey Details' section, which includes a title field (filled with 'Anti-Violence Against Women Creative Workshop Feedback Survey'), a description field (filled with a paragraph about evaluating program effectiveness), a linked event dropdown (filled with 'Anti-Violence Against Women Creative Workshop'), and a status dropdown (filled with 'Upcoming'). Below this is the 'Availability' section with 'Opens At' and 'Closes At' date and time pickers. The right screenshot shows the 'Questions' section, which includes a 'Question 1' editor with a text input field (filled with 'How would you rate this event?') and a 'Question Type' dropdown (filled with 'Likert Scale (1-5)'). A 'REQUIRED' checkbox is checked. At the bottom right, there are 'Cancel' and 'Create Survey' buttons.

Figure 84: Staff — Creating a New Survey

Staff users can create surveys using the same form and fields available to Admin. Click *Add Survey* in the Staff Surveys toolbar or *New Survey* in the Quick Actions panel and complete the required fields as described above.

B.4. Editing an Event, User, Guideline, Survey, Profile, and Account

Existing records are edited by clicking the Edit (pencil) icon in the Actions column of a list row, or by clicking the Edit button inside a detail modal or profile page. The form opens pre-filled with the current values. After making changes, click *Save Changes* to apply the update. If the form is closed with unsaved changes, a discard confirmation modal appears.

Admin

- Event

The screenshot displays the 'Edit Event' modal in the Admin interface. At the top, a table lists events, with the 'Anti-Violence Against Women Creative Workshop' highlighted. A red arrow points to the 'Edit' (pencil) icon in the 'ACTIONS' column. The modal form is pre-filled with the following details:

- Title:** Anti-Violence Against Women Creative Workshop
- Description:** This is an interactive and empowering event that aims to raise awareness about violence against women through creative expression and meaningful discussions. The workshop provides participants with a safe and inclusive space to explore issues.
- Location:** UP Baguio
- Banner Image:** A photo of two people working on a mural.
- Capacity:** 15
- Category:** Workshop
- Status:** Today
- Event Schedule:**
 - Start Date & Time:** May 27, 2026, 01:30 PM
 - End Date & Time:** May 27, 2026, 07:30 PM

A calendar widget for May 2026 is shown, with the 27th selected. A 'Save Changes' button is visible on the right side of the modal.

Figure 85: Admin — Editing an Existing Event

Click the Edit icon on an event row or the Edit button in the Event Detail Modal. The event form opens pre-filled with all current values. The same field requirements and date validation rules as event creation apply. Optionally replace or remove the existing banner image. Click *Save Changes* to update.

- User

The screenshot displays a user management interface. At the top, a table lists users with columns: USER, EMAIL, ROLE, TOTAL EVENTS ATTENDED, and ACTIONS. The first row shows 'Carlo Luayon' with email 'chluayon@up.edu.ph', role 'Admin', and 0 events attended. A red arrow points to the 'ACTIONS' column, which contains an 'Edit' icon (a pencil inside a circle) and a 'Delete' icon (a red circle with an 'X').

Below the table, the 'Edit User' modal is open for 'Carlo Luayon'. The modal contains the following fields:

- ACCOUNT INFORMATION**
 - FULL NAME *: Carlo Luayon
 - EMAIL *: chluayon@up.edu.ph
 - PASSWORD (LEAVE BLANK TO KEEP): Leave blank to keep current
- ROLE**
 - Select role:
 - ☒ Admin
 - ☐ Staff
 - ☐ Faculty
 - ☐ Student
- Other fields**
 - First name: Carlo
 - OFFICE / UNIT: Gender and Development
 - CONTACT NUMBER (OPTIONAL): 09878789987
 - ADDRESS (OPTIONAL): City, Province

Figure 86: Admin — Editing an Existing User

Click the Edit icon on a user row or the Edit button in the User Detail Modal. The form opens pre-filled with the user's current data. Leave the password field blank to keep the current password, or enter a new one to change it. Changing the role triggers a confirmation prompt and resets role-specific fields. The Onboarding Complete toggle can be turned off to force the user through onboarding on next login. Session attendance counts for GSO, ASHO, Forums, Research, Training, and Workshops can be updated manually. Click *Save Changes* to update.

- **Guideline**

TITLE	DESCRIPTION	ACTIONS
UP Gender Guidelines	Guidelines On Promoting Women's Empowerment And Gender Equality In The University Of The Philippines Approved By The UP Board Of Regents On Its 1309th Meeting, ...	 

Edit Guideline

UP Gender Guidelines

Guideline Information

TITLE *

T UP Gender Guidelines

DESCRIPTION

Guidelines on Promoting Women's Empowerment and Gender Equality in the University of the Philippines Approved by the UP Board of Regents on its 1309th Meeting, 22 July 2015

PREAMBLE

WHEREAS, the University of the Philippines, hereinafter referred to as "the University", upholds the principles of human rights and gender equality;

WHEREAS, the University upholds the 1987 Constitution which explicitly recognizes the role of women in nation building and the fundamental equality before the law of women and men, as well as the Magna Carta of Women (Republic Act No. 9710) and its implementing rules and regulations;

WHEREAS, the University seeks to ensure that the potentials of all persons, specifically those who are marginalized and socially excluded, are fully developed;

WHEREAS, the University condemns all forms of discrimination and violence that are obstacles to the full participation of women in economic, social, cultural, civil and political life of the University and the nation;

THEREFORE, the University commits to provide an intellectual, healthy, gender-friendly environment that promotes gender equality within the premises and jurisdiction of the University and shall adopt gender mainstreaming as a strategy to implement the Magna Carta of Women and strictly implement policies

Cancel Save Changes

Figure 87: Admin — Editing an Existing Guideline

Click the Edit icon on a guideline row or the Edit button in the Guideline Detail Modal. The form opens pre-filled with the current title and content. Click *Save Changes* to update.

- Survey

The screenshot displays the 'Edit Survey' interface. At the top, a table lists surveys with columns: TITLE, STATUS, OPENS, CLOSSES, and ACTIONS. A red arrow points to the 'Edit' icon in the ACTIONS column for the 'Anti-Violence Against Women Creative Workshop Feedback Survey'.

The 'Edit Survey' form is titled 'Anti-Violence Against Women Creative Workshop Feedback Survey'. It includes the following sections:

- Survey Details**
 - TITLE ***: Anti-Violence Against Women Creative Workshop Feedback Survey
 - DESCRIPTION**: Thank you for participating in the Anti-Violence Against Women Creative Workshop. This feedback survey aims to gather your insights, experiences, and suggestions regarding the workshop. Your responses will help us evaluate the effectiveness of the program and improve future initiatives that promote awareness, empowerment, creativity, and advocacy against violence toward women.
 - LINKED EVENT ***: Anti-VAW Creative Workshop
 - STATUS**: Open
- Availability**
 - OPENS AT ***: May 5, 2026, 11:30 PM
 - CLOSES AT ***: May 31, 2026, 08:00 AM
- Questions**: 4/50 questions

Figure 88: Admin — Editing an Existing User

Click the Edit icon on a survey row. The form opens pre-filled with the current survey details, availability dates, and all existing questions. Questions can be added, removed, or reordered. Click *Save Changes* to update.


- Profile

The screenshot displays the 'Profile' page for an 'Admin User'. The page has a sidebar with the user's name and role, and a main content area with tabs for 'Personal', 'Professional', and 'Identity'. The 'Identity' tab is selected, showing fields for 'SEX AT BIRTH' (Female) and 'GENDER' (Man). A dropdown menu is open for 'GENDER', showing options: Man, Woman, Non-binary, Transgender woman, Transgender man, and Prefer not to say. The 'Save changes' button is visible at the bottom right.

Figure 89: Admin — Editing the My Profile Page

Open the My Profile page from the sidebar. Edit allowed fields in the Personal tab (Full Name, Display Name, Pronouns, Contact Number, Address), the Professional tab (Office or Unit), or the Identity tab (Sex at Birth, Gender Identity). Click *Save Changes* on the active tab to update.

- **Account**



The screenshot displays the 'Settings' page for an 'Admin' user. It is divided into two main sections: 'Change Email Address' and 'Change Password'.

Change Email Address: This section includes a heading, a sub-heading, and a description: 'Update the email address associated with your account. We will send a verification link to your new address to confirm ownership.' It features two input fields: 'CURRENT EMAIL' (containing 'jnovestera@gmail.com') and 'NEW EMAIL' (containing 'e.g. new_email@up.edu.ph'). A dropdown menu is open below the 'NEW EMAIL' field, showing 'janovestera1@up.edu.ph' and a 'Manage Addresses...' option. An 'Update Email' button is located at the bottom right of this section.

Change Password: This section includes a heading, a sub-heading, and a description: 'Ensure your account is using a long, random password to stay secure. It must be at least 8 characters long.' It features three input fields: 'CURRENT PASSWORD', 'NEW PASSWORD', and 'CONFIRM NEW PASSWORD', each with a password icon on the left. An 'Update Password' button is located at the bottom right of this section.

The footer of the page contains the text: 'Kasarin / Gender Studies UP Baguio | University of the Philippines Baguio | kasarin.upbaguio@up.edu.ph | © 2024 UP Baguio'.

Figure 90: Admin — Editing Account Settings

Open the Settings page from the sidebar. To change the email address, enter a new valid email and submit; verification links are sent to both the old and new addresses, and the change takes effect only after confirming from both inboxes. To change the password, enter the current password, the new password, and repeat the new password for confirmation. Password change is unavailable for Google OAuth accounts.

Staff

- Event




Figure 91: Staff — Editing an Existing Event

Staff users can edit events using the same form and fields available to Admin. Click the Edit icon on an event row or the Edit button in the Event Detail Modal and apply changes as described above.

• Survey




Figure 92: Staff — Editing an Existing Survey

Staff users can edit surveys using the same form and fields available to Admin. Click the Edit icon on a survey row and apply changes as described above.

• Profile




Figure 93: Staff — Editing the My Profile Page

Staff users can edit Personal, Professional, and Identity tab fields on their Profile page in the same way as Admin users.

- **Account**

Figure 94: Staff — Editing Account Settings

Staff users access the Settings page to change their email address or password using the same process as Admin users.

Student/Faculty

- **Profile**

Figure 95: Student — Editing the My Profile Page

Figure 96: Faculty — Editing the My Profile Page

Students can edit Personal, Academic, and Identity tab fields. Faculty can edit Personal, Professional, and Identity tab fields. Click *Save Changes* on the active tab to apply updates.

- Account

The screenshot displays the 'Settings' page for a user named 'Admin'. The page is divided into two main sections: 'Change Email Address' and 'Change Password'.

Change Email Address: This section includes a sub-header 'Update the email address associated with your account. We will send a verification link to your new address to confirm ownership.' It features two input fields: 'CURRENT EMAIL' (containing 'jnovestera@gmail.com') and 'NEW EMAIL' (containing 'e.g. new-email@up.edu.ph'). A dropdown menu is open below the 'NEW EMAIL' field, showing a selected email 'jnovestera1@up.edu.ph' and a 'Manage Address...' option. An 'Update Email' button is located at the bottom right of this section.

Change Password: This section includes a sub-header 'Ensure your account is using a long, random password to stay secure. It must be at least 8 characters long.' It features three input fields: 'CURRENT PASSWORD', 'NEW PASSWORD', and 'CONFIRM NEW PASSWORD', each containing masked text (dots). An 'Update Password' button is located at the bottom right of this section.

The footer of the page contains the text: 'Kasatien / Gender Studies UP Baguio University of the Philippines Baguio kasatien-upbaguio@up.edu.ph © 2024 UP Baguio'.

Figure 97: Student/Faculty — Editing Account Settings

Students and Faculty access the Settings page to change their email address or password using the same process as Admin users.

B.5. Deleting an Event, User, Guideline, and Survey

Records are deleted by clicking the Delete (trash) icon in the Actions column of a list row. A confirmation modal appears before the deletion is committed. For events and users, the administrator must enter their password as a security measure. All deletions are permanent and cannot be undone.

Admin

- Event




Figure 98: Admin — Deleting an Existing Event

Click the Delete icon on an event row. The confirmation modal displays the event title and requires password entry. Confirming permanently removes the event and all associated data, including registrations, attendance records, and any linked surveys with their questions and responses.

- User




Figure 99: Admin — Deleting an Existing User

Click the Delete icon on a user row. The confirmation modal displays the user's name and email and requires password entry. Confirming permanently removes the user account and all associated data, including event registrations, attendance records, and survey responses.

- Guideline




Figure 100: Admin — Deleting an Existing Guideline

Click the Delete icon on a guideline row. The confirmation modal displays the guideline title and requires password entry. Confirming permanently removes the guideline.

• Survey




Figure 101: Admin — Deleting an Existing Survey

Click the Delete icon on a survey row. The confirmation modal displays the survey title and requires password entry. Confirming permanently removes the survey, all its questions, and all associated response data.

Staff

• Event




Figure 102: Admin — Deleting an Existing Event

Staff users can delete events using the same confirmation process as Admin. The same cascading deletion behavior applies.

- **Survey**




Figure 103: Staff — Deleting an Existing Survey

Staff users can delete surveys using the same confirmation process as Admin. All associated questions and response data are permanently removed.

7.3 Appendix C – Helper Functionalities

C.1. Sort and Filter Data

Each management page and the Admin and Staff dashboards include sort and filter controls in the toolbar. Sorting reorders the visible list; filtering restricts it to records matching the selected criteria. Active filters are displayed as coloured chips below the toolbar and can be removed individually or all at once.

Admin

- Dashboard



Figure 104: Admin — Filtering the Dashboard

The dashboard Filters panel applies demographic filters to all analytics simultaneously. Selecting criteria from Year Level, College, Degree Program, Sex at Birth, Gender Identity, or Role causes all KPI cards and charts to recalculate for only the matching user subset. Options within the same category are combined with OR logic; options across categories are combined with AND logic. If no users match the selected criteria, all metrics display as zero or empty. Additionally, admin users can modify the date range in the attendance over time chart.

- Event




Figure 105: Admin — Sorting and Filtering the Events Management List

Events can be sorted by Title, Category, Status, or Date (default: Date, descending). Events can be filtered by Status (Today, Upcoming, Past) and by Category (GSO, ASHO, Forum, Research, Training, Workshop). Multiple statuses and categories can be active simultaneously. Active filters appear as chips below the toolbar.

- User




Figure 106: Admin — Sorting and Filtering the Users Management List

Users can be sorted by Full Name (default), Email, or Role. Users can be filtered by Role (Student, Faculty, Staff, Admin). Multiple roles can be selected simultaneously. Active filters appear as chips below the toolbar.

- **Guideline**



Figure 107: Admin — Sorting the Guidelines Management List

Guidelines can be sorted by Title, ascending or descending (default: ascending). No filter options are available for guidelines.

- Survey




Figure 108: Admin — Sorting and Filtering the Surveys Management List

Surveys can be sorted by Title, Status, or Date (default: Date, descending). Surveys can be filtered by Status (Upcoming, Open, Closed). Multiple statuses can be active simultaneously. Active filters appear as chips below the toolbar.

Staff

- Dashboard



Figure 109: Staff — Filtering the Dashboard

The Staff dashboard filter panel functions identically to the Admin dashboard filter panel, recalculating all KPI cards and charts based on the selected demographic criteria and date range.

- **Event**




Figure 110: Staff — Sorting and Filtering the Events Management List

Sort and filter options for events on the Staff route are identical to the Admin Events Management controls.

- **Guideline**



Figure 111: Staff — Sorting the Guidelines Management List

Sort options for guidelines on the Staff route are identical to the Admin Guidelines Management controls.

- **Survey**




Figure 112: Staff — Sorting and Filtering the Surveys Management List

Sort and filter options for surveys on the Staff route are identical to the Admin Surveys Management controls.

Student/Faculty

- Event




Figure 113: Student/Faculty — Sorting and Filtering the Events Page

Events can be sorted by Title, Category, Status, Date, Capacity, or Location. Events can be filtered by Status (Today, Upcoming, Past) using the tab navigation, and by Category using the filter dropdown. Active filter chips appear below the toolbar.

- Guideline



Figure 114: Student/Faculty — Sorting the Guidelines Page

Guidelines on the I've GAD to Know page can be sorted by Title, ascending or descending. No filter is available.

- Survey




Figure 115: Student/Faculty — Sorting the Surveys Page

Available surveys can be sorted by Title, Status, Open Date, or Close Date. No filter dropdown is available; only open surveys linked to attended events are shown by default.

7.4 Appendix D – Export Functionalities

Admin

- Export Events List to CSV File




Figure 116: Admin — Exporting the Events List to a CSV File




Figure 117: Staff — Exporting the Events List to a CSV File

Figure 118: CSV File for All Events

Click the *Export CSV* button in the Events Management toolbar to download a CSV file of all events currently visible in the table, reflecting any active search or filter. The file is named with the current date (e.g., `events_list.2026.05.23.csv`) and includes the following fields for each event: Event Title, Event Category, number of registered users, number of attended users, Event Description, Event Location, Event Start Date, Event End Date, Event Capacity, Registration Opening Date, and Registration Closing Date.

- Export Per Event Detail to CSV File




Figure 119: Admin/Staff — Exporting a Per Event Detail to a CSV File

The screenshot shows a CSV file exported from the event details modal. The file is titled "anti_violence_against_women_creative_workshop_event_details" and contains two main sections: "EVENT DETAILS" and "REGISTRATIONS". The "EVENT DETAILS" section lists event information like title, category, location, and dates. The "REGISTRATIONS" section lists registered users with their names, emails, registration dates, and attendance status.

EVENT DETAILS			
1	EVENT DETAILS		
2	Title	Anti-Violence Against Women Creative Workshop	
3	Category	Workshop	
4	Status	today	
5	Location	UP Baguio	
6	Start Date	May 27, 2026, 1:30 PM	
7	End Date	May 27, 2026, 7:30 PM	
8	Capacity	15	
9	Registration Open	May 6, 2026, 12:00 PM	
10	Registration Close	May 27, 2026, 7:30 PM	
11	Description	This is an interactive and empowering event that aims to raise awareness about violence against women through creative expression and meaningful discussions. The workshop provides participants with a safe and inc	
12			
13	REGISTRATIONS		
14	Name	Email	Registration Date
15	User	cdionisio@up.edu.ph	May 6, 2026, 5:54 AM
16	Student	beanovesteras@gmail.com	May 27, 2026, 10:42 AM
17	ShaunTheSheep	sbabiva@up.edu.ph	May 6, 2026, 5:16 AM
18	sa_beaver_teacher	sjabivaaltacc@gmail.com	May 6, 2026, 5:26 AM
19	Faculty	jenshooakt@gmail.com	May 27, 2026, 5:04 AM
20			
21	ATTENDANCE		
22	4 attended out of 5 registered		
23	Name	Email	
24	User	cdionisio@up.edu.ph	
25	ShaunTheSheep	sbabiva@up.edu.ph	
26	sa_beaver_teacher	sjabivaaltacc@gmail.com	
27	Faculty	jenshooakt@gmail.com	
28			
29			
30			
31			
32			
33			

Figure 120: CSV File for an Event

Open an event's detail modal by clicking the event row, then click the *Export to CSV* button inside the modal. The downloaded file includes all fields from the events list export, plus detailed registration and attendance data: for each registered user, the display name, email address, registration date, and attended status (Yes/No); and for the attendance summary, the total count of attended users and each attendee's display name and email.

7.5 Appendix E – Event Registration/Cancellation and Survey Take Functionalities

Student/Faculty

- Registering to an Event




Figure 121: Student/Faculty — Registering to an Event

Open the Events page from the sidebar and click any event card to open the Event Detail Modal. When the event's registration window is currently open and capacity has not been reached, the *Register* button at the bottom of the modal is active. Click it to sign up. A pop-up notification confirms the successful registration and the button label changes to *Cancel Registration*. If registration has not yet opened, has already closed, or the event is full, the button is disabled.

- Cancelling a Registration to an Event




Figure 122: Student/Faculty — Cancelling a Registration to an Event

Open the Event Detail Modal for an event you are already registered for. While the registration window is still open, the *Cancel Registration* button is active. Click it to withdraw. A pop-up notification confirms the cancellation and the button reverts to *Register*. Once the registration window has closed or the event has ended, the Cancel Registration button is disabled and the registration can no longer be withdrawn.

- Taking a Survey

Sexual Harassment Reporting Training Feedback Survey

Thank you for participating in the Sexual Harassment Reporting Training. This feedback survey aims to gather your insights, experiences, and suggestions regarding the training's content, delivery, and overall effectiveness. Your responses will help us assess how well the training enhanced participants' understanding of sexual harassment reporting procedures, rights, responsibilities, and support mechanisms. All responses will be treated with confidentiality and will only be used for evaluation and improvement purposes. We encourage you to answer honestly and thoughtfully. Your feedback is important in helping us strengthen future training programs and foster safer, more respectful, and more supportive environments for everyone.

Question 1 of 2 50%

Optional

Do you feel that the university's current reporting system is accessible to students?

< Back Next >

Progress indicator: 1 of 2 dots, with the first dot filled.

Figure 123: Student/Faculty — Taking Available Surveys

Navigate to the Surveys page from the sidebar. The page shows only open surveys linked to events for which your attendance was recorded by an administrator. Click a survey card to open the survey take page. A progress bar at the middle indicates the current question number and completion percentage. Answer each question according to its type: type freely for Text questions (up to 500 characters), select one option for Multiple Choice questions, click a number from 1 to 5 for Likert Scale questions, or click Yes or No for Yes/No questions. Questions marked as Required must be answered. Use the Back and Next buttons or the step indicator dots to navigate between questions. On the final question, click *Submit Survey* to send your responses.




Figure 124: Student/Faculty — Survey Thank You Page After Submission

A Thank You page appears confirming that the responses were recorded. The survey card on the Surveys page will show a *Done* badge, and re-opening the survey redirects to the Thank You page rather than allowing re-entry.