

Requirement Analysis - Customer Journey Map Report



1. Project Intent & Lifecycle Boundary

The primary objective of this requirements phase is to isolate, dissect, and document the comprehensive workflow experienced by internal users during network provisioning and hardware asset relocation requests. By systematically deconstructing user interaction checkpoints, cognitive friction points, and operational transitions, this analysis identifies structural performance gaps within the legacy infrastructure.

This engineering specification bridges the gap between workforce operational pain points and target technical architecture. It translates qualitative frustration into clear technical objectives, detailing how conditional front-end UI policies, low-code orchestration engines, and automated target data schemas optimize the enterprise workspace lifecycle.

2. Target Stakeholder Profile

- Persona Identifier: Enterprise End-User / Network Service Requester (e.g., Abel Tuter).
- Operational Mandate: Non-technical personnel undergoing departmental zone re allocations or establishing local endpoint hardware connections.
- Primary System Objectives:

- Input essential network variables without encountering complex, manual configuration formatting rules.
- Access continuous, transparent timeline monitoring and status tracking during moving windows.
- Reduce administrative execution overhead to preserve team operational uptime.

3. Comprehensive Lifecycle Stage Decomposition

Stage 1: Channel Discovery & Verification

- Trigger Event: The stakeholder receives notification regarding a cross-departmental workspace relocation.
- Observed Activity: The user navigates decentralized internal document hubs and corporate wikis to deduce the correct submission path for network provisioning.
- User Mindset: Concerns arise regarding the absence of a distinct intake link, alongside apprehension about tickets stalling inside unmonitored shared mailboxes or generic queues.
- Psychological State: Confused and uncertain due to fractured internal channels and ambiguous communication lines.
- Legacy Vulnerability: Absence of a standardized entry point; procedural instructions are scattered across disparate static wikis and team files.
- System Design Opportunity: Deploy a highly discoverable, centralized Network Provisioning Service Catalog Item positioned directly on the employee self-service landing page.

Stage 2: Intake Processing & Payload Compilation

- Trigger Event: Accessing the configuration form interface.
- Observed Activity: The user manually inputs core identification fields, equipment serial attributes, device classes, and structural room coordinate mappings.
- User Mindset: The interface layout exhibits excessive clutter, demanding complex technical parameters that should remain hidden for simple workstation modifications.
- Psychological State: Frustrated by high clerical burdens and an unyielding, non adaptive user interface.
- Legacy Vulnerability: Complete lack of active session awareness to auto-populate basic user profiles, combined with a lack of conditional field filtering.

- System Design Opportunity: Implement Client-Side Scripts to auto-populate user metadata from session context, paired with UI Policies that display spatial coordinate forms only when a "Relocation" flag is selected.

Stage 3: Operational Inactivity & Evaluation Wait Time

- Trigger Event: Form submission and initial record creation.
- Observed Activity: The user encounters zero system feedback for several days, forcing them to manually audit email threads and ping helpdesk agents for tracking data.
- User Mindset: Total ambiguity surrounding multi-tier approval ownership, accompanied by visibility gaps regarding ticket states within the pending queue.
- Psychological State: Anxious and stressed regarding the operational readiness of the target workspace before moving day arrives.
- Legacy Vulnerability: Offline sign-off workflows managed entirely via standalone emails, providing no real-time status visibility to the submitter.
- System Design Opportunity: Configure an automated backend workflow engine to catch catalog submissions, route tasks to designated supervisors, and push milestone tracking updates to the portal dashboard.

Stage 4: Execution Fulfillment & Line Activation

- Trigger Event: Deployment phase on moving day.
- Observed Activity: Physical infrastructure provisioning is executed by local technicians, allowing the user to initiate hardware authentication at their new location.
- User Mindset: Workstation activation is successful, but initial manual data-entry errors present a significant risk to asset record accuracy and deployment schedules.
- Psychological State: Relieved, though minor reservations remain regarding the human errors introduced during manual form entry.
- Legacy Vulnerability: Elevated operational risk of transcription errors caused by technicians manually copying form attributes across disconnected production databases.
- System Design Opportunity: Establish server-side record rules that automatically inject validated catalog parameters directly into a custom backend database tracking table (u_network_database) upon manager approval.