

Project Documentation

Milestone 1: Service Catalog Configuration

Activity 1: Create the Network Request Catalog Item

- Navigated to **Service Catalog > Catalog Definitions > Maintain Items** in ServiceNow.
- Created a new catalog item named **Network Request**.
- Configured the basic details, including the item name and short description.
- Assigned the catalog item to the appropriate service catalog.
- Saved the catalog item to make it available for further configuration.
- Verified that the catalog item was successfully created and ready for adding variables and workflow automation.

The screenshot shows the 'Catalog Item' form for 'Network Request'. The form is titled 'Catalog Item' and 'Network Request'. It includes a header with 'Copy', 'Try It', 'Update', 'Edit in Catalog Builder', and 'Delete' buttons. Below the header, there is a blue box with instructions: 'Catalog items are goods or services available to order from the service catalog. Items can be anything from hardware, like tablets and phones, to software applications, to furniture and office supplies. Enter a Name and Short description to display for the item. Enter a Price, approvals, variables, and other information as needed.' The form fields include: 'Name' (Network Request), 'Application' (Global), 'Catalogs' (Service Catalog), 'Category' (Network), 'State' (None), 'Checked out' (None), 'Owner' (System Administrator), 'Secondary owners' (empty), 'Active' (checked), and 'Fulfillment automation level' (Unspecified). Below the form, there are tabs for 'Item Details', 'Process Engine', 'Picture', 'Pricing', and 'Portal Settings'. The 'Item Details' tab is selected, showing 'Short description' (Network Services Request) and 'Description' (empty) with a rich text editor.

Activity 2: Define the Request Categories

- Assigned the **Network Request** catalog item to the appropriate service category.
- Organized the catalog for easy navigation in the Service Portal.
- Verified that the catalog item appeared under the selected category.

The screenshot shows the 'Category' form for 'Network'. The form is titled 'Category' and 'Network'. It includes a header with 'Update' and 'Delete' buttons. Below the header, there is a form with fields: '* Title' (Network), 'Catalog' (Service Catalog), 'Location' (empty), 'Description' (The various network services.), 'Application' (Global), 'Active' (checked), 'Parent' (empty), 'Desktop image' (Click to add...), and 'Header icon' (Click to add...). At the bottom, there are 'Update' and 'Delete' buttons.


Activity 3: Configure the Catalog Description and Accessibility

- Added a clear **short description** explaining the purpose of the Network Request catalog item.
- Configured the catalog item to be accessible through the Service Portal.
- Verified that users could view and access the catalog item.
- Saved the configuration.

The screenshot shows the configuration interface for a catalog item named "Network Request". The "Name" field is set to "Network Request". The "Application" is set to "Global". The "Active" checkbox is checked. The "Fulfillment automation level" is set to "Unspecified". The "Category" is set to "Network". The "State" is set to "-- None --". The "Checked out" is set to "-- None --". The "Owner" is set to "System Administrator". The "Secondary owners" field is empty. Below the configuration fields, there are tabs for "Item Details", "Process Engine", "Picture", "Pricing", and "Portal Settings". The "Item Details" tab is selected, showing the "Short description" as "Network Services Request" and a rich text editor for the "Description".

Activity 4: Verify the Catalog Item in the Service Portal

- Opened the **Service Portal** to verify the **Network Request** catalog item.
- Confirmed that the catalog item was displayed correctly under the assigned category.
- Verified that users could access and open the request form successfully.



Activity 5: Prepare the Catalog Item for Variable Configuration

- Verified that the catalog item was successfully configured.
- Ensured the catalog item was ready for adding variables and variable sets.
- Completed the initial catalog setup for the next development phase.

Catalog Items

Name

Search

Actions on selected rows...

New

All > Type != Bundle > Class != Order guide > Type != Package > Class != Content Item > Published item is empty > Name >= network

Q

Name

Short description

Active

Roles

Catalogs

Category

Price

Type

Updated

Search

Search

Search

Search

Search

Search

Search

!=Package

Search

Network Request

Network Services Request

true

Service Catalog

Network

\$200.00

Item

2026-06-29 07:09:01

New Email Account

New Email Creation

true

Service Catalog

Top Requests

\$0.00

Item

2022-11-20 20:46:33

Milestone 2: Variables Configuration

Activity 1: Create Choice Variables

- Created the Connection Type choice variable with options New, Relocation, and None.
- Created the Device Type choice variable with options Laptop, Mobile, and Others.
- Configured the choice values to ensure standardized user input.
- Verified that both variables were displayed correctly in the catalog item.

Variable

Types of Devices

Copy Update Delete

Application

Global

Type

Select Box

Catalog item

Network Request

Order

100

Active

☒

Mandatory

☐

Read only

☐

Hidden

☐

Disable automatic slot fill based on user context

☐

Question

Annotation

Type Specifications

Default Value

Auto-populate

Permission

Availability

Specify the **QUESTION** that explains the options available to the end user when ordering the item

* Question

Types of Devices

* Name

device_type

Conversational label

Tooltip

Copy Update Delete

Related Links

Run Point Scan

[SN Utility] Versions [2]

Question Choices

Order

Search

Actions on selected rows...

New

Question = Types of Devices

Text

Value

Order

Inactive

Variable: Is this a New connection or Relocation?

Application: Global | Type: Multiple Choice | Catalog Item: Network Request | Order: 970

Active: ☒ | Mandatory: ☐ | Read only: ☐ | Hidden: ☐ | Disable automatic slot fill based on user context: ☐

Specify the Question that explains the options available to the end user when ordering the item

* Question: Is this a New connection or Relocation?

* Name: connection_type

Conversational label:

Tooltip:

Copy Update Delete

Related Links

[Run Point Scan](#)

[\[SN Utils\] Versions \[2\]](#)

Question Choices

Text	Value	Order	Inactive
New	new	100	false
Relocation	relocation	100	false
None	none	100	false

1 to 3 of 3

Activity 2: Create Input Variables

- Created input variables to collect requester and network request details.
- Configured variables such as Address, Relocation Address, Device Details, Additional Information, User Name, Email ID, Phone Number, Opened on behalf of, and Proof of Document.
- Assigned the appropriate variable types (String, Reference, and Attachment) based on the required input.

Catalog Item: Network Request

Assigned Topics

Type	Question	Order
Select Box	Types of Devices	100
Single Line Text	Provide device details here	200
Single Line Text	If anything else, please specify	300
Reference	Opened on behalf of	400
Single Line Text	User Name	500
Single Line Text	Email Id	600
Single Line Text	Phone Number	700
Single Line Text	Please provide address here	800
Single Line Text	Proof of Document	900
Single Line Text	If this is a relocation, Please provide ...	950
Multiple Choice	Is this a New connection or Relocation?	970

Activity 3: Verify the Variables in the Catalog Item and create Table

- Verified that all configured variables were displayed correctly in the **Network Request** catalog item.
- Checked the variable order, labels, and input types for accuracy.
- Confirmed that the form was ready for implementing UI policies and workflow automation.
- Create Network Database table as well

The screenshot shows the 'Table' configuration page for 'Network Database'. At the top, there's a header with 'Table Network Database' and action buttons: 'Delete', 'Update', and 'Delete All Records'. Below this is a descriptive text: 'A table is a collection of records in the database. Each record corresponds to a row in a table, and each field on a record corresponds to a column on that table. Applications use tables and records to manage data and processes. [More Info](#)'. The configuration fields include: 'Label' (Network Database), 'Name' (u_network_database), 'Application' (Global), and 'Remote Table' (unchecked). Below the configuration fields is a table listing the columns of the 'Network Database' table.

Column label	Type	Reference	Max length	Default value	Display
Customer Document	String	(empty)	40		false
Requested For	String	(empty)	40		false
Created	Date/Time	(empty)	40		false
Created by	String	(empty)	40		false
Email	String	(empty)	40		false
Additional Notes	String	(empty)	40		false
Relocation Address	String	(empty)	40		false
Updates	Integer	(empty)	40		false
Phone Number	Phone Number (E164)	(empty)	40		false
Assigned to	Reference	User	32		false
Date of Enquiry	String	(empty)	40		false
Approval Status	Choice	(empty)	255		false
State	Choice	(empty)	255		false
Customer Address	String	(empty)	40		false
Request Number	String	(empty)	40		false
User Name	String	(empty)	40		false
Device Details	String	(empty)	40		false
Sys ID	Sys ID (GUID)	(empty)	32		false
Device Type	Choice	(empty)	255		false

Milestone 3: Form Automation and Workflow Development

Activity 1: Configure UI Policy and Client Script

- Created a UI Policy to display the Relocation Address field only when Relocation is selected.
- Configured a Client Script to auto-populate the User Name, Email ID, and Phone Number based on the Opened on behalf of field.
- Verified the dynamic behavior of the form during request submission.

Catalog UI policies are similar to standard UI policies. Catalog UI policies dynamically change variables that are part of a catalog item or change how variable sets are handled. Policies can also be applied when the variables are present in a Requested Item or Catalog Task form. [More info](#)

Applies to A Catalog Item

Application Global

* Catalog item Network Request

Active ☒

* Short description Type of Devices is others

When to Apply Script

Catalog UI policy actions are applied only if all the following conditions are met:

1. The catalog UI policy is **Active**
2. The items in the **Conditions** field evaluate to true
3. The field specified in the catalog UI policy is present on the specified catalog item

Catalog Conditions

[Add Filter Condition](#)

[Add OR Clause](#)

types_of_devices

is

Others

AND

OR

✖

Applies on a Catalog Item view ☒

Applies on Catalog Tasks ☐

Applies on Requested Items ☐

Apply the catalog UI policy actions when the form is loaded or when the user changes values on the form

On load ☒

Reverse the effects of the catalog UI policy actions when the Conditions evaluate to false

Reverse if false ☒

< ≡ Catalog Item
Network Request

🔗 🔍 ⚙️ ⋮ Copy Try It Update Edit in Catalog Builder Delete ↑ ↓

Item Details Process Engine Picture Pricing Portal Settings

Price \$ 200.00 ✎

Recurring price \$ 0.00 ✎

Recurring price frequency -- None --

Copy Try It Update Edit in Catalog Builder Delete

Related Links

[Item Diagnostic](#)

[Run Point Scan](#)

[\[SN Utils\] Versions \(32\)](#)

Variables (6) Variable Sets (1) Catalog UI Policies (2) Catalog Client Scripts (1) Available For Not Available For Categories (1) Catalogs (1) Catalog Data Lookup Definitions Related Articles Related Catalog Items Assigned Topics

≡ ▽ Order Search

🔗 🔍 ⚙️ ⋮ Actions on selected rows... New

Catalog item = Network Request

☐	Short description	Variable set	Conditions	Reverse if false	On load	Inherit	Updated	Order
☐	Type of Devices is others	(empty)		true	true	false	2026-07-30 21:48:58	100
☐	Type of Connection	(empty)		true	true	false	2026-07-30 21:53:16	100

<< < 1 to 2 of 2 > >>

< ≡ Catalog UI Policy
Type of Devices is others

🔗 🔍 ⚙️ ⋮ Update Delete ↑ ↓

Catalog Conditions

[Add Filter Condition](#)

[Add OR Clause](#)

types_of_devices

is

Others

AND

OR

✖

Applies on a Catalog Item view ☒

Applies on Catalog Tasks ☐

Applies on Requested Items ☐

Apply the catalog UI policy actions when the form is loaded or when the user changes values on the form

On load ☒

Reverse the effects of the catalog UI policy actions when the Conditions evaluate to false

Reverse if false ☒

Update Delete

Related Links

[Run Point Scan](#)

[\[SN Utils\] Versions \(1\)](#)

≡ ▽ Catalog UI Policy Actions Order Search

🔗 🔍 ⚙️ ⋮ Actions on selected rows... New

UI policy = Type of Devices is others

☐	Name	Read only	Mandatory	Visible	Order
☐	provide_device_details_here	Leave alone	Leave alone	True	100

<< < 1 to 1 of 1 > >>

< Catalog UI Policy Action
provide_device_details_here

UI policy actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered. [More Info](#)

Catalog Item	Network Request	Application	Global
Variable name	provide_device_details_here	Mandatory	Leave alone
Order	100	Visible	True
		Read only	Leave alone
		Value action	Leave alone
		Field message type	None

Update Delete

(SN.UTILS) Versions (1)

Client Script:

< Catalog Client Scripts
Populate User Details

Name	Populate User Details	Application	Global
Applies to	A Catalog Item	Type	onChange
Active	☒	Catalog item	Network Request
UI Type	All	Variable name	User Information > opened_on_behalf_of

Applies on a Catalog Item view ☒

Applies on Requested Items ☐

Applies on Catalog Tasks ☐

Script


```

1 function onChange(control, oldValue, newValue, isLoading) {
2     if (isLoading || newValue === '') {
3         g_form.clearValue('email_id');
4         g_form.clearValue('user_name');
5         g_form.clearValue('phone_number');
6         return;
7     }
8     var ga = new GlideAjax('GetUserDetails');
9     ga.addParam('sysparm_name', 'getDetails');
10    ga.addParam('sysparm_user', newValue);
11    ga.getXMLAnswer(function(response) {
12        if (response) {
13            var user = JSON.parse(response);
14            g_form.setValue('email_id', user.email);
15            g_form.setValue('user_name', user.name);
16            g_form.setValue('phone_number', user.phone);
17        }
18    });
19 }

```

Activity 2: Develop the Flow Designer Workflow

- Created the **Network Request Approval Flow** using **Flow Designer**.
- Configured the workflow to retrieve catalog variables, create records, and automate the approval process.
- Added decision logic to handle both approval and rejection scenarios.



Activity 3: Verify Workflow Execution and Record Creation

- Executed the workflow by submitting a sample **Network Request**.
- Verified the approval flow and record creation in the **u_network_database** table.
- Confirmed that the workflow executed according to the configured logic.

The 'Network Request' form is displayed with the following details:

- Title:** Network Request
- Subheader:** Network request Management
- Form Fields:**
 - Is this a New connection or Relocation? (Radio buttons: New, Relocation, None; 'New' is selected)
 - Opened on behalf of (Text: Allie Pumphrey)
 - Email Id (Text: allie.pumphrey@example.com)
 - User name (Text: Allie Pumphrey)
 - Phone Number (Text: 0863 442990)
 - Proof of Document (Upload button)
 - Types of devices (Text: ...)
- Summary Box:**
 - Quantity: 1
 - Price: \$200.00
 - Delivery Time: 0 Days
 - Buttons: Add to Cart, Save as Draft, Order Now

servicenow

KnowledgeCatalogRequestsSystem StatusCartToursSystem Administrator

Home>Service Catalog>Network>Network Request

Search Catalog

0863 442990

Proof of Document

Upload

Types of devices

Laptop

Mobiles

Others

Please provide address here

India

If anything else, please specify

Laptop HP i9

Add attachments

Choose a file or drag it here.
Copy and paste clipboard files here.

Quantity: 1

Price: \$200.00

Delivery Time: 0 Days

Add to Cart

Save as Draft

Order Now

servicenow

KnowledgeCatalogRequestsSystem StatusCartToursSystem Administrator

Home>Service Catalog>Network>Network Request

Search Catalog

Phone Number

0863 442990

Proof of Document

Upload

Types of devices

Laptop

Mobiles

Others

Please provide address here

India

If anything else, please specify

Laptop HP i9

Add attachments

Choose a file or drag it here.
Copy and paste clipboard files here.

Order Confirmation

Request for

Alissa Mountjoy

Delivery Information (Optional)

Special Instructions (Optional)

CancelCheckout

Quantity: 1

Price: \$200.00

Delivery Time: 0 Days

Add to Cart

Save as Draft

Order Now

Submitting...

servicenow

KnowledgeCatalogRequestsApprovalsSystem StatusCartToursSystem Administrator

Home>Request Summary - REQ0010010

Search Catalog

Submitted : 2026-07-30 23:21:37
Request Number : REQ0010010
Requested for : Alissa Mountjoy
Estimated Delivery : 2026-07-30

Item	Delivery Date	Stage	Price (each)	Quantity	Total
Network Request	2026-07-30		\$200.00	1	\$200.00
					Total: \$200.00

Network

India

2026-07-30

1

REQ0010010

Allie Pumphrey

New


requested

Milestone 4: Testing and Validation

Objective: Verify that the complete network request workflow functions correctly.

Activities

- Activity 1: Test the Catalog Item and Form Submission.
- Activity 2: Validate the Workflow Execution.
- Activity 3: Verify Data Accuracy and Resolve Issues.



The screenshot displays the ServiceNow interface for a Request Summary. The top navigation bar includes links for Knowledge, Catalog, Requests, Approvals (with a red notification icon), System Status, Cart, Tours, and a user profile for System Administrator. The main content area shows the breadcrumb 'Home > Request Summary - REQ0010010' and a search bar. A summary box contains the following information:

- Submitted : 2026-07-30 23:21:37
- Request Number : **REQ0010010**
- Requested for : Alissa Mountjoy
- Estimated Delivery : 2026-07-30

Below this is a table with the following columns: Item, Delivery Date, Stage, Price (each), Quantity, and Total.

Item	Delivery Date	Stage	Price (each)	Quantity	Total
Network Request	2026-07-30		\$200.00	1	\$200.00

The total for the request is displayed as 'Total: \$200.00' at the bottom right of the table area. The bottom of the page features a small icon on the left and a chat bubble icon on the right.

Activity 2: Validate the Workflow Execution

- Verified that the **Flow Designer** workflow was triggered after request submission.
- Checked the approval process and workflow execution.
- Confirmed that the configured flow logic executed correctly.

The screenshot shows the 'Approval Details' page for 'Approval Network Database'. It includes a search bar, 'Reject' and 'Approve' buttons, and a table with columns: Created (12m ago), Updated (12m ago), and State (requested). Below the table is an 'Activity Stream' section with a tab for 'Attachments'. The activity stream shows a message: 'Activity Stream for Network Database' and 'No readable comment field'. At the bottom, there is a table of email notifications.

Created	Recipients	Subject	Type	Notification type	User ID
2026-07-30 23:33:49	allie.pumphrey@example.com	Network Task Created Successfully	send-ready	SMTP	(empty)

Network	India	2026-07-30	1	REQ0010010	Allie Pumphrey	Work in Progress	approved
---------	-------	------------	---	------------	----------------	------------------	----------

Activity 3: Verify Data Accuracy and Resolve Issues

- Verified that request details were stored correctly in the u_network_database table.
- Checked email notifications and approval status updates.
- Identified and resolved issues encountered during testing

The screenshot shows the 'Email - Network Task Created Successfully' page. A 'Preview Email' modal is open, displaying the following content:

Dear Allie Pumphrey ,

Your network request has been approved successfully, and a Network Task has been created for further processing.

REQ0010010

Work Status : Open

Our network team has received your request and will begin processing it shortly. You will receive further notifications as the task progresses.

If you have any questions regarding this request, please contact the Network Support Team.

Thank you.

Regards,
Network Administration Team

Ref:MSG0000432_hMrWwj7Zah7N6Qd1vUD

The background shows the email notification table and a 'No records to display' message at the bottom.

Abraham Lincoln	Network	2026-07-30 23:21:42	REQ0010010	Completed
-----------------	---------	---------------------	------------	-----------

servicenow

AllFavoritesHistoryWorkspacesAdmin

Email - Network Task Status Updated

Application scope: Global
Update set: Default (Global)

Email
Network Task Status Updated

X-ServiceNo
X-ServiceNo
X-ServiceNo

UpdateDelete

Related Links
Preview Email
(SN.UHtsLVersions.0)

Email LogEmail Attachments

CreatedSearch

Email Log

Created

UpdateDelete

No records to display

Preview Email

X

Close

Dear Allie Pumpfrey,

This is to inform you that your Network Task has been updated successfully.

REQ0010010

Work Status : Completed

The current status of your network task has been updated. Please contact the Network Support Team if you require any additional information.

Thank you.

Regards,
Network Administration Team

Ref:MSG0000433_dtrb2qXyAmLxyNWP5Nvx

Conclusion

- Successfully developed an automated **Network Request Approval System** using the ServiceNow platform.
- Implemented the Service Catalog, variables, UI Policy, Client Script, and Flow Designer workflow.
- Automated the request approval process, email notifications, and record creation in the **u_network_database** table.
- Improved the efficiency of handling network requests by reducing manual effort and ensuring a standardized approval process.
- Validated the overall functionality through testing and documented the implementation for future enhancements.