
U.S. Fish & Wildlife Service






Mattamuskeet and $Swanguarter\ National$ Wildlife Refuges are located in Hyde County, North Carolina. They are two of over 548 National Wildlife Refuges administered by the $U.\overline{S}$. Fish and Wildlife Service, Department of the Interior. The National Wildlife Refuge System is an extensive network of lands and waters protected and managed especially for



Mattamuskeetand Swanguarter National Wildlife Refuges



This blue goose, designed by J. N. "Ding" Darling, has become a symbol of the National WildlifeRefugeSystem.



Swanguarter National Wildlife Refuge is 16,411 acres of saltmarsh islands and forested wetlands interspersed with potholes, creeks, and drains. Established in 1932, the refuge provides wintering habitat for puddle and diving ducks, and nesting habitat for colonial waterbirds. Approximately 8,800 acres are

included in the National Wilderness Preservation System.

This wildlife checklist is provided to acquaint refuge visitors with birds, mammals, reptiles and amphibians of both Mattamuskeet and Swanquarter Refuges. Observing

wildlife can be enjoyable. Field guides and binoculars are recommended to help identify wildlife that you observe. Visitors are encouraged to report any rare or unusual sightings to the refuge headquarters.





bald eagle



wood duck

Mammals

Most mammals are secretive and wary of humans. Many of them are active at night. So don't expect to see all the mammalian species on this list. Mattamuskeet and Swanguarter Refuges host 41 species of mammals. Tracks and scats may be the only traces of mammals that you will see during your visit. A field guide will be helpful to identify a mammal by the evidence it leaves behind.

<u>Marsupials</u> Opossum

Insectivores

Southeastern Shrew Short-tailed Shrew

Least Shrew

Eastern Mole Star-nosed Mole

Bats

Big Brown Bat Silver-haired Bat Eastern Pipistrelle Bat Brazilian Free-tailed Bat Red Bat Hoary Bat Evening Bat

Rabbits

Eastern Cottontail Marsh Rabbit

 $\underline{Rodents}$

Gray Squirrel
Southern Flying Squirrel
Beaver
Rice Rat
Eastern Harvest Mouse
Golden Mouse
White-footed Mouse

Hispid Cotton Rat Meadow Vole Muskrat Black Rat Norway Rat

> House Mouse Nutria

wnite-rooted Mouse Cotton Mouse

<u>Carnivores</u>

Red Fox Gray Fox Red Wolf Black Bear Raccoon Long-tailed Weasel Mink River Otter Bobcat

<u>Marine Mammals</u>

Atlantic Bottlenosed Dolphin Manatee

<u>Hoofed Mammals</u> White-tailed Deer

Amphibians

Toads, frogs, and salamanders belong to the class Amphibia, derived from the Greek "amphibious" meaning "living a double life." These clawless, moist-skinned animals pass through a larval stage as young, usually in an aquatic environment, before growing into adults. Mattamuskeet and Swanquarter Refuges provide habitat for 24 amphibian species.

<u>Salamanders</u>

Greater Siren
Eastern Newt
Dwarf Mudpuppy
Two-toed Amphiuma

Marbled Salamander Southern Dusky Salamander Slimy Salamander

Toads

Eastern Spadefoot Toad Oak Toad Southern Toad Fowler's Toad Eastern Narrowmouth Toad

\underline{Frogs}

Southern Cricket Frog Gray Treefrog Green Treefrog Spring Peeper Pine Woods Treefrog Squirrel Treefrog Little Grass Frog Brimley's Chorus Frog Bullfrog Green Frog Southern Leopard Frog Carpenter Frog

Reptiles

Reptiles have skin covered with scales or plates. Snakes and a few lizards are legless. Other reptiles have two pairs of limbs each with five clawed toes. Reptiles include turtles, snakes, lizards and the alligator. The diversity of habitats at Mattamuskeet and Swanquarter Refuges supports 44 reptilian species.

Alligator

American Alligator

Turtles

Snapping Turtle
Eastern Mud Turtle
River Cooter
Florida Cooter
Painted Turtle

Redbelly Turtle Yellowbelly Slider Spotted Turtle Diamondback Terrapin Eastern Box Turtle

$\underline{\underline{Lizards}}$

Carolina Anole Five-lined Skink Southeastern Five-lined Skink Broadhead Skink Ground Skink Eastern Glass Lizard

<u>Snakes</u>

Worm Snake
Black Racer
Ringneck Snake
Corn Snake
Greenish Rat Snake
Mud Snake
Rainbow Snake
Eastern Hognose Snake
Eastern Kingsnake

Brown Water Snake Rough Green Snake Glossy Crayfish Snake Brown Snake Redbelly Snake Carolina Watersnake Eastern Ribbon Snake Eastern Garter Snake Rough Earth Snake Scarlet Kingsnake Redbelly Water Snake Banded Water Snake Northern Water Snake Carolina Swamp Snake Copperhead Cottonmouth Canebrake Rattlesnake Pygmy Rattlesnake

Birds

Mattamuskeet and Swanquarter Refuges are wintering grounds for large numbers of ducks, geese and swans. Ospreys nest in low cypress trees near the edge of Lake Mattamuskeet and are seen at both refuges. The marshes and woodlands provide a variety of habitat for over 200 avian species. To maximize your avian encounters, learn bird field marks and songs, explore a variety of habitats and visit the refuge often. The seasonal occurrence and abundance of these species are coded as follows:

Seasonal appearance

Sp - Spring March - May S - Summer June - August

F - Fall September - November W - Winter December - February

Seasonal abundance

- a abundant (a species which is numerous)
- c common (certain to be seen or heard in suitable habitat)
- u uncommon (present but not certain to be seen)
- o occasional (seen only a few times during a season)
- r rare (seen at intervals of 2 to 5 years)
- * nests on the refuge

SP	S	F	W
Swans, Geese & Ducks			
Fulvous Whistling-Duck		r	r
Greater White-fronted Goose		r	r
Snow Goose		c	c
Ross's Goose		0	0
Brant		r	r
Cackling Goose		0	0
Canada Goose*c	c	c	c
— Mute Swanr	r		r
Tundra Swano	r	a	a
	u	c	c
Gadwallu	0	c	c
Eurasian Wigeon		0	0
American Wigeonu		c	c

SP	S	F	W
American Black Duck*u	0	c	c
Mallard*u	u	c	c
Blue-winged Tealu		c	u
Northern Shovelero		c	c
Northern Pintail		c	c
Green-winged Teal		c	a
Canvasback		u	u
Redhead		u	u
Ring-necked Duck		c	c
Greater Scaup		u	u
Lesser Scaup		u	u
—Harlequin Duck			r
Surf Scoter		u	u
White-winged Scoter		0	0
Black Scoter		u	u
Long-tailed Duck		u	u
Bufflehead		c	c
Common Goldeneye		u	u
Hooded Merganser		u	u
Common Merganser		r	u
Red-breasted Merganser		u	u
Ruddy Duck		c	c
Turkey & New World Quail			
Wild Turkey	0	0	0
Wild Turkeyo Northern Bobwhite*u	u	u	u
TOT INCT II DODWING	и	и	и
Loons			
Red-throated Loon		u	c
Common Loon		u	c
			
Grebes			
Pied-billed Grebe*u	u	c	c
—Horned Grebeu			u
Eared Grebe		\mathbf{r}	r
Gannets			
Northern Gannet		r	u
Bolioono Cormoronto & Anhingo			
Pelicans, Cormorants & Anhinga American White Pelican		11	11
Brown Pelicanu	u	u u	u
Double-crested Cormorantc	u U	c	u c
Great Cormorant	и	r	r
Anhingao	0	0	0
	Ü	O	U
Bitterns & Herons			
American Bittern*u	u	u	u
Least Bittern*u	u	0	r
Great Blue Heron*c	c	c	c
Great Egretc	c	c	c
—Cnoxxxx Fornot			
Snowy Egretc	c	u	u

SP	S	F	W
Tricolored Heronu	u	u	u
Reddish Egret		r	r
Cattle Egreto	u	u	r
Green Heron*c	c	u	r
Black-crowned Night-Heron*u	u	u	u
Yellow-crowned Night-Herono	0	r	
Ibises			
White Ibiso	0	u	0
Glossy Ibisu	u	u	0
Vultures			
Black Vulture*u	u	u	u
Turkey Vulture*c	c	\mathbf{c}	c
Hawks & Eagles			
Osprey*c	c	u	0
Bald Eagleo	0	u	u
Northern Harrieru		c	c
Sharp-shinned Hawk*o	r	u	u
Cooper's Hawku	u	u	u
Red-shouldered Hawku	u	u	u
Broad-winged Hawk		0	
Red-tailed Hawk*u	u	c	c
Rough-legged Hawk			r
Golden Eagle		r	r
Falcons			
American Kestrel		c	c
Merlin		u	u
Peregrine Falcon		u	u
Rails, Gallinues & Coots			
Yellow Rail		r	r
Black Railu	u		r
Clapper Rail*u	u	u	u
King Rail*u	u	u	u
Virginia Railu		u	u
Sorau		u	
Common Moorhenu	u	0	0
American Cootc	0	a	c
Cranes			
Sandhill Crane	r		r
n.			
Plovers Plack bellied Players			
Black-bellied Ploveru	u	u	u
American Golden-Ploverr Wilson's Ploveru		0	
Semipalmated Ploveru	11	u u	0
Killdeer*o	u o	0	o u
	0	U	u

SP	S	F	W
Oystercatchers	~	-	
American Oystercatcher	0		
	Ŭ		
Avocets & Stilts			
Black-necked Stilto	0	70	
	0	r	
American Avocet	r	r	r
Sandpipers			
Spotted Sandpiperu	u	u	
Solitary Sandpiperu		u	
Greater Yellowlegso	O	u	u
Willet*u	u	0	0
Lesser Yellowlegsu	O	u	0
Upland Sandpiperr		r	
Whimbrelo		0	
Hudsonian Godwit		r	
Marbled Godwito	0	0	
Ruddy Turnstoneo	Ü	$^{ m c}$	
Red Knoto			
		0	
Sanderlingo		0	
Semipalmated Sandpiperu	u	u	
Western Sandpiperu	u	u	u
Least Sandpiperu		u	u
Baird's Sandpiper		\mathbf{r}	
Pectoral Sandpipero	u	u	
Dunlino	u	u	0
Ruff		\mathbf{r}	r
Short-billed Dowitcher		u	u
Long-billed Dowitchero		u	u
Wilson's Snipeu	u	u	u
American Woodcocko	0	u	c
Red-necked Phalarope	Ü	r	C
itea neckea i naiarope		1	
Gulls, Terns, & Skimmers			
			0
Laughing Gullc	С	c	0
Black-headed Gull		r	r
Bonaparte's Gull		u	u
Ring-billed Gullc	c	c	c
Herring Gullc	c	c	c
Great Black-backed Gullo		\mathbf{c}	c
Least Tern	u		
Gull-billed Tern	O		
Caspian Terno	О	0	
Black Tern		0	
Common Tern*u	u	u	
Forster's Tern*u	u	u	u
Royal Terno	0	0	r
Sandwich Tern	r	Ü	
Black Skimmero	0	r	r
	J	1	1

SP	S	F	W
DovesMourning Dove*c	c	c	c
Cuckoos			
Yellow-billed Cuckoo*u Black-billed Cuckoor	u r	$\overset{ ext{o}}{\mathbf{r}}$	
0wls			
Barn Owlo	0	0	0
Eastern Screech-Owl*u	u	u	u
Great Horned Owl*u	u	u	u
Barred Owl*u Northern Saw-whet Owlu	u	u r	u r
Nightjars			
Common Nighthawku	u	u	
Chuck-will's-widow*u	u	u	
Whip-poor-will	u	u	
Swifts Chimney Swiftu	u	0	
HummingbirdsRuby-throated Hummingbird*u	u	0	r
Kingfishers			
Belted Kingfisherc	c	c	c
Woodpeckers			
Red-headed Woodpecker*o	0	0	0
Red-bellied Woodpecker*c	c	c	c
Yellow-bellied Sapsuckeru		u	u
Downy Woodpecker*u	u u	u	u
Hairy Woodpecker*u Northern Flicker*c	c	u c	u c
Pileated Woodpecker*u	u	u	u
Flycatchers			
Eastern Wood-Pewee*u	u	u	
Acadian Flycatcheru	u		
Eastern Phoebeo	u	u	c
Ash-throated Flycatcher		r	r
Great Crested Flycatcher*u	u	0	
Tropical Kingbird			r
Western Kingbirdu	u	r o	
Shrikes			
Loggerhead Shrike			r
Vireos			
White-eyed Vireo*u	u	u	r
Bell's Vireo			r

SP	S	F	W
Yellow-throated Vireoo	0	0	
Blue-headed Vireoo		0	0
Red-eyed Vireo*u	u	u	
Jays & Crows			
Blue Jay*u	u	u	u
American Crow*c	c	c	c
Fish Crow*c	c	c	c
Lauka			
Larks Horned Lark			
norned Lark			r
Swallows			
Purple Martinu	u		
Tree Swallowo	u	a	a
Northern Rough-winged Swallowu	и	а	а
Cave Swallow			r
Barn Swallow*c	c	0	r
Barn Swanow	C	U	1
Titmice, Nuthatches & Creepers			
Carolina Chickadee*c	c	c	c
Tufted Titmouse*c	c	c	c
Red-breasted Nuthatch		r	r
White-breasted Nuthatch*o	0	0	0
Brown-headed Nuthatch*u	u	u	u
Brown Creeper		0	0
		Ü	Ŭ
Wrens			
Carolina Wren*c	c	c	c
House Wren*u	u	u	u
Winter Wren		u	u
Sedge Wren		u	u
Marsh Wren*u	u	u	u
Kinglets & Gnatcatchers			
Golden-crowned Kinglet			u
Ruby-crowned Kingletu		u	c
Blue-gray Gnatcatcher*o	0	0	0
Thurshaa			
Thrushes Eastern Bluebird*u			0
Swainson's Thrusho	u		0
Hermit Thrushu		0	
Wood Thrush*u		u	u
American Robin*c	u	u	
American Room	c	u	u
Mockingbirds & Thrashers			
Gray Catbird*u	u	u	u
Northern Mockingbird*c	c	c	c
Brown Thrasher* u	u	u	u
	, a		u

SP	S	F	W
Starling European Starling*c	c	c	c
Pipits			
American Pipit		u	u
Waxwings			
Cedar Waxwingu		u	u
Wood Warblers			
Orange-crowned Warbler		u	u
Nashville Warbler		0	r
Northern Parulau	О	u	r
Yellow Warbler*o	О	r	r
Chestnut-sided Warblerr		u	r
Magnolia Warblerr			
Cape May Warblerr		r	
Black-throated Blue Warblero	0	0	
Yellow-rumped Warblerc		c	c
Black-throated Green Warblero	O		
Blackburnian Warblerr			
Yellow-throated Warbler*u	u	0	r
Pine Warbler*u	u	u	u
Prairie Warbler*u	u	0	0
Palm Warbleru		u	u
Blackpoll Warblero			
Black-and-white Warblero	u	u	0
American Redstartu	u	u	
Prothonotary Warbler*u	u		
Worm-eating Warblero	0		
Swainson's Warblerr	r		
Ovenbirdu	u	u	
Northern Waterthrusho		0	r
MacGillivray's Warbler			r
Common Yellowthroat*c	c	c	c
Hooded Warbler*u	u		
Canada Warblerr		u	r
Yellow-breasted Chato		0	r
Sparrows & Allies			
Eastern Towhee*c	c	c	c
American Tree Sparrow			r
Chipping Sparrowo	О	u	u
Field Sparrowu	u	u	u
Vesper Sparrow			0
Lark Sparrow		r	
Savannah Sparrowu		u	c
Grasshopper Sparrow			r
Henslow's Sparrow		r	_
Saltmarsh Sparrow		0	0
Seaside Sparrow*u	u	u	u
Fox Sparrowu		u	u
Song Sparrowu		u	c
~ ~ P ~ ~ P ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		- 4	_

Swamp Sparrow u White-throated Sparrow u White-crowned Sparrow u Dark-eyed Junco u Snow Bunting u	S	F u u o u	W c c o u r
TanagersSummer TanageruScarlet Tanagerr	u		
Cardinals & Allies Northern Cardinal* cBlue Grosbeak* uIndigo Bunting* uPainted Bunting.	c u u	c u u r	c r
Blackbirds Bobolink	a c c u u	o a c r	a c r o r a u c
Baltimore Oriole	u	0 0 u	r u u r u
Old World Sparrows House Sparrow*u	u	u	u



photo: F. Eugene Hester

Sighting Notes

 $\overline{king\ rail}$

Date	
Time	
No. of species	
Observers	
itemarks	
ohoto: Larry Ditto	
Robert	
Γa	
ioto:	
northern pintail	
The state of the s	
5	
leste	
me H	
photo: F. Eugene Hester	
F. E	
oto:	
dd	



Mattamuskeet National Wildlife Refuge 38 Mattamuskeet Road Swan Quarter, North Carolina 27885 252/926 4021 http://fws.gov/mattamuskeet

U.S. Fish & Wildlife Service 1 800/344 WILD

December 2010



