Bayou Sauvage National Wildlife Refuge

Bird list

This blue goose, designed by J.N. "Ding" Darling, has become a symbol of the National Wildlife Refuge System.

Bayou Sauvage National Wildlife Refuge consists of approximately 25,000 acres and is located entirely within the city limits of New Orleans, making it the nation's largest urban refuge. The refuge contains a variety of wildlife habitat, including bottomland hardwoods, freshwater and brackish marshes, lagoons, canals, borrow pits, and natural bayous, meeting the needs of 340 bird species during various seasons of the year.

For many birds, Bayou Sauvage is the last stop over on their journey along the Mississippi Flyway before continuing on over the Gulf of Mexico. During fall, winter, and summer months, migratory waterfowl populations can exceed 75,000. Hurricane Katrina severely impacted habitat for neotropical migrants, however, with the restoration of the forested ridge, ideally, these birds will once again make Bayou Sauvage part of their annual journey.

Wading birds are present year round and mottled ducks and wood ducks are common summer nesters. The American bald eagle and peregrine falcon can also be found here. The following list contains 255 species, representing observations on and adjacent to Bayou Sauvage National Wildlife Refuge. Sightings of unlisted species should be reported to: Refuge Manager, BS NWR, 61389 Highway 434, Lacombe, Louisiana 70445.

This list conforms to the nomenclature and arrangement established by the American Ornithologists' Union (1998).

Symbols used in this brochure represent the following:

Sp Spring (March-May)

F Fall (September-November)

S Summer (June-August)

W Winter (December-February)

- c Common (certain to be seen in suitable habitat)
- u Uncommon (present but not certain to be seen)
- o Occasional (seen only a few times during a season)
- r Rare (seen at intervals of 2 to 5 years)

Five primary habitats common to the refuge are identified as follows:

F Field O Open Water f Forest M Marsh

A Aerial Flyover

New Species ^ Species of Special Concern *

Bayou Sauvage National Wildlife Refuge 61389 Hwy 434 Lacombe, LA 70445 985/882 2000

U.S. Fish & Wildlife Service 1 800/344 WILD

September 2013





	Sp	Su	F	W	Habitat		Sp	Su	F	W	Habitat
Ducks, Geese, Swans (Anatidae)American Wigeon	U	U	\mathbf{C}		M	New World Vultures (Cathartidae)Turkey Vulture	$_{\mathrm{C}}^{\mathrm{C}}$	$_{\mathrm{C}}^{\mathrm{C}}$	$_{\mathrm{C}}^{\mathrm{C}}$	C C	A
Black-bellied Whistling-Duck ^	\mathbf{C}	\mathbf{C}	0	0	M	Black Vulture	C	C	C	C	A
Blue-winged Teal	\mathbf{C}	R	\mathbf{C}	\mathbf{C}	M	Hawks, Kites, Eagles, and					
Bufflehead	U	D	0	С	M	Allies (Accipitridae) Bald Eagle*	С	C	\mathbf{C}	\mathbf{C}	A
Canada Goose Canvasback	R R	R R	$_{ m C}^{ m R}$	R	М М,О	Broad-winged Hawk	Ü	U	U	C	A
Common Goldeneye	10	10	O	O	M,O	Cooper's Hawk*	Ŭ	U	Ŭ	U	A
Gadwall	U		U	\mathbf{C}	M	Mississippi Kite	C	\mathbf{C}	U		A
Greater Scaup				\mathbf{R}	M,O	Northern Harrier	С	T.T.	С	С	A
Greater White-fronted Goose	0		0	0	M M	Osprey* Red-shouldered Hawk	$_{ m C}^{ m U}$	U C	$_{ m C}^{ m U}$	U C	A A
Green-winged Teal Hooded Merganser*	0	R	\mathbf{U}	$^{\mathrm{C}}_{\mathrm{C}}$	M	Red-tailed Hawk	$\overset{\circ}{\mathrm{C}}$	C	Č	C	A
Lesser Scaup	Ŭ		Ŭ	$\tilde{\mathrm{C}}$	M,O	Sharp-shinned Hawk	U		U	Ū	A
Mallard	U		U	\mathbf{C}	M	Swallow-tailed Kite*	U	U			A
Mottled Duck	С	\mathbf{C}	С	C	M	Falcons (Falconidae)					
Northern Pintail Northern Shoveler	U O		$_{\mathrm{O}}^{\mathrm{U}}$	$_{\mathrm{C}}^{\mathrm{C}}$	M M	American Kestrel*	\mathbf{C}		\mathbf{C}	\mathbf{C}	A
Red-breasted Merganser	Ö		ŏ	Č	M,O	Merlin	U		U	U	A
Redhead				\mathbf{C}	M,O	Peregrine Falcon*			R	R	A
Ring-necked Duck	R		R	$\stackrel{\text{C}}{\sim}$	M,O	Rails, Gallinules, and Coots (Rallidae))				
Ruddy Duck Snow Goose	R U		R U	C	M,O M	Clapper Rail ^	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	M
Wood Duck	Ö	O	0	0	M	King Rail	$\overset{ ext{C}}{\sim}$	$\stackrel{ ext{C}}{\sim}$	$\stackrel{\mathbf{C}}{\sim}$	$\overset{\mathbf{C}}{\widetilde{\sim}}$	M
	Ü		Ü	Ü	111	Virginia Rail Sora	$_{ m C}^{ m C}$	\mathbf{C}	$^{ m C}_{ m C}$	$_{\mathrm{C}}^{\mathrm{C}}$	M M
Loons (Gaviidae)	0		0	C	МО	Black Rail*	C		C	C	M
Common Loon	0		O	\mathbf{C}	M,O	Yellow Rail*				$\check{\mathrm{C}}$	M
Grebes (Podicipedae)						—Purple Gallinule ^	R	R			M
Eared Grebe	\mathbf{R}	\mathbf{R}	$\stackrel{\text{C}}{\sim}$	~	M,O	American Coot	0	0	$^{ m C}_{ m C}$	C	M
Pied-billed Grebe Horned Grebe	C O	R	$_{ m R}^{ m C}$	$^{\mathrm{C}}_{\mathrm{C}}$	M,O M,O	Common Moorhen	С	С	C	С	M
norned Grebe	U		11	C	W1,O	Plovers (Charadriidae)					
Pelicans (Pelicanidae)	~	~	~		3.5.0	Black-bellied Plover	0		O	R	M
American White Pelican Brown Pelican*	C C	$^{ m C}_{ m C}$	$^{ m C}_{ m C}$	\mathbf{C}	M,O O	Wilson's Plover ^ * Semipalmated Plover	R O		0	M R	M
	C	C	C	C	U	Killdeer	$\ddot{\mathrm{C}}$	\mathbf{C}	$\ddot{\mathrm{C}}$	C	F
Cormorants (Phalacrocoracidae)	~	~	~	~	0						
Double-crested Cormorant	С	\mathbf{C}	С	С	0	Stilts (Recurvirostridae) Black-necked Stilt	\mathbf{C}	\mathbf{C}	С	U	M
Darters (Anhinga)						Black-necked Stilt	C	C	C	U	171
Anhinga	\mathbf{C}	\mathbf{C}	\mathbf{C}	С	0	Sandpipers, Phalaropes, and					
Frigatebirds (Fregatidae) Magnificent Frigatebird	0	O	0	O	A	Allies (Scolopacidae) American Woodcock*	0		0	O	M,F
		O	O	O	11	Dunlin	U		U	U	M
Bitterns, Herons, and Allies (Ardeidae		ъ	ъ		3.5	Greater Yellowlegs	$\ddot{\mathrm{C}}$		Ŭ	Ŭ	M
American Bittern* Black-crowned Night-Heron	R O	R U	$_{ m R}$	R	M M	Least Sandpiper	U		U	U	M
Cattle Egret	Ü	Ü	U	U	M	Lesser Yellowlegs Long-billed Dowitcher	$_{\mathrm{O}}^{\mathrm{U}}$		\mathbf{U}	U R	M M
Great Blue Heron	$\tilde{\mathrm{C}}$	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{M}	Pectoral Sandpiper	0		Ö	п	M
Great Egret	\mathbf{C}	$\stackrel{\mathbf{C}}{\sim}$	\mathbf{C}	\mathbf{C}	M	Red Knot ^*	$\ddot{ m R}$		$\ddot{ m R}$		M
Green Heron Least Bittern*	R O	C U	R O	R	M M	Ruddy Turnstone ^	\mathbf{R}		R	\mathbf{R}	M
Little Blue Heron	U	$^{\rm C}$	U	U	M	Sanderling	R		0	0	M
Reddish Egret*	$\ddot{\mathrm{R}}$	\mathbf{R}	$\ddot{\mathrm{R}}$	${ m R}$	\mathbf{M}	Semipalmated Sandpiper* Short-billed Dowitcher	0		0	R	M M
Snowy Egret	C	C	C	\mathbf{C}	M	Solitary Sandpiper*	ŏ		ŏ	10	M
Tricolored Heron	U O	$_{\mathrm{C}}^{\mathrm{C}}$	$_{ m O}^{ m U}$	U	M M	Spotted Sandpiper	U		U	U	M
Yellow-crowned Night-Heron	U	C	U		1/1	Stilt Sandpiper ^	R U		R U	ΤT	M M
Ibises and Spoonbills						Western Sandpiper Willet	$\overset{\cup}{\mathrm{R}}$		$^{\rm C}$	U C	M
(Threskiornithidae) White Ibis	С	С	\mathbf{C}	\mathbf{C}	M	Wilson's Snipe ^	Ü		Ŭ	$\tilde{\mathrm{C}}$	M,F
Glossy Ibis*	U	U	C U	C	M	Culle Torne and Chimmers // smids sh					
White-faced Ibis	Ü	U	U	U	M	Gulls, Terns, and Skimmers (Laridae) Bonaparte's Gull	0		0	О	A
Roseate Spoonbill*		O	O	U	M	Laughing Gull	$\ddot{\mathrm{C}}$	\mathbf{C}	$\overset{\circ}{\mathrm{C}}$	\mathbf{C}	A,M
						Ring-billed Gull	U	\mathbf{R}	U	\mathbf{C}	Á,F
						Herring Gull Least Tern*	0	R C	\mathbf{U}	U	A A
						Least Telli	U	C	U		А

	Sp	Su	F	W	Habitat		Sp	Su	F	W	Habitat
Gull-billed Tern*	\mathbf{R}	\mathbf{R}	R	R	A,M	Jays and Crows (Corvidae)					
Caspian Tern* Black Tern	U O	U	U U	U U	$_{\mathrm{A,M}}^{\mathrm{A}}$	Blue Jay American Crow	$_{ m C}^{ m C}$	$_{ m C}^{ m C}$	$_{\mathrm{C}}^{\mathrm{C}}$	$_{\mathrm{C}}^{\mathrm{C}}$	$\mathbf{f} \\ \mathbf{f}$
Common Tern	R		$^{\mathrm{O}}$	$^{ m C}$	A,M A	Fish Crow	C	C	C	C	f,M
Forster's Tern	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	M,A						-,
Royal Tern Sandwich Tern ^	$_{ m R}^{ m U}$	$_{ m R}^{ m C}$	$_{ m R}^{ m C}$	$_{ m R}^{ m C}$	A M,A	Larks (Alaudidae) Horned Lark				R	F
Black Skimmer*	R R	к R	к R	к R	M,A M,A					10	1
					,	Swallows (Hirundinidae) Northern Rough-winged					
Pigeons and Doves (Columbidae) Rock Pigeon	O	0	0	0	F	Swallow	U	U	U		\mathbf{f}
Eurasian Collared-Dove	Ŭ	$\ddot{\mathrm{C}}$	Ŭ	Ü	F	Purple Martin	\mathbf{C}	C	U		f,A
White-winged Dove ^	~	~	O	O	\mathbf{F}	Tree Swallow	$_{ m U}^{ m C}$		С	C	A A
Mourning Dove Common Ground-Dove*	$_{ m R}^{ m C}$	$_{ m R}^{ m C}$	$_{ m R}^{ m C}$	$_{ m R}^{ m C}$	F F	Bank Swallow Barn Swallow	C	\mathbf{C}	U C		A A
	11	11	11	11	r	Cliff Swallow	ŏ	C	ŏ		A
Cuckoos (Cuculidae)	TT	TT	TT		c	Chickadees and Titmice (Paridae)					
Yellow-billed Cuckoo Black-billed Cuckoo	U R	U R	$_{ m R}^{ m U}$		$_{\rm f}^{\rm f}$	Carolina Chickadee	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{f}
					-	Tufted Titmouse	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{f}
Typical Owls (Strigidae) Eastern Screech-Owl	U	U	U	U	\mathbf{f}	Nuthatches (Sittidae)					
Great Horned Owl	$\overset{\mathrm{C}}{\mathrm{C}}$	$\overset{ ext{C}}{ ext{C}}$	C	$\overset{\circ}{\mathrm{C}}$	\mathbf{f}	Red-breasted Nuthatch		\mathbf{R}	\mathbf{R}		$\mathbf{f} \\ \mathbf{f}$
Barred Owl	$\ddot{\mathrm{C}}$	$\ddot{\mathrm{C}}$	$\check{\mathbf{C}}$	$\check{\mathrm{C}}$	\mathbf{f}	Brown-headed Nuthatch*	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{f}
Barn Owls (Tytonidae)						Wrens (Troglodytidae)					
Barn Owl	U	U	U	U	\mathbf{F}	House Wren	U		U	\mathbf{C}	\mathbf{f}
	Ü	Ü	Ü	Ü	-	Winter Wren	0		0	R	f
Goatsuckers (Caprimulgidae)	C	C	\mathbf{C}		e IZ	Sedge Wren* Marsh Wren	U C		U C	$_{\mathrm{C}}^{\mathrm{U}}$	M M
Common Nighthawk Chuck-will's-widow*	C U	C U	C U		f,F f	Carolina Wren	Č	\mathbf{C}	$\ddot{\mathrm{C}}$	$\ddot{\mathrm{C}}$	f
					_	 Kinglets (Regulidae)					
Swifts (Apodidae) Chimney Swift	\mathbf{C}	\mathbf{C}	С		A	Ruby-crowned Kinglet	\mathbf{C}		\mathbf{C}	С	\mathbf{f}
	O	O	C		11	•				_	
Hummingbirds (Trochilidae)	С	C	С		${f f}$	Gnatchatchers (Sylviidae) Blue-gray Gnatcatcher	\mathbf{C}	\mathbf{C}	С	\mathbf{C}	\mathbf{f}
Ruby-throated Hummingbird Rufous Hummingbird	C	C	C	R	\mathbf{f}		O	O	O	0	1
					_	Thrushes (Turdidae)	U	TT	\mathbf{C}		£ E
Kingfishers (Alcedinidae) Belted Kingfisher	\mathbf{C}	\mathbf{C}	\mathbf{C}	С	M	American Robin Eastern Bluebird	Č	C	Č	С	f,F f,F
Beited Kinglisher	C	C	C	C	141	Gray-cheeked Thrush	\mathbf{U}	Ü	U		\mathbf{f}
Woodpeckers and Allies (Picidae)			т.т		c	Hermit Thrush	U		U	U	\mathbf{f}
Red-Headed Woodpecker Red-Bellied Woodpecker	U U	U U	U U	U U	$\mathbf{f} \\ \mathbf{f}$	Swainson's Thrush Veery	U O		U O		$_{\mathbf{f}}^{\mathbf{f}}$
Northern Flicker	Ü	Ü	Ü	Ü	\mathbf{f}	Wood Thrush*	Č	\mathbf{C}	Č		$_{\rm f}^{\rm f}$
Yellow-Bellied Sapsucker	U	U	U	U	\mathbf{f}						
Hairy Woodpecker	U	U	U	U	\mathbf{f}	Mockingbirds and Thrashers (Mimidae)					
Downy Woodpecker Pileated Woodpecker	U U	U U	U U	U U	$_{\rm f}^{\rm f}$	Brown Thrasher	\mathbf{C}	\mathbf{C}	\mathbf{C}	C	\mathbf{f}
	C	O	O	O	•	Gray Catbird	U		\mathbf{C}	\mathbf{C}	$\mathbf{f} \\ \mathbf{f}$
Tyrant Flycatchers (Tyrannidae)	U	U	U		${f f}$	Northern Mockingbird	C	\mathbf{C}	C	\mathbf{C}	\mathbf{f}
Acadian Flycatcher Alder Flycatcher	U	U	0		$\stackrel{\scriptstyle 1}{ m M}$	Starlings (Sturnidae)					
Eastern Kingbird	\mathbf{C}	\mathbf{C}			f	European Starling	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{F}
Eastern Phoebe	$_{\mathrm{C}}^{\mathrm{C}}$	~	C C C	\mathbf{C}	f	Pipits (Motacillidae)					
Eastern Wood-Pewee Great Crested Flycatcher	C	$_{\mathrm{C}}^{\mathrm{C}}$	U		$\mathbf{f} \\ \mathbf{f}$	American Pipit	0		O	U	\mathbf{F}
Least Flycatcher	O	O	Ö		\mathbf{f}	Waxwings (Bombycillidae)					
Olive-sided Flycatcher*			\mathbf{R}		${f f}$	Cedar Waxwing	\mathbf{C}		U	C	\mathbf{f}
Yellow-bellied Flycatcher			R		\mathbf{f}		0			J	1
Shrikes (Laniidae)						Wood-Warblers American Redstart*	U	U	U		\mathbf{f}
Loggerhead Shrike*	O	O	O	0	F	Bay-breasted Warbler	Ö	U	0		f
Vireos (Vireonidae) White-eyed Vireo	С	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{f}	Black-and-white Warbler	O		O		$\begin{array}{c} \mathbf{f} \\ \mathbf{f} \\ \mathbf{f} \end{array}$
Yellow-throated Vireo	C	$_{ m C}^{ m C}$	\mathbf{C}	O	\mathbf{f}	Blackburnian Warbler	0		0		$egin{array}{c} \mathbf{f} \\ \mathbf{f} \end{array}$
Blue-headed Vireo	U		U	\mathbf{C}	${f f}$	Black-throated Blue Warbler Black-throated	R		R		I
Philadelphia Vireo	R C	\mathbf{C}	$_{ m C}^{ m U}$		$\mathbf{f}\\ \mathbf{f}$	Green Warbler	U		U		\mathbf{f}
Red-eyed Vireo	U	\cup	U		I						

	Sp	Su	F	W	Habitat		Sp	Su	F	W	Habitat
Blue-winged Warbler*	U		U		\mathbf{f}	Common Grackle	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{f}
Canada Warbler ^*	${ m R}$		O		\mathbf{f}	Boat-tailed Grackle	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{M}
Cerulean Warbler*	R		R		f	Bronzed Cowbird ^	~	U	~	~	M,f,F
Chestnut-sided Warbler	R	C	R	a	f	Brown-headed Cowbird	С	С	C	С	F,f,M
Common Yellowthroat Golden-winged Warbler*	$_{ m R}^{ m C}$	\mathbf{C}	$_{ m R}^{ m C}$	С	M M	Orchard Oriole* Baltimore Oriole	U	U U	U	U	$\mathbf{f} \\ \mathbf{f}$
Hooded Warbler	U	U	U		M	Bartimore Or lole		U		U	1
Kentucky Warbler*	Ü	Ü	Ü		f	Frigilline and Cardueline					
Louisiana Waterthrush*	Ř		$\ddot{\mathrm{R}}$		$\overline{\mathbf{M}}$	Finches and Allies (Fringillidae)					
Magnolia Warbler	U		U		\mathbf{f}	House Finch	U	U	U	U	f,F
Nashville Warbler	Ü	~	U		M	Pine Siskin	TT		TT	R	$_{\mathbf{r}}^{\mathbf{f}}$
Northern Parula	\mathbf{C}	\mathbf{C}	С		\mathbf{f}	American Goldfinch Purple Finch	U		U O	C 0	$_{ m f}^{ m f}$
Northern Waterthrush Orange-crowned Warbler	$_{ m U}^{ m O}$		U U	\mathbf{C}	S	T ut pie T inch	U		U	U	1
Ovenbird	Ü		Ü	C	s s	Old World Sparrows (Passeridae)					
Palm Warbler	Ü		$\overset{\circ}{\mathrm{C}}$	\mathbf{C}	F,f	House Sparrow	U	U	U	U	f,F
Pine Warbler	Č	\mathbf{C}	$\tilde{\mathrm{C}}$	Č	${f f}$	Panarting Vaur Cightings On a Pird					
Prairie Warbler*	${ m R}$		\mathbf{R}		\mathbf{M}	Reporting Your Sightings On eBird This online checklist program pro	ovidos	hirdo	re and	HS	Figh
Prothonotary Warbler*	C	\mathbf{C}	U		M	and Wildlife staff with updated by					
Swainson's Warbler*	0	U	0		M	maximizes the utility and accessi					
Tennessee Warbler Wilson's Warbler	U		U	D	f M	made each year by both recreation					
Worm-eating Warbler*	0	\mathbf{R}	0	R	f,M	watchers. The program is one of					
Yellow Warbler	U	0	U	U	M	biodiversity data resources in exi					
Yellow-breasted Chat	U	$\ddot{\mathrm{C}}$	U	Ü	M	serve as a vital foundation for bet					
Yellow-rumped Warbler	C		$\dot{\mathbf{C}}$	\mathbf{C}	f, M	distribution. The program resour are used by a global community of					
Yellow-throated Warbler	O	O	O	\mathbf{R}	f,M	ornithologists, and conservation			ianu .	IIIaIIa	igers,
Tanagara (Thraunidae)						or intriologists, and conservation	olologi	.505.			
Tanagers (Thraupidae) Summer Tanager	U	U	U		\mathbf{f}	Responsible birders should abide b					
Scarlet Tanager	$^{ m R}$	O	$^{ m C}_{ m R}$		1	Association's Code of Birding Ethic	s. More	e infor	matior	ı can	be found
					-	at http://www.aba.org1. Promote the welfare of birds	and th		*****	mont	
Emberizids (Emberizidae)						1. Promote the wenare of birds	and u	ieir en	viron	ment	•
Bachman's Sparrow*	U	U	U	U	$_{c}^{\mathrm{f}}$	2. Respect the law, and the righ	ts of o	thers.			
Chipping Sparrow	U		U U	$^{ m C}_{ m C}$	$\operatorname*{F}$						
Dark-eyed Junco Eastern Towhee	U C	\mathbf{C}	$\stackrel{ m C}{ m C}$	C	$^{\mathbf{r}}$	3. Ensure that feeders, nest str	ucture	s, and	other	· arti	ficial bird
Field Sparrow	ŏ	O	ŏ	Ŭ	$\dot{\mathrm{F}}$	environments are safe.					
Fox Sparrow	_			R	\mathbf{f}	4. Group birding, whether orga	nized o	or imp	rompt	tu,	
Grasshopeer Sparrow*	O		O	U	\mathbf{F}	requires special care.		1	1	,	
Henslow's Sparrow*	0		0	0	\mathbf{F}						
Lark Sparrow ^*	0		0	U	F F						
Le Conte's Sparrow* Lincoln's Sparrow	O U		O C	$_{ m C}^{ m U}$	r M						
Nelson's Sharp-tailed	O		C	O	1/1						
Sparrow*	O		0	U	M						
Savannah Sparrow	\mathbf{C}		\mathbf{C}	\mathbf{C}	F, M						
Seaside Sparrow*	U	U	U	U	M						
Song Sparrow	U		U	C	M						
Swamp Sparrow	C O		C O	C U	M F						
Vesper Sparrow White-crowned Sparrow	0		Ö	U	$^{\mathbf{r}}$						
White-throated Sparrow	Ü		Ü	$\ddot{\mathrm{C}}$	f						
Cardinals, Saltators, and Allies (Cardinalidae)											
Northern Cardinal	\mathbf{C}	\mathbf{C}	\mathbf{C}	С	\mathbf{f}						
Rose-breasted Grosbeak	Ü	O	U	O	\mathbf{f}						
Blue Grosbeak	Ŭ		Ŭ		$\dot{ ext{f}}$						
Indigo Bunting	U	\mathbf{C}	U		${f f}$						
Painted Bunting*	O	U	O		\mathbf{f}						
Dickcissel*	R	R	R		F						
Blackbirds (Icteridae)											
Red-winged Blackbird	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	M						
Eastern Meadowlark	\mathbf{C}	$\dot{\mathbf{C}}$	\mathbf{C}	\mathbf{C}	\mathbf{F}						
Rusty Blackbird*	O		0	U	M						
Brewer's Blackbird	O		O	U	F						

