Red River

National Wildlife Refuge Bird List



Photo: Ronnie Maum

Red River NWR established in 2000, is the only National Wildlife Refuge located in Northwest Louisiana. It consists of four units along the Red River between Bossier City and Cloutierville. Eventually the Red River NWR will consist of 50,000 acres. The refuge objectives are to restore and conserve the Red River Valley's natural habitats and wildlife, provide habitat for migratory birds and provide technical assistance to

The refuge is comprised of a variety of habitats including mature bottomland hardwood forest, bald cypress sloughs, bayou and river frontage, reforested farmland, oxbow lakes, farmland and moist-soil impoundments.

Each unit of the refuge is in a different stage of succession providing different birding experiences and unlimited enjoyment for avid birders and beginners alike.

Seasonal Appearance
Sp - Spring, March - May
S - Summer, June - August
F - Fall, September - November
W - Winter, December - February

Seasonal Abundance

A- Abundant (a common species which is very numerous)

C- Common (certain to be seen in suitable habitat)

U- Uncommon (present but not certain to be seen)

O- Occasional (seen only a few times during a season)

R- Rare (seen at intervals of 2 to 5 years)

* Known or suspected to have nested on refuge

This list includes 245 species of birds that have been observed by refuge personnel and local birders. Avian survey data were also used to contribute information. Please report observations of birds not currently on this list.

Contact:

Refuge Manager 555 Sunflower Road, Bossier City, LA 71112 318/742 1219





Red River National Wildlife Refuge 555 Sunflower Road Bossier City, LA 71112 318/742 1219

private landowners.

U.S. Fish & Wildlife Service 1 800/344 WILD http://www.fws.gov/r4eao

	SP	S	F	W		SP	S	F	W
Waterfowl					Hawks, Eagles & Kites				
Black-bellied Whistling Duck	${ m R}$	\mathbf{R}			Osprey	U	O	U	O
Greater White-fronted Goose			\mathbf{C}	\mathbf{C}	Swallow-tailed Kite		\mathbf{R}		
Snow Goose	U		\mathbf{C}	A	*Mississippi Kite	U	\mathbf{C}	U	
Ross' Goose			U	U	*Bald Eagle	U	U	O	U
Canada Goose	U	U	U	U	Northern Harrier		_	C	C
*Wood Duck	A	\mathbf{C}	C	A	Sharp-shinned Hawk	0	R	O	O
Gadwall	С	U	\mathbf{C}	A	*Cooper's Hawk	U	U	U	U
American Wigeon	U		\mathbf{C}	\mathbf{C}	*Red-shouldered Hawk	С	С	С	\mathbf{C}
Mallard	С	U	C	C	Broad-winged Hawk	U	0	U	0
Blue-winged Teal	С		\mathbf{C}	0	*Red-tailed Hawk	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}
Northern Shoveler	U		\mathbf{C}	С	True Falcons				
Northern Pintail	C		\mathbf{C}	\mathbf{C}	*American Kestrel	\mathbf{C}	U	\mathbf{C}	\mathbf{C}
Green-winged Teal	С		С	A	Merlin	R	U	$^{ m C}_{ m R}$	O
Canvasback	U		U	С	Wermi	16		11	O
Redhead	U		U	\mathbf{C}	Rails, Gallinules, Coots & Cranes				
Ring-necked Duck	U		С	A	King Rail	O		O	
Greater Scaup	т.т		T.T.	R	Virginia Rail	Ö		Ŏ	\mathbf{R}
Lesser Scaup	U		U	С	Sora	Ŭ		Ŭ	0
Bufflehead	n			R	*Purple Gallinule	$\overset{\circ}{\mathrm{R}}$	\mathbf{R}	Ü	Ü
Common Goldeneye	R		T.T.	R	*Common Moorhen	C	C	U	U
*Hooded Merganser	С		U	С	*American Coot	Ä	Ö	Ä	Ä
Ruddy Duck	U		C	C		11	O		
Gallinaceous Birds (Quail, Turkey and A	llies)				Plovers			_	
*Wild Turkey	Ú	U	U	U	American Golden Plover	U		R	
*Northern Bobwhite	O	O	O	O	Black-bellied Plover	0		0	
					Semipalmated Plover	\mathbf{R}	0	0	
Loons & Grebes					Piping Plover	C	0	R	~
Common Loon	${ m R}$			U	*Killdeer	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}
*Pied-billed Grebe	\mathbf{C}	0	\mathbf{C}	\mathbf{C}	Avocets & Sandpipers				
					*Black-necked Stilt	U	U	U	
Pelicans, Cormorants & Darters	C	0	0	0	Greater Yellowlegs	Č	Ö	C	O
American White Pelican	C	0	O	\mathbf{C}	Lesser Yellowlegs	$\stackrel{ m C}{ m C}$	U	C	O
*Double-crested Cormorant	$^{ m C}_{ m C}$	C C	A 0	C U	Solitary Sandpiper	U	Ö	U	
*Anhinga	C	C	U	U	Willet	O	R	C	
Bitterns, Herons, & Egrets					Spotted Sandpiper	U	U	\mathbf{R}	
American Bittern	\mathbf{R}		${ m R}$		Semipalmated Sandpiper	Ö	Ō		
Least Bittern	10	U	10		Western Sandpiper		Ü		
*Great Blue Heron	\mathbf{C}	$\ddot{\mathrm{C}}$	\mathbf{C}	\mathbf{C}	Least Sandpiper	\mathbf{C}	Ū	\mathbf{C}	O
*Great Egret	Ā	Ä	Ä	Ä	White-rumped Sandpiper	O			
*Snowy Egret	$\overline{\mathbf{C}}$	$\overline{\mathrm{C}}$	$\overline{\mathrm{C}}$	U	Pectoral Sandpiper	\mathbf{C}	U	\mathbf{C}	
*Little Blue Heron	$\dot{ ext{C}}$	Č	Č	Ü	Stilt Sandpiper	U		U	
Tricolored Heron	Ū	Ū	_		 Dunlin	0		0	
*Cattle Egret	Ā	Ā	\mathbf{C}	O	Buff-breasted Sandpiper			\mathbf{R}	
*Green Heron	\mathbf{C}	\mathbf{C}	0		Short-billed Dowitcher	\mathbf{R}		0	\mathbf{R}
Black-crowned Night-Heron	U	U	U	U	Long-billed Dowitcher	U		\mathbf{C}	U
*Yellow-crowned Night-Heron	U	\mathbf{C}	U		Common Snipe	\mathbf{C}		O	\mathbf{C}
					American Woodcock	U			U
lbises, Spoonbills, Storks &					Bonaparte's Gull	U			\mathbf{C}
New World Vultures					Ring-billed Gull	A		O	A
*White Ibis	\mathbf{C}	A	A	U	Herring Gull	U			\mathbf{C}
White-faced Ibis	\mathbf{R}		\mathbf{R}		Caspian Tern		U	U	
Roseate Spoonbill		\mathbf{R}	\mathbf{R}		Forster's Tern	U		U	\mathbf{C}
Wood Stork		O	U		*Least Tern		U		
*Black Vulture	\mathbf{C}	\mathbf{C}	C	C					
*Turkey Vulture	С	С	С	\mathbf{C}					

	SP	S	F	W		SP	S	F	W
Pigeons & Doves					Blue-headed Vireo	U		U	U
*Rock Pigeon	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	Warbling Vireo	U	O	U	
Eurasian Collared Dove	U	U	U	U	Philadelphia Vireo	O		0	
White-winged Dove	\mathbf{R}				*Red-eyed Vireo	\mathbf{C}	\mathbf{C}	U	
*Mourning Dove	A	A	A	A					
*Inca Dove	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	Jays & Crows	a	~	~	a
Cuelcae					**Blue Jay	С	\mathbf{C}	С	С
Cuckoos *Yellow-billed Cuckoo	C	C	C		*American Crow *Fish Crow	$^{ m C}_{ m C}$	$^{ m C}_{ m C}$	${ m C} \over { m C}$	$^{ m C}_{ m C}$
Greater Roadrunner	C U	C U	C U	U	FISH Crow	C	C	C	C
Greater Madrumer	U	U	U	U	Larks				
0wls					Horned Lark	U	U		U
*Barn Owl	U	U	U	U					
*Eastern Screech-Owl	U	U	U	U	Martins & Swallows				
*Great Horned Owl	U	U	U	U	*Purple Martin	\mathbf{C}	\mathbf{C}	U	
*Barred Owl	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	Tree Swallow	U	O	C	
-11					*N. Rough-winged Swallow	$\stackrel{ ext{C}}{\sim}$	$\stackrel{ ext{C}}{\sim}$	C	
Nightjars	a		0		*Cliff Swallow	С	$_{\rm C}$	U	
*Common Nighthawk	С	U	С		*Barn Swallow	\mathbf{C}	\mathbf{C}	\mathbf{C}	
*Chuck-will's Widow	U	U	O		Chickadees & Titmice				
Swifts & Hummingbirds					*Carolina Chickadee	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}
*Chimney Swift	A	A	A		*Tufted Titmouse	Č	$\overset{\circ}{\mathrm{C}}$	C	$\stackrel{\circ}{\mathrm{C}}$
*Ruby-throat. Hummingbird	C	C	C			Ü	Ü	O	Ü
1440, 641 0400 114444458	Ü		Ü		Nuthatches				
Kingfishers					Red-breasted Nuthatch	O		0	O
*Belted Kingfisher	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	*White-breasted Nuthatch	U	O	U	U
					Brown-headed Nuthatch	U	U	U	U
Woodpeckers	~	~			•				
*Red-headed Woodpecker	$^{\mathrm{C}}$	\mathbf{C}	U	U	Creepers	TT			TT
*Red-bellied Woodpecker	С	\mathbf{C}	С	С	Brown Creeper	U			U
— Yellow-bellied Sapsucker *Downy Woodpecker	U C	\mathbf{C}	U C	$^{ m C}_{ m C}$	Wrens				
*Hairy Woodpecker	U	U	U	U	*Carolina Wren	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}
*Northern Flicker	$\stackrel{ m C}{ m C}$	$\stackrel{ m C}{ m C}$	C	C	Bewick's Wren			R	Ö
*Pileated Woodpecker	U	U	U	U	House Wren	U		0	U
Tyrant Flycatchers	C	Ü	Ü	Ü	Winter Wren	U		0	U
*Eastern Wood-Pewee	\mathbf{C}	\mathbf{C}	U		Sedge Wren	O		0	U
Yellow-bellied Flycatcher	${ m R}$		\mathbf{R}		Marsh Wren	U		0	U
*Acadian Flycatcher	\mathbf{C}	\mathbf{C}	\mathbf{C}		W				
Alder Flycatcher	${ m R}$		\mathbf{R}		Kinglets & Gnatcatchers	0			
Willow Flycatcher	\mathbf{R}		\mathbf{R}		Golden-crowned Kinglet	0		U	U
Least Flycatcher	$\stackrel{ ext{R}}{\sim}$		R	~	Ruby-crowned Kinglet	$_{ m C}^{ m U}$	\mathbf{C}	C O	$\frac{\mathrm{C}}{\mathrm{O}}$
Eastern Phoebe	С	U	\mathbf{C}	С	*Blue-gray Gnatcatcher	C	C	U	U
Vermilion Flycatcher				R	Thrushes				
Ash-throated Flycatcher	U	TT		R	*Eastern Bluebird	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}
*Great Crested Flycatcher Western Kingbird	U	U O			Veery	R			
*Eastern Kingbird	\mathbf{C}	C	O		Gray-cheeked Thrush	${ m R}$			
*Scissor-tailed Flycatcher	$\stackrel{ m C}{ m C}$	$\stackrel{ m C}{ m C}$	U	O	Swainson's Thrush	O		\mathbf{R}	
Sound when I is emerici		J	J	J	Hermit Thrush	U	O		U
Shrikes					*Wood Thrush	U	U		
*Loggerhead Shrike	U	U	U	U	*American Robin	\mathbf{C}	U	A	A
Vivo					Mockingbirds & Thrashers				
Vireos	\boldsymbol{C}	C	TT		*Gray Catbird	U	O	U	0
*White-eyed Vireo Bell's Vireo	С	\mathbf{C}	U		*Northern Mockingbird	$\stackrel{ m C}{ m C}$	$^{\rm C}$	C	$^{\rm C}$
*Yellow-throated Vireo	R U	U	O		*Brown Thrasher	C	C	C	$\stackrel{ m C}{ m C}$
ICHOW-WILDANGU VILEU	U	U	J			-	-	J	_

	SP	S	F	W		SP	S	F	\overline{W}
Starlings					Song Sparrow	\mathbf{C}		O	\mathbf{C}
*European Starling	\mathbf{C}	\mathbf{C}	A	A	Lincoln's Sparrow	U		U	O
Pipits					Swamp Sparrow	$\mathbf{C}_{\mathbf{A}}$		U	$\mathbf{C}_{\mathbf{A}}$
American Pipit	U		U	U	White-throated Sparrow Harris' Sparrow	A 0		U	A O
micrican ripit	O		O	O	White-crowned Sparrow	C		U	C
Waxings					Dark-eyed Junco	$\overset{\circ}{\mathrm{C}}$		Ü	$\ddot{\mathrm{C}}$
Cedar Waxwing	A		U	\mathbf{C}	Lapland Longspur				O
Wood Warblers					New World Finches				
Blue-winged Warbler	U		U		*Northern Cardinal	A	A	A	A
Golden-winged Warbler	U		U		Rose-breasted Grosbeak	U		O	
Tennessee Warbler	U		U		*Blue Grosbeak	U	U	O	
Orange-crowned Warbler	0		U	\mathbf{C}	*Indigo Bunting	\mathbf{C}	\mathbf{C}	U	
Nashville Warbler	0		R		*Painted Bunting	U	U	U	
*Northern Parula	С	U	С		*Dickcissel	A	\mathbf{C}	0	
Yellow Warbler	U		U		Bobolink	U		R	
Chestnut-sided Warbler Magnolia Warbler	U U		0		Blackbirds				
Yellow-rumped Warbler	C		U	\mathbf{C}	*Red-winged Blackbird	Λ	\mathbf{C}	\mathbf{C}	٨
Black-throated Green Warbler	U		U	C	*Eastern Meadowlark	A A	A	C	A C
Blackburnian Warbler	Ö		R		Western Meadowlark	0	Λ	O	O
*Yellow-throated Warbler	$\overset{\circ}{\mathrm{C}}$	U			Rusty Blackbird	Ü			U
*Prairie Warbler	Ü	Ö			Brewer's Blackbird	$\overset{\circ}{\mathrm{R}}$			Ü
*Pine Warbler	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	*Common Grackle	A	\mathbf{C}	\mathbf{C}	Ā
Palm Warbler	O			O	*Brown-headed Cowbird	A	A	A	A
Bay-breasted Warbler	U		U		*Orchard Oriole	\mathbf{C}	\mathbf{C}	O	
Blackpoll Warbler	U		U		*Baltimore Oriole	\mathbf{C}	\mathbf{C}	O	
Black-and-white Warbler	U	U	0						
American Redstart	U		U		Old World Finches	-			-
*Prothonotary Warbler	$^{\rm C}$	\mathbf{C}	U		House Finch	\mathbf{C}	U	U	С
*Worm-eating Warbler	R	R	R		Purple Finch	0		0	U
Swainson's Warbler	U		U		American Goldfinch	\mathbf{C}		U	\mathbf{C}
Northern Waterthrush *Louisiana Waterthrush	U U	U	0		Old World Sparrows				
Kentucky Warbler	U	U	0		House Sparrow	\mathbf{C}	\mathbf{C}	U	U
Mourning Warbler	0	O	0		rouse oparion	Ü	Ü	O	Ü
*Common Yellowthroat	Č	\mathbf{C}	U	U	Ethics for Birdwatching				
*Hooded Warbler	$\ddot{\mathrm{C}}$	$\ddot{\mathrm{C}}$	Ü	Ü	Take care not to disturb nesting birds, e	xposing	eggs a	and yo	ung
—Wilson's Warbler	O		U		to extreme temperatures and predation	*Do no	ot rem	ove bi	rd
Canada Warbler	O		0		nests or any bird parts from the refug	e. This	is a vi	olatio	n of
*Yellow-breasted Chat	\mathbf{C}	U	U		the Migratory Bird Treaty Act.				
Tanagers					Disturb wintering wildlife as little as pos	ssible, p	articul	larly	
*Summer Tanager	\mathbf{C}	\mathbf{C}	U		during critical feeding and resting perio	ds. They	y need	all	
Scarlet Tanager Scarlet Tanager	Ö	C	0		of their energy reserves to withstand th	e stress	es of h	arsh	
	-		-		weather and migration.				
Sparrows Torologo	TT		0	C	Please do not litter. Many birds die when				
Eastern Towhee	U	U	0	$\mathbf{C}_{\mathbf{\Lambda}}$	in fishing lines, six-pack rings and other	trash, o	r whe	n they	
*Chipping Sparrow *Field sparrow	A C	U	U U	${ m A} \over { m C}$	mistake garbage for food.				
Vesper Sparrow	0	U	U	U					
*Lark Sparrow	Ü		Ö	U					
Savannah Sparrow	\mathbf{A}		Č	A					
Savaintan Sparrow Grasshopper Sparrow	U	\mathbf{R}	J	R					
Henslow's Sparrow	-	-		0					
Le Conte's Sparrow	O		O	U					
Fox Sparrow	O		O	U					

Sighting Notes
Date
Time
We ather
$Number\ of\ species$
$Route\ or\ area$
Observers
Remarks