

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Abbeville County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
Crustacean	Mimic crayfish (ARS)	<i>Distocambarus carlsoni</i>	November-April	
Fish	None Found			
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
Reptile	None Found			

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Aiken County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Frosted elfin (ARS)	<i>Callophrys irus</i>	March - June	
	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Little brown bat (ARS)	<i>Myotis lucifugus</i>	Year round	Found in trees, rock creaves, and under bridges
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Bog spicebush (ARS)	<i>Lindera subcoriacea</i>	March-August	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Harperella (E)	<i>Ptilimnium nodosum</i>	July-October	survey in periods of low water
	Ocmulgee skullcap (ARS)	<i>Scutellaria ocmulgee</i>	Late June-early October	
	Relict trillium (E)	<i>Trillium reliquum</i>	Mid March-April	
	Smooth coneflower (E)	<i>Echinacea laevigata</i>	Late May-October	
Reptile	Florida pine snake (ARS)	<i>Pituophis melanoleucus mugitus</i>	Most of year	
	Gopher tortoise (C)	<i>Gopherus polyphemus</i>	April 1-October 31	Active period
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Survey most of year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Aiken County

*	Contact National Marine Fisheries Service (NMFS) for more information on this species
**	The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species
ARS	Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.
ARS*	Species that are either former Candidate Species or are emerging conservation priority species
BGEPA	Federally protected under the Bald and Golden Eagle Protection Act
C	FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species
CH	Critical Habitat
E	Federally Endangered
P or P - CH	Proposed for listing or critical habitat in the Federal Register
S/A	Federally protected due to similarity of appearance to a listed species
T	Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Allendale County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Calvert's Emerald (ARS)	<i>Somatochlora calverti</i>	Year round	Active: mid-June-late August
	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid August-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Smooth coneflower (E)	<i>Echinacea laevigata</i>	Late May-October	
Reptile	Florida pine snake (ARS)	<i>Pituophis melanoleucus mugitus</i>	Most of the year	
	Gopher tortoise (C)	<i>Gopherus polyphemus</i>	April 1-October 31	Active period
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Allendale County

*	Contact National Marine Fisheries Service (NMFS) for more information on this species
**	The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species
ARS	Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.
ARS*	Species that are either former Candidate Species or are emerging conservation priority species
BGEPA	Federally protected under the Bald and Golden Eagle Protection Act
C	FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species
CH	Critical Habitat
E	Federally Endangered
P or P - CH	Proposed for listing or critical habitat in the Federal Register
S/A	Federally protected due to similarity of appearance to a listed species
T	Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Anderson County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Eastern black rail (T)	<i>Laterallus jamaicensis jamaicensis</i>	April-June	Minimum of five surveys/survey point
Crustacean	Mimic crayfish (ARS)	<i>Distocambarus carlsoni</i>	November-April	
Fish	None Found			
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-
Mammal	Little brown bat (ARS)	<i>Myotis lucifugus</i>	Year round	Found in trees, rock creaves, and under bridges
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Smooth coneflower (E)	<i>Echinacea laevigata</i>	Late May-October	
Reptile	None Found			

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Bamberg County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
Reptile	Gopher tortoise (C)	<i>Gopherus polyphemus</i>	April 1-October 31	Active period
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Barnwell County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Bog spicebush (ARS)	<i>Lindera subcoriacea</i>	March-August	
	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Harperella (E)	<i>Ptilimnium nodosum</i>	July-October	survey in periods of low water
	Pondberry (E)	<i>Lindera melissifolia</i>	February-March	
	Smooth coneflower (E)	<i>Echinacea laevigata</i>	Late May-October	
Reptile	Florida pine snake (ARS)	<i>Pituophis melanoleucus mugitus</i>	Most of the year	
	Gopher tortoise (C)	<i>Gopherus polyphemus</i>	April 1-October 31	Active period
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Barnwell County

*	Contact National Marine Fisheries Service (NMFS) for more information on this species
**	The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species
ARS	Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.
ARS*	Species that are either former Candidate Species or are emerging conservation priority species
BGEPA	Federally protected under the Bald and Golden Eagle Protection Act
C	FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species
CH	Critical Habitat
E	Federally Endangered
P or P - CH	Proposed for listing or critical habitat in the Federal Register
S/A	Federally protected due to similarity of appearance to a listed species
T	Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Beaufort County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Frosted flatwoods salamander (T, CH)	<i>Ambystoma cingulatum</i>	January 1-April 30	Larvae present in breeding ponds
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Black-capped petrel (ARS)	<i>Pterodroma hasitata</i>	April-October	offshore water primarily
	Eastern black rail (T)	<i>Laterallus jamaicensis jamaicensis</i>	April-June	Minimum of five surveys/survey point
	Piping plover (T, CH)	<i>Charadrius melodus</i>	July 15-May 1	Migration and wintering
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
	Red knot (T)	<i>Calidris canutus rufa</i>	August 1-May 31	Migration and wintering
	Saltmarsh sparrow (ARS)	<i>Ammospiza caudacuta</i>	Fall/winter	Fall/winter surveys
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Finback whale* (E)	<i>Balaenoptera physalus*</i>	November 1-April 30	Off the coast
	Humpback whale * (E)	<i>Megaptera novaengliae</i>	January 1-March 31	Migration off the coast
	Little brown bat (ARS)	<i>Myotis lucifugus</i>	Year round	Found in trees, rock creaves, and under bridges
	Northern long-eared bat (T)	<i>Myotis septentrionalis</i>	Year round	Winter surveys not as successful
	Right whale* (E)	<i>Balaena glacialis</i>	November 1-April 30	Off the coast
	Sei whale* (E)	<i>Balaenoptera borealis</i>		
	Sperm whale* (E)	<i>Physeter macrocephalus</i>		
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
	West Indian manatee (T)	<i>Trichechus manatus</i>	May 15-October 15	In coastal waters
Mollusk	None Found			
Plant	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Ciliate-leaf tickseed (ARS)	<i>Coreopsis integrifolia</i>	August-November	
	Pondberry (E)	<i>Lindera melissifolia</i>	February-March	

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Beaufort County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ FILE SERIES	COMMENTS
Reptile	Eastern diamondback rattlesnake (ARS)	<i>Crotalus adamanteus</i>	Most of the year	Peak: April-November
	Green sea turtle ** (T)	<i>Chelonia mydas</i> **	May 1-October 31	Nesting and hatching
	Florida pine snake (ARS)	<i>Pituophis melanoleucus mugitus</i>	Most of year	
	Kemp's ridley sea turtle ** (E)	<i>Lepidochelys kempii</i> **	May 1-October 31	In coastal waters
	Leatherback sea turtle ** (E)	<i>Dermochelys coriacea</i> **	May 1-October 31	Nesting and hatching
	Loggerhead sea turtle ** (T, CH)	<i>Caretta caretta</i> **	May 1-October 31	Nesting and hatching
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Berkeley County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Frosted flatwoods salamander (T, CH)	<i>Ambystoma cingulatum</i>	January 1-April 30	Larvae present in breeding ponds
	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
	Saltmarsh sparrow (ARS)	<i>Ammodramus caudacuta</i>	Fall/winter	Fall/winter surveys
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus</i> *	February 1-April 30	Spawning migration
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum</i> *	February 1-April 30	Spawning migration
Insect	Frosted elfin (ARS)	<i>Callophrys irus</i>	March - June	
	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Northern long-eared bat (T)	<i>Myotis septentrionalis</i>	Year round	Winter surveys not as successful
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
	West Indian manatee (T)	<i>Trichechus manatus</i>	May 15-October 15	In coastal waters
Mollusk	None Found			
Plant	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Ciliate-leaf tickseed (ARS)	<i>Coreopsis integrifolia</i>	August-November	
	Pondberry (E)	<i>Lindera melissifolia</i>	February-March	
	Raven's seedbox (ARS)	<i>Ludwigia ravenii</i>	June-October	
	Sun-facing coneflower (ARS)	<i>Rudbeckia heliopsisidis</i>	July-September	
Reptile	Eastern diamondback rattlesnake (ARS)	<i>Crotalus adamanteus</i>	Most of the year	Peak: April-November
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Berkeley County

*	Contact National Marine Fisheries Service (NMFS) for more information on this species
**	The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species
ARS	Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.
ARS*	Species that are either former Candidate Species or are emerging conservation priority species
BGEPA	Federally protected under the Bald and Golden Eagle Protection Act
C	FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species
CH	Critical Habitat
E	Federally Endangered
P or P - CH	Proposed for listing or critical habitat in the Federal Register
S/A	Federally protected due to similarity of appearance to a listed species
T	Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Calhoun County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum</i> *	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	None Found			
Reptile	None Found			

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Charleston County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Frosted flatwoods salamander (T, CH)	<i>Ambystoma cingulatum</i>	January 1-April 30	Larvae present in breeding ponds
	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bachman's warbler (E)	<i>Vermivora bachmanii</i>	May 1-June 15	Breeding
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Black-capped petrel (ARS)	<i>Pterodroma hasitata</i>	April-October	offshore water primarily
	Eastern black rail (T)	<i>Laterallus jamaicensis jamaicensis</i>	April-June	Minimum of five surveys/survey point
	Piping plover (T, CH)	<i>Charadrius melodus</i>	July 15-May 1	Migration and wintering
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
	Red knot (T)	<i>Calidris canutus rufa</i>	August 1-May 31	Migration and wintering
	Saltmarsh sparrow (ARS)	<i>Ammodramus caudacuta</i>	Fall/winter	Fall/winter surveys
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Frosted elfin (ARS)	<i>Callophrys irus</i>	March - June	
	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Finback whale* (E)	<i>Balaenoptera physalus*</i>	November 1-April 30	Off the coast
	Humpback whale * (E)	<i>Megaptera novaengliae</i>	January 1-March 31	Migration off the coast
	Northern long-eared bat (T)	<i>Myotis septentrionalis</i>	Year round	Winter surveys not as successful
	Right whale* (E)	<i>Balaena glacialis</i>	November 1-April 30	Off the coast
	Sei whale* (E)	<i>Balaenoptera borealis</i>		
	Sperm whale* (E)	<i>Physeter macrocephalus</i>		
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
	West Indian manatee (T)	<i>Trichechus manatus</i>	May 15-October 15	In coastal waters
Mollusk	None Found			
Plant	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Ciliate-leaf tickseed (ARS)	<i>Coreopsis integrifolia</i>	August-November	
	Pondberry (E)	<i>Lindera melissifolia</i>	February-March	
	Seabeach amaranth (T)	<i>Amaranthus pumilus</i>	July-October	

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Charleston County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Reptile	Eastern diamondback rattlesnake (ARS)	<i>Crotalus adamanteus</i>	Most of the year	Peak: April-November
	Green sea turtle ** (T)	<i>Chelonia mydas</i> **	May 1-October 31	Nesting and hatching
	Kemp's ridley sea turtle ** (E)	<i>Lepidochelys kempii</i> **	May 1-October 31	In coastal waters
	Leatherback sea turtle ** (E)	<i>Dermochelys coriacea</i> **	May 1-October 31	Nesting and hatching
	Loggerhead sea turtle ** (T, CH)	<i>Caretta caretta</i> **	May 1-October 31	Nesting and hatching
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Cherokee County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	None Found			
Crustacean	None Found			
Fish	None Found			
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Dwarf-flowered heartleaf (T)	<i>Hexastylis naniflora</i>	March-May	
	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
Reptile	None Found			

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Chester County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	Carolina heelsplitter (E, CH)	<i>Lasmigona decorata</i>	March 1-September 30	Optimal survey window
Plant	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
Reptile	None Found			

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Chesterfield County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Frosted elfin (ARS)	<i>Callophrys irus</i>	March - June	
	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
	Septima's clubtail (ARS)	<i>Gomphus septima</i>	Year round	Active: May-August
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	Brook floater (ARS)	<i>Alasmodonta varicosa</i>	March 1-September 30	
	Carolina heelsplitter (E, CH)	<i>Lasmigona decorata</i>	March 1-September 30	Optimal survey window
Plant	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Wire-leaved dropseed (ARS)	<i>Sporobolus teretifolius</i>	August-September	Following fire
Reptile	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Clarendon County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
Reptile	Eastern diamondback rattlesnake (ARS)	<i>Crotalus adamanteus</i>	Most of the year	Peak: April-November
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

7/10/2019

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Colleton County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
	Frosted flatwoods salamander (T, CH)	<i>Ambystoma cingulatum</i>	January 1-April 30	Larvae present in breeding ponds
	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Black-capped petrel (ARS)	<i>Pterodroma hasitata</i>	April-October	offshore water primarily
	Eastern black rail (T)	<i>Laterallus jamaicensis jamaicensis</i>	April-June	Minimum of five surveys/survey point
	Piping plover (T, CH)	<i>Charadrius melodus</i>	July 15-May 1	Migration and wintering
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
	Red knot (T)	<i>Calidris canutus rufa</i>	August 1-May 31	Migration and wintering
	Saltmarsh sparrow (ARS)	<i>Ammodramus caudatus</i>	Fall/winter	Fall/winter surveys
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Finback whale* (E)	<i>Balaenoptera physalus*</i>	November 1-April 30	Off the coast
	Humpback whale * (E)	<i>Megaptera novaengliae</i>	January 1-March 31	Migration off the coast
	Right whale* (E)	<i>Balaena glacialis</i>	November 1-April 30	Off the coast
	Sei whale* (E)	<i>Balaenoptera borealis</i>		
	Sperm whale* (E)	<i>Physeter macrocephalus</i>		
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
	West Indian manatee (T)	<i>Trichechus manatus</i>	May 15-October 15	In coastal waters
Plant	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Ciliate-leaf tickseed (ARS)	<i>Coreopsis integrifolia</i>	August-November	

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Colleton County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Reptile	Eastern diamondback rattlesnake (ARS)	<i>Crotalus adamanteus</i>	Most of the year	Peak: April-November
	Gopher tortoise (C)	<i>Gopherus polyphemus</i>	April 1-October 31	Active period
	Green sea turtle ** (T)	<i>Chelonia mydas</i> **	May 1-October 31	Nesting and hatching
	Kemp's ridley sea turtle ** (E)	<i>Lepidochelys kempii</i> **	May 1-October 31	In coastal waters
	Leatherback sea turtle ** (E)	<i>Dermochelys coriacea</i> **	May 1-October 31	Nesting and hatching
	Loggerhead sea turtle ** (T, CH)	<i>Caretta caretta</i> **	May 1-October 31	Nesting and hatching
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Darlington County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus</i> *	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum</i> *	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Georgia leadplant (ARS)	<i>Amorpha georgiana</i> var. <i>georgiana</i>	Late April-October	
	Purple balduina (ARS)	<i>Balduina atropurpurea</i>	August-October	
	Rough-leaved loosestrife (E)	<i>Lysimachia asperulaefolia</i>	Mid May-June	
	Yellow pond lily (ARS)	<i>Nuphar lutea</i> ssp. <i>sagittifolia</i>	April-October	
Reptile	None Found			

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

7/10/2019

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Dillon County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus</i> *	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum</i> *	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Yellow pond lily (ARS)	<i>Nuphar lutea ssp. sagittifolia</i>	April-October	
Reptile	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Dorchester County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Bog asphodel (ARS*)	<i>Narthecium americanum</i>	June-July	
Reptile	Eastern diamondback rattlesnake (ARS)	<i>Crotalus adamanteus</i>	Most of the year	Peak: April-November
	Gopher tortoise (C)	<i>Gopherus polyphemus</i>	April 1-October 31	Active period
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Edgefield County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	Brook floater (ARS)	<i>Alasmodonta varicosa</i>	March 1-September 30	
	Carolina heelsplitter (E, CH)	<i>Lasmigona decorata</i>	March 1-September 30	Optimal survey window
Plant	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Miccosukee gooseberry (T)	<i>Ribes echinellum</i>	June-September	Year round
	Ocmulgee skullcap (ARS)	<i>Scutellaria ocmulgee</i>	Late June-early October	
	Relict trillium (E)	<i>Trillium reliquum</i>	Mid March-April	
Reptile	None Found			

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

7/10/2019

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Fairfield County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
Crustacean	Broad River spiny crayfish (ARS)	<i>Cambarus spicatus</i>	November-April	
Fish	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
Reptile	None Found			

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Florence County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Georgia leadplant (ARS)	<i>Amorpha georgiana</i> var. <i>georgiana</i>	Late April-October	
	Yellow pond lily (ARS)	<i>Nuphar lutea</i> ssp. <i>sagittifolia</i>	April-October	
Reptile	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Georgetown County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Black-capped petrel (ARS)	<i>Pterodroma hasitata</i>	April-October	offshore water primarily
	Eastern black rail (T)	<i>Laterallus jamaicensis jamaicensis</i>	April-June	Minimum of five surveys/survey point
	Piping plover (T, CH)	<i>Charadrius melodus</i>	July 15-May 1	Migration and wintering
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
	Red knot (T)	<i>Calidris canutus rufa</i>	August 1-May 31	Migration and wintering
	Saltmarsh sparrow (ARS)	<i>Ammodramus caudatus</i>	Fall/winter	Fall/winter surveys
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Frosted elfin (ARS)	<i>Callophrys irus</i>	March - June	
	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Finback whale* (E)	<i>Balaenoptera physalus*</i>	November 1-April 30	Off the coast
	Humpback whale * (E)	<i>Megaptera novaengliae</i>	January 1-March 31	Migration off the coast
	Right whale* (E)	<i>Balaena glacialis</i>	November 1-April 30	Off the coast
	Sei whale* (E)	<i>Balaenoptera borealis</i>		
	Sperm whale* (E)	<i>Physeter macrocephalus</i>		
	Northern long-eared bat (T)	<i>Myotis septentrionalis</i>	Year round	Winter surveys not as successful
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
	West Indian manatee (T)	<i>Trichechus manatus</i>	May 15-October 15	In coastal waters
Mollusk	None Found			
Plant	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Pondberry (E)	<i>Lindera melissifolia</i>	February-March	
	Seabeach amaranth (T)	<i>Amaranthus pumilus</i>	July-October	
	Wire-leaved dropseed (ARS)	<i>Sporobolus teretifolius</i>	August-September	Following fire
	Yellow pond lily (ARS)	<i>Nuphar lutea ssp. sagittifolia</i>	April-October	

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Georgetown County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Reptile	Green sea turtle ** (T)	<i>Chelonia mydas</i> **	May 1-October 31	Nesting and hatching
	Kemp's ridley sea turtle ** (E)	<i>Lepidochelys kempii</i> **	May 1-October 31	In coastal waters
	Leatherback sea turtle ** (E)	<i>Dermochelys coriacea</i> **	May 1-October 31	Nesting and hatching
	Loggerhead sea turtle ** (T, CH)	<i>Caretta caretta</i> **	May 1-October 31	Nesting and hatching
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Greenville County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Green salamander (ARS)	<i>Aneides aeneus</i>	October-March	
Bird	Golden-winged warbler (ARS)	<i>Vermivora chrysoptera</i>	April-July (nesting surveys)	Spring/Fall migration; variable throughout State
Crustacean	Broad River spiny crayfish (ARS)	<i>Cambarus spicatus</i>	November-April	
	Mimic crayfish (ARS)	<i>Distocambarus carlsoni</i>	November-April	
Fish	None Found			
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Little brown bat (ARS)	<i>Myotis lucifugus</i>	Year round	Found in trees, rock creaves, and under bridges
	Northern long-eared bat (T)	<i>Myotis septentrionalis</i>	Year round	Winter surveys not as successful
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Bunched arrowhead (E)	<i>Sagittaria fasciculata</i>	Mid May-July	
	Carolina hemlock (ARS)	<i>Tsuga caroliniana</i>	Year around	
	Dwarf-flowered heartleaf (T)	<i>Hexastylis naniflora</i>	March-May	
	Mountain sweet pitcher plant (E)	<i>Sarracenia rubra ssp. jonesii</i>	April-October	
	Purple pitcher plant (ARS)	<i>Sarracenia purpurea var. montana</i>	April-May	
	Rock gnome lichen (E)	<i>Gymnoderma lineare</i>	Year around	
	Small whorled pogonia (T)	<i>Isotria medeoloides</i>	Mid May-early July	
	Sun-facing coneflower (ARS)	<i>Rudbeckia heliopsidis</i>	July-September	
	Swamp pink (T)	<i>Helonias bullata</i>	April-May	
	White fringeless orchid (T)	<i>Platanthera integrilabia</i>	Late July-October	
	White irisette or Reflexed blue-eyed grass (E)	<i>Sisyrinchium dichotomum</i>	Late May-July	
Reptile	Bog turtle (S/A, T)	<i>Glyptemys muhlenbergii</i>	April 15-September 15	Active period

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Greenwood County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
Crustacean	Mimic crayfish (ARS)	<i>Distocambarus carlsoni</i>	November-April	
Fish	None Found			
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	Brook floater (ARS)	<i>Alasmidonta varicosa</i>	March 1-September 30	
	Carolina heelsplitter (E, CH)	<i>Lasmigona decorata</i>	March 1-September 30	Optimal survey window
Plant	Georgia aster (ARS*)	<i>Symphotrichum georgianum</i>	Early October-mid November	
	Ravine sedge (ARS)	<i>Carex impressinervia</i>	April-May	
Reptile	None Found			

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Hampton County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
Reptile	Eastern diamondback rattlesnake (ARS)	<i>Crotalus adamanteus</i>	Most of the year	Peak: April-November
	Florida pine snake (ARS)	<i>Pituophis melanoleucus mugitus</i>	Most of the year	
	Gopher tortoise (C)	<i>Gopherus polyphemus</i>	April 1-October 31	Active period
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Hampton County

*	Contact National Marine Fisheries Service (NMFS) for more information on this species
**	The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species
ARS	Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.
ARS*	Species that are either former Candidate Species or are emerging conservation priority species
BGEPA	Federally protected under the Bald and Golden Eagle Protection Act
C	FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species
CH	Critical Habitat
E	Federally Endangered
P or P - CH	Proposed for listing or critical habitat in the Federal Register
S/A	Federally protected due to similarity of appearance to a listed species
T	Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Horry County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Black-capped petrel (ARS)	<i>Pterodroma hasitata</i>	April-October	offshore water primarily
	Piping plover (T, CH)	<i>Charadrius melodus</i>	July 15-May 1	Migration and wintering
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
	Red knot (T)	<i>Calidris canutus rufa</i>	August 1-May 31	Migration and wintering
	Saltmarsh sparrow (ARS)	<i>Ammospiza caudacuta</i>	Fall/winter	Fall/winter surveys
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Finback whale* (E)	<i>Balaenoptera physalus*</i>	November 1-April 30	Off the coast
	Humpback whale * (E)	<i>Megaptera novaengliae</i>	January 1-March 31	Migration off the coast
	Right whale* (E)	<i>Balaena glacialis</i>	November 1-April 30	Off the coast
	Sei whale* (E)	<i>Balaenoptera borealis</i>		
	Sperm whale* (E)	<i>Physeter macrocephalus</i>		
	Northern long-eared bat (T)	<i>Myotis septentrionalis</i>	Year round	Winter surveys not as successful
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
	West Indian manatee (T)	<i>Trichechus manatus</i>	May 15-October 15	In coastal waters
Mollusk	None Found			

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Horry County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Plant	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Ciliate-leaf tickseed (ARS)	<i>Coreopsis integrifolia</i>	August-November	
	Godfrey's stitchwort (ARS)	<i>Minuartia godfreyi</i>	April-June	
	Harper's fimbriatylis (ARS)	<i>Fimbristylis perpusilla</i>	July-September	
	Seabeach amaranth (T)	<i>Amaranthus pumilus</i>	July-October	
	Venus flytrap (ARS*)	<i>Dionaea muscipula</i>	May-June	
	Wire-leaved dropseed (ARS)	<i>Sporobolus teretifolius</i>	August-September	Following fire
	Yellow pond lily (ARS)	<i>Nuphar lutea ssp. sagittifolia</i>	April-October	
Reptile	Green sea turtle ** (T)	<i>Chelonia mydas</i> **	May 1-October 31	Nesting and hatching
	Kemp's ridley sea turtle ** (E)	<i>Lepidochelys kempii</i> **	May 1-October 31	In coastal waters
	Leatherback sea turtle ** (E)	<i>Dermochelys coriacea</i> **	May 1-October 31	Nesting and hatching
	Loggerhead sea turtle ** (T, CH)	<i>Caretta caretta</i> **	May 1-October 31	Nesting and hatching
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-early April	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Jasper County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Frosted flatwoods salamander (T, CH)	<i>Ambystoma cingulatum</i>	January 1-April 30	Larvae present in breeding ponds
	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Black-capped petrel (ARS)	<i>Pterodroma hasitata</i>	April-October	offshore water primarily
	Eastern black rail (T)	<i>Laterallus jamaicensis jamaicensis</i>	April-June	Minimum of five surveys/survey point
	Piping plover (T, CH)	<i>Charadrius melodus</i>	July 15-May 1	Migration and wintering
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
	Red knot (T)	<i>Calidris canutus rufa</i>	August 1-May 31	Migration and wintering
	Saltmarsh sparrow (ARS)	<i>Ammodramus caudacuta</i>	Fall/winter	Fall/winter surveys
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Finback whale* (E)	<i>Balaenoptera physalus*</i>	November 1-April 30	Off the coast
	Humpback whale * (E)	<i>Megaptera novaengliae</i>	January 1-March 31	Migration off the coast
	Right whale* (E)	<i>Balaena glacialis</i>	November 1-April 30	Off the coast
	Sei whale* (E)	<i>Balaenoptera borealis</i>		
	Sperm whale* (E)	<i>Physeter macrocephalus</i>		
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
	West Indian manatee (T)	<i>Trichechus manatus</i>	May 15-October 15	In coastal waters
Mollusk	None Found			
Plant	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Ciliate-leaf tickseed (ARS)	<i>Coreopsis integrifolia</i>	August-November	

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Jasper County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Reptile	Eastern diamondback rattlesnake (ARS)	<i>Crotalus adamanteus</i>	Most of the year	Peak: April-November
	Florida pine snake (ARS)	<i>Pituophis melanoleucus mugitus</i>	Most of the year	
	Gopher tortoise (C)	<i>Gopherus polyphemus</i>	April 1-October 31	Active period
	Green sea turtle ** (T)	<i>Chelonia mydas</i> **	May 1-October 31	Nesting and hatching
	Kemp's ridley sea turtle ** (E)	<i>Lepidochelys kempii</i> **	May 1-October 31	In coastal waters
	Leatherback sea turtle ** (E)	<i>Dermochelys coriacea</i> **	May 1-October 31	Nesting and hatching
	Loggerhead sea turtle ** (T, CH)	<i>Caretta caretta</i> **	May 1-October 31	Nesting and hatching
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Kershaw County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ PERIOD	TIME	COMMENTS
Amphibian	None Found				
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15		Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31		Nesting season
Crustacean	None Found				
Fish	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May		Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum</i> *	February 1-April 30		Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December		Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round		Found in mines and caves in the winter
Mollusk	Brook floater (ARS)	<i>Alasmodonta varicosa</i>	March 1-September 30		
	Carolina heelsplitter (E, CH)	<i>Lasmigona decorata</i>	March 1-September 30		Optimal survey window
Plant	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November		
	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November		
	Michaux's sumac (E)	<i>Rhus michauxii</i>	May-October		
	Wire-leaved dropseed (ARS)	<i>Sporobolus teretifolius</i>	August-September		Following fire
Reptile	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year		

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Lancaster County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ PERIOD	TIME	COMMENTS
Amphibian	None Found				
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15		Nesting season
Crustacean	None Found				
Fish	None Found				
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December		Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round		Found in mines and caves in the winter
Mollusk	Brook floater (ARS)	<i>Alasmodonta varicosa</i>	March 1-September 30		
	Carolina heelsplitter (E, CH)	<i>Lasmigona decorata</i>	March 1-September 30		Optimal survey window
Plant	Black-spored quillwort (E)	<i>Isoetes melanospora</i>	May-October		
	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November		
	Little amphianthus or Pool sprite (T)	<i>Amphianthus pusillus</i>	Late March-April		
	Schweinitz's sunflower (E)	<i>Helianthus schweinitzii</i>	Late August-October		
	Smooth sunflower (E)	<i>Echinacea laevigata</i>	Late May-October		
Reptile	None Found				

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Laurens County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	Mimic crayfish (ARS)	<i>Distocambarus carlsoni</i>	November-April	
Fish	None Found			
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Little brown bat (ARS)	<i>Myotis lucifugus</i>	Year round	Found in trees, rock creaves, and under bridges
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
Reptile	None Found			

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Lee County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
Bird	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	None Found			
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
Reptile	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Lexington County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Ciliate-leaf tickseed (ARS)	<i>Coreopsis integrifolia</i>	August-November	
	Wire-leaved dropseed (ARS)	<i>Sporobolus teretifolius</i>	August-September	Following fire
Reptile	Florida pine snake (ARS)	<i>Pituophis melanoleucus mugitus</i>	Most of year	
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Marion County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Pondberry (E)	<i>Lindera melissifolia</i>	February-October	
	Yellow pond lily (ARS)	<i>Nuphar lutea ssp. sagittifolia</i>	April-October	
Reptile	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

7/10/2019

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Marlboro County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Bay boneset (ARS)	<i>Eupatorium paludicola</i>	August-September	
Reptile	None Found			

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - McCormick County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	None Found			
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
	Septima's clubtail (ARS)	<i>Gomphus septima</i>	Year round	Active: May-August
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	Brook floater (ARS)	<i>Alasmodonta varicosa</i>	March 1-September 30	
	Carolina heelsplitter (E, CH)	<i>Lasmigona decorata</i>	March 1-September 30	Optimal survey window
Plant	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Miccosukee gooseberry (T)	<i>Ribes echinellum</i>	June-September	Year round
Reptile	None Found			

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Newberry County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
Crustacean	Mimic crayfish (ARS)	<i>Distocambarus carlsoni</i>	November-April	
	Newberry burrowing crayfish (Saluda) (ARS)	<i>Distocambarus youngineri</i>	January-April	
Fish	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	None Found			
Reptile	None Found			

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Oconee County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
	Green salamander (ARS)	<i>Aneides aeneus</i>	October-March	
Bird	Golden-winged warbler (ARS)	<i>Vermivora chrysoptera</i>	April-July (nesting surveys)	Spring/Fall migration; variable throughout State
Crustacean	None Found			
Fish	None Found			
Insect	Edmund's snaketail (ARS)	<i>Ophiogomphus edmundo</i>	Year round	Active: May-August
	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
	Smokies needlefly (ARS)	<i>Megaleuctra williamsae</i>	April-June	
Mammal	Indiana bat (E)	<i>Myotis sodalis</i>	Year round	Not a South Carolina resident
	Little brown bat (ARS)	<i>Myotis lucifugus</i>	Year round	Found in trees, rock creaves, and under bridges
	Northern long-eared bat (T)	<i>Myotis septentrionalis</i>	Year round	Winter surveys not as successful
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	Brook floater (ARS)	<i>Alasmodonta varicosa</i>	March 1-September 30	
Plant	Carolina hemlock (ARS)	<i>Tsuga caroliniana</i>	Year round	
	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Persistent trillium (E)	<i>Trillium persistens</i>	Early March-mid April	
	Small whorled pogonia (T)	<i>Isotria medeoloides</i>	Mid May-early July	
	Smooth coneflower (E)	<i>Echinacea laevigata</i>	Late May-October	
	Sun-facing coneflower (ARS)	<i>Rudbeckia heliopsisidis</i>	July-October	
Reptile	None Found			

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Orangeburg County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus</i> *	February 1-April 30	Spawning migration
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum</i> *	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
Reptile	Eastern diamondback rattlesnake (ARS)	<i>Crotalus adamanteus</i>	Most of the year	Peak: April-November

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Pickens County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
	Green salamander (ARS)	<i>Aneides aeneus</i>	October-March	
Bird	Golden-winged warbler (ARS)	<i>Vermivora chrysoptera</i>	April-July (nesting surveys)	Spring/Fall migration; variable throughout State
Crustacean	Broad River spiny crayfish (ARS)	<i>Cambarus spicatus</i>	November-April	
Fish	None Found			
Insect	Margaret's (Margarita) river cruiser (ARS)	<i>Macromia margarita</i>	Year round	Active: June-early August
	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Little brown bat (ARS)	<i>Myotis lucifugus</i>	Year round	Found in trees, rock creaves, and under bridges
	Northern long-eared bat (T)	<i>Myotis septentrionalis</i>	Year round	Winter surveys not as successful
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Black-spored quillwort (E)	<i>Isoetes melanospora</i>	May-October	
	Carolina hemlock (ARS)	<i>Tsuga caroliniana</i>	Year round	
	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Mountain sweet pitcher plant (E)	<i>Sarracenia rubra ssp. jonesii</i>	April-October	
	Smooth coneflower (E)	<i>Echinacea laevigata</i>	Late May-October	
Reptile	Bog turtle (S/A, T)	<i>Glyptemys muhlenbergii</i>	April 15-September 15	Active period

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Richland County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	Broad River spiny crayfish (ARS)	<i>Cambarus spicatus</i>	November-April	
Fish	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Little brown bat (ARS)	<i>Myotis lucifugus</i>	Year round	Found in trees, rock creaves, and under bridges
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Bog spicebush (ARS)	<i>Lindera subcoriacea</i>	March-August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Ciliate-leaf tickseed (ARS)	<i>Coreopsis integrifolia</i>	August-November	
	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Purple baldwinia (ARS)	<i>Balduina atropurpurea</i>	August-November	
	Rough-leaved loosestrife (E)	<i>Lysimachia asperulaefolia</i>	Mid May-September	
	Smooth coneflower (E)	<i>Echinacea laevigata</i>	Late May-October	
Reptile	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Saluda County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	Mimic crayfish (ARS)	<i>Distocambarus carlsoni</i>	November-April	
Fish	None Found			
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	Brook floater (ARS)	<i>Alasmidonta varicosa</i>	March 1-September 30	
	Carolina heelsplitter (E, CH)	<i>Lasmigona decorata</i>	March 1-September 30	Optimal survey window
Plant	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Harperella (E)	<i>Ptilimnium nodosum</i>	July-October	In periods of low water
	Little amphianthus or Pool sprite (T)	<i>Amphianthus pusillus</i>	Late March-April	
Reptile	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

7/10/2019

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Spartanburg County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Golden-winged warbler (ARS)	<i>Vermivora chrysoptera</i>	April-July (nesting surveys)	Spring/Fall migration; variable throughout State
Bird	None Found			
Crustacean	Broad River spiny crayfish (ARS)	<i>Cambarus spicatus</i>	November-April	
Fish	None Found			
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Little brown bat (ARS)	<i>Myotis lucifugus</i>	Year round	Found in trees, rock creaves, and under bridges
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Dwarf-flowered heartleaf (T)	<i>Hexastylis naniflora</i>	March-May	
Reptile	None Found			

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Sumter County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum</i> *	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
Reptile	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Union County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	None Found			
Crustacean	None Found			
Fish	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
Reptile	None Found			

Contact National Marine Fisheries Service (NMFS) for more information on this species

* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

** Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

Species that are either former Candidate Species or are emerging conservation priority species

ARS* Federally protected under the Bald and Golden Eagle Protection Act

BGEPA FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

C Critical Habitat

CH Federally Endangered

E Proposed for listing or critical habitat in the Federal Register

P or P - CH Federally protected due to similarity of appearance to a listed species

S/A Federally Threatened

T

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Williamsburg County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
Reptile	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

7/10/2019

South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - York County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
Crustacean	Broad River spiny crayfish (ARS)	<i>Cambarus spicatus</i>	November-April	
Fish	None Found			
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	Carolina heelsplitter (E, CH)	<i>Lasmigona decorata</i>	March 1-September 30	Optimal survey window
Plant	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Little amphianthus or Pool sprite (T)	<i>Amphianthus pusillus</i>	Late March-April	
	Schweinitz's sunflower (E)	<i>Helianthus schweinitzii</i>	Late August-October	
	Sun-facing coneflower (ARS)	<i>Rudbeckia heliopsisidis</i>	July-September	
Reptile	None Found			

* Contact National Marine Fisheries Service (NMFS) for more information on this species

** The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.