

## SPECIES LIST BY COUNTY: TABLE OF CONTENTS

Abbeville County	Page 1
Aiken County	Page 2
Allendale County	Page 4
Anderson County	Page 6
Bamberg County	Page 7
Barnwell County	Page 8
Beaufort County	Page 10
Berkeley County	Page 12
Calhoun County	Page 14
Charleston County	Page 15
Cherokee County	Page 17
Chester County	Page 18
Chesterfield County	Page 19
Clarendon County	Page 20
Colleton County	Page 21
Darlington County	Page 23
Dillon County	Page 24
Dorchester County	Page 25
Edgefield County	Page 26
Fairfield County	Page 27
Florence County	Page 28
Georgetown County	Page 29
Greenville County	Page 31
Greenwood County	Page 32
Hampton County	Page 33
Horry County	Page 35
Jasper County	Page 37
Kershaw County	Page 39
Lancaster County	Page 40
Laurens County	Page 41
Lee County	Page 42
Lexington County	Page 43
Marion County	Page 44
Marlboro County	Page 45
McCormick County	Page 46
Newberry County	Page 47
Oconee County	Page 48
Orangeburg County	Page 49
Pickens County	Page 50
Richland County	Page 51
Saluda County	Page 52
Spartanburg County	Page 53
Sumter County	Page 54
Union County	Page 55
Williamsburg County	Page 56
York County	Page 57

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Abbeville County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	None Found			
<b>Bird</b>	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
<b>Crustacean</b>	Mimic crayfish (ARS)	<i>Distocambarus carlsoni</i>	November-April	
<b>Fish</b>	None Found			
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	None Found			
<b>Plant</b>	Georgia aster (ARS*)	<i>Symphytotrichum georgianum</i>	Early October-mid November	
<b>Reptile</b>	None Found			

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Aiken County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Frosted elfin (ARS)	<i>Callophrys irus</i>	March - June	
	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Little brown bat (ARS)	<i>Myotis lucifugus</i>	Year round	Found in trees, rock creaves, and under bridges
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Bog spicebush (ARS)	<i>Lindera subcoriacea</i>	March-August	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Harperella (E)	<i>Ptilimnium nodosum</i>	July-October	survey in periods of low water
	Ocmulgee skullcap (ARS)	<i>Scutellaria ocmulgee</i>	Late June-early October	
	Relict trillium (E)	<i>Trillium reliquum</i>	Mid March-April	
	Smooth coneflower (E)	<i>Echinacea laevigata</i>	Late May-October	
Reptile	Florida pine snake (ARS)	<i>Pituophis melanoleucus mugitus</i>	Most of year	
	Gopher tortoise (C)	<i>Gopherus polyphemus</i>	April 1-October 31	Active period
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Survey most of year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Aiken County

*	Contact National Marine Fisheries Service (NMFS) for more information on this species
**	The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species
ARS	Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.
ARS*	Species that are either former Candidate Species or are emerging conservation priority species
BGEPA	Federally protected under the Bald and Golden Eagle Protection Act
C	FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species
CH	Critical Habitat
E	Federally Endangered
P or P - CH	Proposed for listing or critical habitat in the Federal Register
S/A	Federally protected due to similarity of appearance to a listed species
T	Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Allendale County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
<b>Bird</b>	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
<b>Crustacean</b>	None Found			
<b>Fish</b>	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
<b>Insect</b>	Calvert's Emerald (ARS)	<i>Somatochlora calverti</i>	Year round	Active: mid-June-late August
	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	None Found			
<b>Plant</b>	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid August-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Smooth coneflower (E)	<i>Echinacea laevigata</i>	Late May-October	
<b>Reptile</b>	Florida pine snake (ARS)	<i>Pituophis melanoleucus mugitus</i>	Most of the year	
	Gopher tortoise (C)	<i>Gopherus polyphemus</i>	April 1-October 31	Active period
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Allendale County

*	Contact National Marine Fisheries Service (NMFS) for more information on this species
**	The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species
ARS	Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.
ARS*	Species that are either former Candidate Species or are emerging conservation priority species
BGEPA	Federally protected under the Bald and Golden Eagle Protection Act
C	FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species
CH	Critical Habitat
E	Federally Endangered
P or P - CH	Proposed for listing or critical habitat in the Federal Register
S/A	Federally protected due to similarity of appearance to a listed species
T	Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Anderson County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	None Found			
<b>Bird</b>	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Eastern black rail (T)	<i>Laterallus jamaicensis jamaicensis</i>	April-June	Minimum of five surveys/survey point
<b>Crustacean</b>	Mimic crayfish (ARS)	<i>Distocambarus carlsoni</i>	November-April	
<b>Fish</b>	None Found			
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-
<b>Mammal</b>	Little brown bat (ARS)	<i>Myotis lucifugus</i>	Year round	Found in trees, rock creaves, and under bridges
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	None Found			
<b>Plant</b>	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Smooth coneflower (E)	<i>Echinacea laevigata</i>	Late May-October	
<b>Reptile</b>	None Found			

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Bamberg County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
<b>Bird</b>	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
<b>Crustacean</b>	None Found			
<b>Fish</b>	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	None Found			
<b>Plant</b>	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
<b>Reptile</b>	Gopher tortoise (C)	<i>Gopherus polyphemus</i>	April 1-October 31	Active period
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.



## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Barnwell County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Bog spicebush (ARS)	<i>Lindera subcoriacea</i>	March-August	
	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Harperella (E)	<i>Ptilimnium nodosum</i>	July-October	survey in periods of low water
	Pondberry (E)	<i>Lindera melissifolia</i>	February-March	
	Smooth coneflower (E)	<i>Echinacea laevigata</i>	Late May-October	
Reptile	Florida pine snake (ARS)	<i>Pituophis melanoleucus mugitus</i>	Most of the year	
	Gopher tortoise (C)	<i>Gopherus polyphemus</i>	April 1-October 31	Active period
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Barnwell County

*	Contact National Marine Fisheries Service (NMFS) for more information on this species
**	The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species
ARS	Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.
ARS*	Species that are either former Candidate Species or are emerging conservation priority species
BGEPA	Federally protected under the Bald and Golden Eagle Protection Act
C	FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species
CH	Critical Habitat
E	Federally Endangered
P or P - CH	Proposed for listing or critical habitat in the Federal Register
S/A	Federally protected due to similarity of appearance to a listed species
T	Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Beaufort County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	Frosted flatwoods salamander (T, CH)	<i>Ambystoma cingulatum</i>	January 1-April 30	Larvae present in breeding ponds
<b>Bird</b>	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Black-capped petrel (ARS)	<i>Pterodroma hasitata</i>	April-October	offshore water primarily
	Eastern black rail (T)	<i>Laterallus jamaicensis jamaicensis</i>	April-June	Minimum of five surveys/survey point
	Piping plover (T, CH)	<i>Charadrius melodus</i>	July 15-May 1	Migration and wintering
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
	Red knot (T)	<i>Calidris canutus rufa</i>	August 1-May 31	Migration and wintering
	Saltmarsh sparrow (ARS)	<i>Ammospiza caudacuta</i>	Fall/winter	Fall/winter surveys
<b>Crustacean</b>	None Found			
<b>Fish</b>	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Finback whale* (E)	<i>Balaenoptera physalus*</i>	November 1-April 30	Off the coast
	Humpback whale * (E)	<i>Megaptera novaengliae</i>	January 1-March 31	Migration off the coast
	Little brown bat (ARS)	<i>Myotis lucifugus</i>	Year round	Found in trees, rock creaves, and under bridges
	Northern long-eared bat (T)	<i>Myotis septentrionalis</i>	Year round	Winter surveys not as successful
	Right whale* (E)	<i>Balaena glacialis</i>	November 1-April 30	Off the coast
	Sei whale* (E)	<i>Balaenoptera borealis</i>		
	Sperm whale* (E)	<i>Physeter macrocephalus</i>		
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
	West Indian manatee (T)	<i>Trichechus manatus</i>	May 15-October 15	In coastal waters
<b>Mollusk</b>	None Found			
<b>Plant</b>	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Ciliate-leaf tickseed (ARS)	<i>Coreopsis integrifolia</i>	August-November	
	Pondberry (E)	<i>Lindera melissifolia</i>	February-March	

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Beaufort County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ FILE SERIES	COMMENTS
Reptile	Eastern diamondback rattlesnake (ARS)	<i>Crotalus adamanteus</i>	Most of the year	Peak: April-November
	Green sea turtle ** (T)	<i>Chelonia mydas</i> **	May 1-October 31	Nesting and hatching
	Florida pine snake (ARS)	<i>Pituophis melanoleucus mugitus</i>	Most of year	
	Kemp's ridley sea turtle ** (E)	<i>Lepidochelys kempi</i> **	May 1-October 31	In coastal waters
	Leatherback sea turtle ** (E)	<i>Dermochelys coriacea</i> **	May 1-October 31	Nesting and hatching
	Loggerhead sea turtle ** (T, CH)	<i>Caretta caretta</i> **	May 1-October 31	Nesting and hatching
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Berkeley County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Frosted flatwoods salamander (T, CH)	<i>Ambystoma cingulatum</i>	January 1-April 30	Larvae present in breeding ponds
	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
	Saltmarsh sparrow (ARS)	<i>Ammodramus caudacuta</i>	Fall/winter	Fall/winter surveys
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus</i> *	February 1-April 30	Spawning migration
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum</i> *	February 1-April 30	Spawning migration
Insect	Frosted elfin (ARS)	<i>Callophrys irus</i>	March - June	
	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Northern long-eared bat (T)	<i>Myotis septentrionalis</i>	Year round	Winter surveys not as successful
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
	West Indian manatee (T)	<i>Trichechus manatus</i>	May 15-October 15	In coastal waters
Mollusk	None Found			
Plant	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Ciliate-leaf tickseed (ARS)	<i>Coreopsis integrifolia</i>	August-November	
	Pondberry (E)	<i>Lindera melissifolia</i>	February-March	
	Raven's seedbox (ARS)	<i>Ludwigia ravenii</i>	June-October	
	Sun-facing coneflower (ARS)	<i>Rudbeckia heliopsisidis</i>	July-September	
Reptile	Eastern diamondback rattlesnake (ARS)	<i>Crotalus adamanteus</i>	Most of the year	Peak: April-November
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Berkeley County

*	Contact National Marine Fisheries Service (NMFS) for more information on this species
**	The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species
ARS	Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.
ARS*	Species that are either former Candidate Species or are emerging conservation priority species
BGEPA	Federally protected under the Bald and Golden Eagle Protection Act
C	FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species
CH	Critical Habitat
E	Federally Endangered
P or P - CH	Proposed for listing or critical habitat in the Federal Register
S/A	Federally protected due to similarity of appearance to a listed species
T	Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Calhoun County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
<b>Bird</b>	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
<b>Crustacean</b>	None Found			
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum</i> *	February 1-April 30	Spawning migration
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	None Found			
<b>Plant</b>	None Found			
<b>Reptile</b>	None Found			

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Charleston County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Frosted flatwoods salamander (T, CH)	<i>Ambystoma cingulatum</i>	January 1-April 30	Larvae present in breeding ponds
	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bachman's warbler (E)	<i>Vermivora bachmanii</i>	May 1-June 15	Breeding
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Black-capped petrel (ARS)	<i>Pterodroma hasitata</i>	April-October	offshore water primarily
	Eastern black rail (T)	<i>Laterallus jamaicensis jamaicensis</i>	April-June	Minimum of five surveys/survey point
	Piping plover (T, CH)	<i>Charadrius melodus</i>	July 15-May 1	Migration and wintering
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
	Red knot (T)	<i>Calidris canutus rufa</i>	August 1-May 31	Migration and wintering
	Saltmarsh sparrow (ARS)	<i>Ammodramus caudacuta</i>	Fall/winter	Fall/winter surveys
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Frosted elfin (ARS)	<i>Callophrys irus</i>	March - June	
	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Finback whale* (E)	<i>Balaenoptera physalus*</i>	November 1-April 30	Off the coast
	Humpback whale * (E)	<i>Megaptera novaengliae</i>	January 1-March 31	Migration off the coast
	Northern long-eared bat (T)	<i>Myotis septentrionalis</i>	Year round	Winter surveys not as successful
	Right whale* (E)	<i>Balaena glacialis</i>	November 1-April 30	Off the coast
	Sei whale* (E)	<i>Balaenoptera borealis</i>		
	Sperm whale* (E)	<i>Physeter macrocephalus</i>		
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
	West Indian manatee (T)	<i>Trichechus manatus</i>	May 15-October 15	In coastal waters
Mollusk	None Found			
Plant	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Ciliate-leaf tickseed (ARS)	<i>Coreopsis integrifolia</i>	August-November	
	Pondberry (E)	<i>Lindera melissifolia</i>	February-March	
	Seabeach amaranth (T)	<i>Amaranthus pumilus</i>	July-October	



## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Charleston County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Reptile	Eastern diamondback rattlesnake (ARS)	<i>Crotalus adamanteus</i>	Most of the year	Peak: April-November
	Green sea turtle ** (T)	<i>Chelonia mydas</i> **	May 1-October 31	Nesting and hatching
	Kemp's ridley sea turtle ** (E)	<i>Lepidochelys kempii</i> **	May 1-October 31	In coastal waters
	Leatherback sea turtle ** (E)	<i>Dermochelys coriacea</i> **	May 1-October 31	Nesting and hatching
	Loggerhead sea turtle ** (T, CH)	<i>Caretta caretta</i> **	May 1-October 31	Nesting and hatching
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Cherokee County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	None Found			
Crustacean	None Found			
Fish	None Found			
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Dwarf-flowered heartleaf (T)	<i>Hexastylis naniflora</i>	March-May	
	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
Reptile	None Found			

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Chester County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	None Found			
<b>Bird</b>	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
<b>Crustacean</b>	None Found			
<b>Fish</b>	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	Carolina heelsplitter (E, CH)	<i>Lasmigona decorata</i>	March 1-September 30	Optimal survey window
<b>Plant</b>	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
<b>Reptile</b>	None Found			

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Chesterfield County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
<b>Bird</b>	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
<b>Crustacean</b>	None Found			
<b>Fish</b>	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
<b>Insect</b>	Frosted elfin (ARS)	<i>Callophrys irus</i>	March - June	
	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
	Septima's clubtail (ARS)	<i>Gomphus septima</i>	Year round	Active: May-August
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	Brook floater (ARS)	<i>Alasmodonta varicosa</i>	March 1-September 30	
	Carolina heelsplitter (E, CH)	<i>Lasmigona decorata</i>	March 1-September 30	Optimal survey window
<b>Plant</b>	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Wire-leaved dropseed (ARS)	<i>Sporobolus teretifolius</i>	August-September	Following fire
<b>Reptile</b>	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Clarendon County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	None Found			
<b>Bird</b>	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
<b>Crustacean</b>	None Found			
<b>Fish</b>	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	None Found			
<b>Plant</b>	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
<b>Reptile</b>	Eastern diamondback rattlesnake (ARS)	<i>Crotalus adamanteus</i>	Most of the year	Peak: April-November
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

7/10/2019

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Colleton County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
	Frosted flatwoods salamander (T, CH)	<i>Ambystoma cingulatum</i>	January 1-April 30	Larvae present in breeding ponds
	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Black-capped petrel (ARS)	<i>Pterodroma hasitata</i>	April-October	offshore water primarily
	Eastern black rail (T)	<i>Laterallus jamaicensis jamaicensis</i>	April-June	Minimum of five surveys/survey point
	Piping plover (T, CH)	<i>Charadrius melodus</i>	July 15-May 1	Migration and wintering
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
	Red knot (T)	<i>Calidris canutus rufa</i>	August 1-May 31	Migration and wintering
	Saltmarsh sparrow (ARS)	<i>Ammodramus caudatus</i>	Fall/winter	Fall/winter surveys
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Finback whale* (E)	<i>Balaenoptera physalus*</i>	November 1-April 30	Off the coast
	Humpback whale * (E)	<i>Megaptera novaengliae</i>	January 1-March 31	Migration off the coast
	Right whale* (E)	<i>Balaena glacialis</i>	November 1-April 30	Off the coast
	Sei whale* (E)	<i>Balaenoptera borealis</i>		
	Sperm whale* (E)	<i>Physeter macrocephalus</i>		
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
	West Indian manatee (T)	<i>Trichechus manatus</i>	May 15-October 15	In coastal waters
Plant	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Ciliate-leaf tickseed (ARS)	<i>Coreopsis integrifolia</i>	August-November	

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Colleton County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Reptile	Eastern diamondback rattlesnake (ARS)	<i>Crotalus adamanteus</i>	Most of the year	Peak: April-November
	Gopher tortoise (C)	<i>Gopherus polyphemus</i>	April 1-October 31	Active period
	Green sea turtle ** (T)	<i>Chelonia mydas</i> **	May 1-October 31	Nesting and hatching
	Kemp's ridley sea turtle ** (E)	<i>Lepidochelys kempii</i> **	May 1-October 31	In coastal waters
	Leatherback sea turtle ** (E)	<i>Dermochelys coriacea</i> **	May 1-October 31	Nesting and hatching
	Loggerhead sea turtle ** (T, CH)	<i>Caretta caretta</i> **	May 1-October 31	Nesting and hatching
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Darlington County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redbreast (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Georgia leadplant (ARS)	<i>Amorpha georgiana</i> var. <i>georgiana</i>	Late April-October	
	Purple balduina (ARS)	<i>Balduina atropurpurea</i>	August-October	
	Rough-leaved loosestrife (E)	<i>Lysimachia asperulaefolia</i>	Mid May-June	
	Yellow pond lily (ARS)	<i>Nuphar lutea</i> ssp. <i>sagittifolia</i>	April-October	
Reptile	None Found			

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

7/10/2019



## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Dillon County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Yellow pond lily (ARS)	<i>Nuphar lutea ssp. sagittifolia</i>	April-October	
Reptile	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Dorchester County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
<b>Bird</b>	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
<b>Crustacean</b>	None Found			
<b>Fish</b>	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	None Found			
<b>Plant</b>	Bog asphodel (ARS*)	<i>Narthecium americanum</i>	June-July	
<b>Reptile</b>	Eastern diamondback rattlesnake (ARS)	<i>Crotalus adamanteus</i>	Most of the year	Peak: April-November
	Gopher tortoise (C)	<i>Gopherus polyphemus</i>	April 1-October 31	Active period
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Edgefield County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	Brook floater (ARS)	<i>Alasmodonta varicosa</i>	March 1-September 30	
	Carolina heelsplitter (E, CH)	<i>Lasmigona decorata</i>	March 1-September 30	Optimal survey window
Plant	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Miccosukee gooseberry (T)	<i>Ribes echinellum</i>	June-September	Year round
	Ocmulgee skullcap (ARS)	<i>Scutellaria ocmulgee</i>	Late June-early October	
	Relict trillium (E)	<i>Trillium reliquum</i>	Mid March-April	
Reptile	None Found			

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

7/10/2019

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Fairfield County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	None Found			
<b>Bird</b>	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
<b>Crustacean</b>	Broad River spiny crayfish (ARS)	<i>Cambarus spicatus</i>	November-April	
<b>Fish</b>	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	None Found			
<b>Plant</b>	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
<b>Reptile</b>	None Found			

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Florence County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	None Found			
<b>Bird</b>	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
<b>Crustacean</b>	None Found			
<b>Fish</b>	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	None Found			
<b>Plant</b>	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Georgia leadplant (ARS)	<i>Amorpha georgiana</i> var. <i>georgiana</i>	Late April-October	
	Yellow pond lily (ARS)	<i>Nuphar lutea</i> ssp. <i>sagittifolia</i>	April-October	
<b>Reptile</b>	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Georgetown County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	None Found			
<b>Bird</b>	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Black-capped petrel (ARS)	<i>Pterodroma hasitata</i>	April-October	offshore water primarily
	Eastern black rail (T)	<i>Laterallus jamaicensis jamaicensis</i>	April-June	Minimum of five surveys/survey point
	Piping plover (T, CH)	<i>Charadrius melodus</i>	July 15-May 1	Migration and wintering
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
	Red knot (T)	<i>Calidris canutus rufa</i>	August 1-May 31	Migration and wintering
	Saltmarsh sparrow (ARS)	<i>Ammodramus caudatus</i>	Fall/winter	Fall/winter surveys
<b>Crustacean</b>	None Found			
<b>Fish</b>	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus</i> *	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum</i> *	February 1-April 30	Spawning migration
<b>Insect</b>	Frosted elfin (ARS)	<i>Callophrys irus</i>	March - June	
	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Finback whale* (E)	<i>Balaenoptera physalus</i> *	November 1-April 30	Off the coast
	Humpback whale * (E)	<i>Megaptera novaengliae</i>	January 1-March 31	Migration off the coast
	Right whale* (E)	<i>Balaena glacialis</i>	November 1-April 30	Off the coast
	Sei whale* (E)	<i>Balaenoptera borealis</i>		
	Sperm whale* (E)	<i>Physeter macrocephalus</i>		
	Northern long-eared bat (T)	<i>Myotis septentrionalis</i>	Year round	Winter surveys not as successful
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
	West Indian manatee (T)	<i>Trichechus manatus</i>	May 15-October 15	In coastal waters
<b>Mollusk</b>	None Found			
<b>Plant</b>	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Pondberry (E)	<i>Lindera melissifolia</i>	February-March	
	Seabeach amaranth (T)	<i>Amaranthus pumilus</i>	July-October	
	Wire-leaved dropseed (ARS)	<i>Sporobolus teretifolius</i>	August-September	Following fire
	Yellow pond lily (ARS)	<i>Nuphar lutea ssp. sagittifolia</i>	April-October	

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Georgetown County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Reptile	Green sea turtle ** (T)	<i>Chelonia mydas</i> **	May 1-October 31	Nesting and hatching
	Kemp's ridley sea turtle ** (E)	<i>Lepidochelys kempii</i> **	May 1-October 31	In coastal waters
	Leatherback sea turtle ** (E)	<i>Dermochelys coriacea</i> **	May 1-October 31	Nesting and hatching
	Loggerhead sea turtle ** (T, CH)	<i>Caretta caretta</i> **	May 1-October 31	Nesting and hatching
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Greenville County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	Green salamander (ARS)	<i>Aneides aeneus</i>	October-March	
<b>Bird</b>	Golden-winged warbler (ARS)	<i>Vermivora chrysoptera</i>	April-July (nesting surveys)	Spring/Fall migration; variable throughout State
<b>Crustacean</b>	Broad River spiny crayfish (ARS)	<i>Cambarus spicatus</i>	November-April	
	Mimic crayfish (ARS)	<i>Distocambarus carlsoni</i>	November-April	
<b>Fish</b>	None Found			
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Little brown bat (ARS)	<i>Myotis lucifugus</i>	Year round	Found in trees, rock creaves, and under bridges
	Northern long-eared bat (T)	<i>Myotis septentrionalis</i>	Year round	Winter surveys not as successful
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	None Found			
<b>Plant</b>	Bunched arrowhead (E)	<i>Sagittaria fasciculata</i>	Mid May-July	
	Carolina hemlock (ARS)	<i>Tsuga caroliniana</i>	Year around	
	Dwarf-flowered heartleaf (T)	<i>Hexastylis naniflora</i>	March-May	
	Mountain sweet pitcher plant (E)	<i>Sarracenia rubra ssp. jonesii</i>	April-October	
	Purple pitcher plant (ARS)	<i>Sarracenia purpurea var. montana</i>	April-May	
	Rock gnome lichen (E)	<i>Gymnoderma lineare</i>	Year around	
	Small whorled pogonia (T)	<i>Isotria medeoloides</i>	Mid May-early July	
	Sun-facing coneflower (ARS)	<i>Rudbeckia heliopsidis</i>	July-September	
	Swamp pink (T)	<i>Helonias bullata</i>	April-May	
	White fringeless orchid (T)	<i>Platanthera integrilabia</i>	Late July-October	
	White irisette or Reflexed blue-eyed grass (E)	<i>Sisyrinchium dichotomum</i>	Late May-July	
<b>Reptile</b>	Bog turtle (S/A, T)	<i>Glyptemys muhlenbergii</i>	April 15-September 15	Active period

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.



## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Greenwood County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	None Found			
<b>Bird</b>	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
<b>Crustacean</b>	Mimic crayfish (ARS)	<i>Distocambarus carlsoni</i>	November-April	
<b>Fish</b>	None Found			
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	Brook floater (ARS)	<i>Alasmidonta varicosa</i>	March 1-September 30	
	Carolina heelsplitter (E, CH)	<i>Lasmigona decorata</i>	March 1-September 30	Optimal survey window
<b>Plant</b>	Georgia aster (ARS*)	<i>Symphotrichum georgianum</i>	Early October-mid November	
	Ravine sedge (ARS)	<i>Carex impressinervia</i>	April-May	
<b>Reptile</b>	None Found			

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Hampton County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
<b>Bird</b>	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
<b>Crustacean</b>	None Found			
<b>Fish</b>	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	None Found			
<b>Plant</b>	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
<b>Reptile</b>	Eastern diamondback rattlesnake (ARS)	<i>Crotalus adamanteus</i>	Most of the year	Peak: April-November
	Florida pine snake (ARS)	<i>Pituophis melanoleucus mugitus</i>	Most of the year	
	Gopher tortoise (C)	<i>Gopherus polyphemus</i>	April 1-October 31	Active period
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Hampton County

*	Contact National Marine Fisheries Service (NMFS) for more information on this species
**	The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species
ARS	Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.
ARS*	Species that are either former Candidate Species or are emerging conservation priority species
BGEPA	Federally protected under the Bald and Golden Eagle Protection Act
C	FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species
CH	Critical Habitat
E	Federally Endangered
P or P - CH	Proposed for listing or critical habitat in the Federal Register
S/A	Federally protected due to similarity of appearance to a listed species
T	Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Horry County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Black-capped petrel (ARS)	<i>Pterodroma hasitata</i>	April-October	offshore water primarily
	Piping plover (T, CH)	<i>Charadrius melodus</i>	July 15-May 1	Migration and wintering
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
	Red knot (T)	<i>Calidris canutus rufa</i>	August 1-May 31	Migration and wintering
	Saltmarsh sparrow (ARS)	<i>Ammospiza caudacuta</i>	Fall/winter	Fall/winter surveys
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Finback whale* (E)	<i>Balaenoptera physalus*</i>	November 1-April 30	Off the coast
	Humpback whale * (E)	<i>Megaptera novaengliae</i>	January 1-March 31	Migration off the coast
	Right whale* (E)	<i>Balaena glacialis</i>	November 1-April 30	Off the coast
	Sei whale* (E)	<i>Balaenoptera borealis</i>		
	Sperm whale* (E)	<i>Physeter macrocephalus</i>		
	Northern long-eared bat (T)	<i>Myotis septentrionalis</i>	Year round	Winter surveys not as successful
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
	West Indian manatee (T)	<i>Trichechus manatus</i>	May 15-October 15	In coastal waters
Mollusk	None Found			

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Horry County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Plant	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Ciliate-leaf tickseed (ARS)	<i>Coreopsis integrifolia</i>	August-November	
	Godfrey's stitchwort (ARS)	<i>Minuartia godfreyi</i>	April-June	
	Harper's fimbriatylis (ARS)	<i>Fimbristylis perpusilla</i>	July-September	
	Seabeach amaranth (T)	<i>Amaranthus pumilus</i>	July-October	
	Venus flytrap (ARS*)	<i>Dionaea muscipula</i>	May-June	
	Wire-leaved dropseed (ARS)	<i>Sporobolus teretifolius</i>	August-September	Following fire
	Yellow pond lily (ARS)	<i>Nuphar lutea ssp. sagittifolia</i>	April-October	
Reptile	Green sea turtle ** (T)	<i>Chelonia mydas</i> **	May 1-October 31	Nesting and hatching
	Kemp's ridley sea turtle ** (E)	<i>Lepidochelys kempii</i> **	May 1-October 31	In coastal waters
	Leatherback sea turtle ** (E)	<i>Dermochelys coriacea</i> **	May 1-October 31	Nesting and hatching
	Loggerhead sea turtle ** (T, CH)	<i>Caretta caretta</i> **	May 1-October 31	Nesting and hatching
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-early April	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Jasper County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Frosted flatwoods salamander (T, CH)	<i>Ambystoma cingulatum</i>	January 1-April 30	Larvae present in breeding ponds
	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Black-capped petrel (ARS)	<i>Pterodroma hasitata</i>	April-October	offshore water primarily
	Eastern black rail (T)	<i>Laterallus jamaicensis jamaicensis</i>	April-June	Minimum of five surveys/survey point
	Piping plover (T, CH)	<i>Charadrius melodus</i>	July 15-May 1	Migration and wintering
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
	Red knot (T)	<i>Calidris canutus rufa</i>	August 1-May 31	Migration and wintering
	Saltmarsh sparrow (ARS)	<i>Ammodramus caudacuta</i>	Fall/winter	Fall/winter surveys
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Finback whale* (E)	<i>Balaenoptera physalus*</i>	November 1-April 30	Off the coast
	Humpback whale * (E)	<i>Megaptera novaengliae</i>	January 1-March 31	Migration off the coast
	Right whale* (E)	<i>Balaena glacialis</i>	November 1-April 30	Off the coast
	Sei whale* (E)	<i>Balaenoptera borealis</i>		
	Sperm whale* (E)	<i>Physeter macrocephalus</i>		
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
	West Indian manatee (T)	<i>Trichechus manatus</i>	May 15-October 15	In coastal waters
Mollusk	None Found			
Plant	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Ciliate-leaf tickseed (ARS)	<i>Coreopsis integrifolia</i>	August-November	

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Jasper County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Reptile	Eastern diamondback rattlesnake (ARS)	<i>Crotalus adamanteus</i>	Most of the year	Peak: April-November
	Florida pine snake (ARS)	<i>Pituophis melanoleucus mugitus</i>	Most of the year	
	Gopher tortoise (C)	<i>Gopherus polyphemus</i>	April 1-October 31	Active period
	Green sea turtle ** (T)	<i>Chelonia mydas</i> **	May 1-October 31	Nesting and hatching
	Kemp's ridley sea turtle ** (E)	<i>Lepidochelys kempii</i> **	May 1-October 31	In coastal waters
	Leatherback sea turtle ** (E)	<i>Dermochelys coriacea</i> **	May 1-October 31	Nesting and hatching
	Loggerhead sea turtle ** (T, CH)	<i>Caretta caretta</i> **	May 1-October 31	Nesting and hatching
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Kershaw County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum</i> *	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	Brook floater (ARS)	<i>Alasmodonta varicosa</i>	March 1-September 30	
	Carolina heelsplitter (E, CH)	<i>Lasmigona decorata</i>	March 1-September 30	Optimal survey window
Plant	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Michaux's sumac (E)	<i>Rhus michauxii</i>	May-October	
	Wire-leaved dropseed (ARS)	<i>Sporobolus teretifolius</i>	August-September	Following fire
Reptile	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.



## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Lancaster County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
Crustacean	None Found			
Fish	None Found			
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	Brook floater (ARS)	<i>Alasmodonta varicosa</i>	March 1-September 30	
	Carolina heelsplitter (E, CH)	<i>Lasmigona decorata</i>	March 1-September 30	Optimal survey window
Plant	Black-spored quillwort (E)	<i>Isoetes melanospora</i>	May-October	
	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Little amphianthus or Pool sprite (T)	<i>Amphianthus pusillus</i>	Late March-April	
	Schweinitz's sunflower (E)	<i>Helianthus schweinitzii</i>	Late August-October	
	Smooth sunflower (E)	<i>Echinacea laevigata</i>	Late May-October	
Reptile	None Found			

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Laurens County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	Mimic crayfish (ARS)	<i>Distocambarus carlsoni</i>	November-April	
Fish	None Found			
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Little brown bat (ARS)	<i>Myotis lucifugus</i>	Year round	Found in trees, rock creaves, and under bridges
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
Reptile	None Found			

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Lee County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
<b>Bird</b>	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
<b>Crustacean</b>	None Found			
<b>Fish</b>	None Found			
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	None Found			
<b>Plant</b>	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
<b>Reptile</b>	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Lexington County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	None Found			
<b>Bird</b>	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
<b>Crustacean</b>	None Found			
<b>Fish</b>	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	None Found			
<b>Plant</b>	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Ciliate-leaf tickseed (ARS)	<i>Coreopsis integrifolia</i>	August-November	
	Wire-leaved dropseed (ARS)	<i>Sporobolus teretifolius</i>	August-September	Following fire
<b>Reptile</b>	Florida pine snake (ARS)	<i>Pituophis melanoleucus mugitus</i>	Most of year	
	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Marion County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	None Found			
<b>Bird</b>	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
<b>Crustacean</b>	None Found			
<b>Fish</b>	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	None Found			
<b>Plant</b>	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Pondberry (E)	<i>Lindera melissifolia</i>	February-October	
	Yellow pond lily (ARS)	<i>Nuphar lutea ssp. sagittifolia</i>	April-October	
<b>Reptile</b>	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	
	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

7/10/2019

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Marlboro County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	None Found			
<b>Bird</b>	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
<b>Crustacean</b>	None Found			
<b>Fish</b>	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	None Found			
<b>Plant</b>	Bay boneset (ARS)	<i>Eupatorium paludicola</i>	August-September	
<b>Reptile</b>	None Found			

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - McCormick County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	None Found			
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
	Septima's clubtail (ARS)	<i>Gomphus septima</i>	Year round	Active: May-August
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	Brook floater (ARS)	<i>Alasmodonta varicosa</i>	March 1-September 30	
	Carolina heelsplitter (E, CH)	<i>Lasmigona decorata</i>	March 1-September 30	Optimal survey window
Plant	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Miccosukee gooseberry (T)	<i>Ribes echinellum</i>	June-September	Year round
Reptile	None Found			

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Newberry County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	None Found			
<b>Bird</b>	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
<b>Crustacean</b>	Mimic crayfish (ARS)	<i>Distocambarus carlsoni</i>	November-April	
	Newberry burrowing crayfish (Saluda) (ARS)	<i>Distocambarus youngineri</i>	January-April	
<b>Fish</b>	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	None Found			
<b>Plant</b>	None Found			
<b>Reptile</b>	None Found			

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.



## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Oconee County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
	Green salamander (ARS)	<i>Aneides aeneus</i>	October-March	
Bird	Golden-winged warbler (ARS)	<i>Vermivora chrysoptera</i>	April-July (nesting surveys)	Spring/Fall migration; variable throughout State
Crustacean	None Found			
Fish	None Found			
Insect	Edmund's snaketail (ARS)	<i>Ophiogomphus edmundo</i>	Year round	Active: May-August
	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
	Smokies needlefly (ARS)	<i>Megaleuctra williamsae</i>	April-June	
Mammal	Indiana bat (E)	<i>Myotis sodalis</i>	Year round	Not a South Carolina resident
	Little brown bat (ARS)	<i>Myotis lucifugus</i>	Year round	Found in trees, rock creaves, and under bridges
	Northern long-eared bat (T)	<i>Myotis septentrionalis</i>	Year round	Winter surveys not as successful
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	Brook floater (ARS)	<i>Alasmodonta varicosa</i>	March 1-September 30	
Plant	Carolina hemlock (ARS)	<i>Tsuga caroliniana</i>	Year round	
	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Persistent trillium (E)	<i>Trillium persistens</i>	Early March-mid April	
	Small whorled pogonia (T)	<i>Isotria medeoloides</i>	Mid May-early July	
	Smooth coneflower (E)	<i>Echinacea laevigata</i>	Late May-October	
	Sun-facing coneflower (ARS)	<i>Rudbeckia heliopsisidis</i>	July-October	
Reptile	None Found			

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Orangeburg County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	Gopher frog (ARS)	<i>Lithobates capito</i>	Breeding: October-March	Call survey: February-April
<b>Bird</b>	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
<b>Crustacean</b>	None Found			
<b>Fish</b>	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus</i> *	February 1-April 30	Spawning migration
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum</i> *	February 1-April 30	Spawning migration
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	None Found			
<b>Plant</b>	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July/August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
<b>Reptile</b>	Eastern diamondback rattlesnake (ARS)	<i>Crotalus adamanteus</i>	Most of the year	Peak: April-November

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Pickens County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
	Green salamander (ARS)	<i>Aneides aeneus</i>	October-March	
Bird	Golden-winged warbler (ARS)	<i>Vermivora chrysoptera</i>	April-July (nesting surveys)	Spring/Fall migration; variable throughout State
Crustacean	Broad River spiny crayfish (ARS)	<i>Cambarus spicatus</i>	November-April	
Fish	None Found			
Insect	Margaret's (Margarita) river cruiser (ARS)	<i>Macromia margarita</i>	Year round	Active: June-early August
	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Little brown bat (ARS)	<i>Myotis lucifugus</i>	Year round	Found in trees, rock creaves, and under bridges
	Northern long-eared bat (T)	<i>Myotis septentrionalis</i>	Year round	Winter surveys not as successful
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Black-spored quillwort (E)	<i>Isoetes melanospora</i>	May-October	
	Carolina hemlock (ARS)	<i>Tsuga caroliniana</i>	Year round	
	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Mountain sweet pitcher plant (E)	<i>Sarracenia rubra ssp. jonesii</i>	April-October	
	Smooth coneflower (E)	<i>Echinacea laevigata</i>	Late May-October	
Reptile	Bog turtle (S/A, T)	<i>Glyptemys muhlenbergii</i>	April 15-September 15	Active period

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

7/10/2019

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Richland County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
<b>Bird</b>	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
<b>Crustacean</b>	Broad River spiny crayfish (ARS)	<i>Cambarus spicatus</i>	November-April	
<b>Fish</b>	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Little brown bat (ARS)	<i>Myotis lucifugus</i>	Year round	Found in trees, rock creaves, and under bridges
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	None Found			
<b>Plant</b>	Bog spicebush (ARS)	<i>Lindera subcoriacea</i>	March-August	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
	Ciliate-leaf tickseed (ARS)	<i>Coreopsis integrifolia</i>	August-November	
	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Purple baldwinia (ARS)	<i>Balduina atropurpurea</i>	August-November	
	Rough-leaved loosestrife (E)	<i>Lysimachia asperulaefolia</i>	Mid May-September	
	Smooth coneflower (E)	<i>Echinacea laevigata</i>	Late May-October	
<b>Reptile</b>	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Saluda County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
<b>Amphibian</b>	None Found			
<b>Bird</b>	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
<b>Crustacean</b>	Mimic crayfish (ARS)	<i>Distocambarus carlsoni</i>	November-April	
<b>Fish</b>	None Found			
<b>Insect</b>	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
<b>Mammal</b>	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
<b>Mollusk</b>	Brook floater (ARS)	<i>Alasmidonta varicosa</i>	March 1-September 30	
	Carolina heelsplitter (E, CH)	<i>Lasmigona decorata</i>	March 1-September 30	Optimal survey window
<b>Plant</b>	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Harperella (E)	<i>Ptilimnium nodosum</i>	July-October	In periods of low water
	Little amphianthus or Pool sprite (T)	<i>Amphianthus pusillus</i>	Late March-April	
<b>Reptile</b>	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

7/10/2019

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Spartanburg County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Golden-winged warbler (ARS)	<i>Vermivora chrysoptera</i>	April-July (nesting surveys)	Spring/Fall migration; variable throughout State
Bird	None Found			
Crustacean	Broad River spiny crayfish (ARS)	<i>Cambarus spicatus</i>	November-April	
Fish	None Found			
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Little brown bat (ARS)	<i>Myotis lucifugus</i>	Year round	Found in trees, rock creaves, and under bridges
	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Dwarf-flowered heartleaf (T)	<i>Hexastylis naniflora</i>	March-May	
Reptile	None Found			

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Sumter County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	Chamberlain's dwarf salamander (ARS)	<i>Eurycea chamberlaini</i>	Spring/Fall surveys	Breeding survey: November to February
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum</i> *	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
Reptile	Southern hognose snake (ARS)	<i>Heterodon simus</i>	Most of the year	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Union County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	None Found			
Crustacean	None Found			
Fish	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
Reptile	None Found			

Contact National Marine Fisheries Service (NMFS) for more information on this species

\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

\*\* Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

Species that are either former Candidate Species or are emerging conservation priority species

ARS\* Federally protected under the Bald and Golden Eagle Protection Act

BGEPA FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

C Critical Habitat

CH Federally Endangered

E Proposed for listing or critical habitat in the Federal Register

P or P - CH Federally protected due to similarity of appearance to a listed species

S/A Federally Threatened

T

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.



## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - Williamsburg County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	American wood stork (T)	<i>Mycteria americana</i>	February 15-September 1	Nesting season
	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
	Red-cockaded woodpecker (E)	<i>Picoides borealis</i>	March 1-July 31	Nesting season
Crustacean	None Found			
Fish	Atlantic sturgeon* (E)	<i>Acipenser oxyrinchus*</i>	February 1-April 30	Spawning migration
	Robust redhorse (ARS)	<i>Moxostoma robustum</i>	Late April-early May	Temperature dependent: 16-24°C
	Shortnose sturgeon* (E)	<i>Acipenser brevirostrum*</i>	February 1-April 30	Spawning migration
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	None Found			
Plant	American chaffseed (E)	<i>Schwalbea americana</i>	May-August	1-2 months after a fire
	Boykin's lobelia (ARS)	<i>Lobelia boykinii</i>	May-July	
	Canby's dropwort (E)	<i>Oxypolis canbyi</i>	Mid-July-September	
	Carolina-birds-in-a-nest (ARS)	<i>Macbridea caroliniana</i>	July-November	
Reptile	Spotted turtle (ARS)	<i>Clemmys guttata</i>	February-mid April	

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.

7/10/2019

## South Carolina List of At-Risk, Candidate, Endangered, and Threatened Species - York County

CATEGORY	COMMON NAME/STATUS	SCIENTIFIC NAME	SURVEY WINDOW/ TIME PERIOD	COMMENTS
Amphibian	None Found			
Bird	Bald eagle (BGEPA)	<i>Haliaeetus leucocephalus</i>	October 1-May 15	Nesting season
Crustacean	Broad River spiny crayfish (ARS)	<i>Cambarus spicatus</i>	November-April	
Fish	None Found			
Insect	Monarch butterfly (ARS)	<i>Danaus plexippus</i>	August-December	Overwinter population departs: March-April
Mammal	Tri-colored bat (ARS)	<i>Perimyotis subflavus</i>	Year round	Found in mines and caves in the winter
Mollusk	Carolina heelsplitter (E, CH)	<i>Lasmigona decorata</i>	March 1-September 30	Optimal survey window
Plant	Georgia aster (ARS*)	<i>Symphyotrichum georgianum</i>	Early October-mid November	
	Little amphianthus or Pool sprite (T)	<i>Amphianthus pusillus</i>	Late March-April	
	Schweinitz's sunflower (E)	<i>Helianthus schweinitzii</i>	Late August-October	
	Sun-facing coneflower (ARS)	<i>Rudbeckia heliopsisidis</i>	July-September	
Reptile	None Found			

\* Contact National Marine Fisheries Service (NMFS) for more information on this species

\*\* The U.S. Fish and Wildlife Service (FWS) and NMFS share jurisdiction of this species

ARS Species that the FWS has been petitioned to list and for which a positive 90-day finding has been issued (listing may be warranted); information is provided only for conservation actions as no Federal protections currently exist.

ARS\* Species that are either former Candidate Species or are emerging conservation priority species

BGEPA Federally protected under the Bald and Golden Eagle Protection Act

C FWS or NMFS has on file sufficient information on biological vulnerability and threat(s) to support proposals to list these species

CH Critical Habitat

E Federally Endangered

P or P - CH Proposed for listing or critical habitat in the Federal Register

S/A Federally protected due to similarity of appearance to a listed species

T Federally Threatened

These lists should be used only as a guideline, not as the final authority. The lists include known occurrences and areas where the species has a high possibility of occurring. Records are updated as deemed necessary and may differ from earlier lists.

For a list of State endangered, threatened, and species of concern, please visit <https://www.dnr.sc.gov/species/index.html>.