Bald Knob

$National\ Wildlife\ Refuge\ Bird\ List$



Bald Knob National Wildlife Refuge was established on September 22, 1993 and is one of over 560 National Wildlife Refuges. The refuge is located one-half mile southwest of Bald Knob and is bordered to the west and south by the Little Red River and contains 15,020 acres. It was identified by the Lower Mississippi Valley Joint Venture as a high priority acquisition to meet the habitat conservation goals of the North American Waterfowl Management Plan. Management goals of the refuge are: (1) protect and enhance/restore approximately 14,000 acres of agriculture wetlands and bottomland hardwood forests, (2) provide wintering habitat for migrating waterfowl, (3) provide breeding and non-breeding habitat for wood ducks and songbirds, and (4) to provide the public with recreational opportunities (hunting, fishing, wildlife observation, nature photography, environmental education, and interpretation).

Bald Knob National Wildlife Refuge 1439 Coal Chute Road Bald Knob, AR 72010 http://southeast.fws.gov

U.S. Fish & Wildlife Service 1 800/344 WILD

The refuge operates a large Cooperative Farming Program consisting of over 4,500 acres of rice, soybeans, corn and millet. Moist-soil production and shorebird management are also covered under this farming agreement. Methods utilized in growing rice and other crops also create favorable habitat for waterfowl, wading birds, shorebirds and other migratory species.

Bald Knob Refuge is noted for extremely high numbers of wintering waterfowl. In fact, the refuge is the largest staging area in Arkansas for northern pintails (over 200,000 recorded in a single day) as they migrate to the wetlands and coastal marshes of Louisiana. Bald eagles also follow the annual waterfowl migration and heavily utilize this refuge with 78 being the record for one day.

Various species of marsh and wading birds frequent the area as do numerous species of raptors. Refuge personnel provide approximately 150 acres of mudflats in the late summer/early fall





each year for shorebirds. The least tern, peregrine falcon, piping plover and other threatened or endangered species are often seen on the refuge during late July – September.

W - (December-February)

Sp - (March-May)

S - (June-August)

F - (September-November)

Frequencies of Occurance per Season within Dates Specified:

C = Common to Abundant (found regularly and in good numbers)

FC = Fairly Common (numbers fluctuate between common and uncommon)

U = Uncommon (usually found; occurs in low numbers)

O = Occasional (usually found a few times during the season)

R = Rare (seldom found during the season; includes species that areoutside their normal range that occur every 2-3 years)

V = Vagrant (outside normal range; not expected)

* = Confirmed or probably breeder

U.S. Fish & Wildlife Service

	SP	S	F	W	S	SP	S	F	W
Whistling-Ducks, Geese, Swans and	Ducks	;			Black-crowned Night-Heron *			U	U
Black-bellied Whistling-Duck		V	V		Yellow-crowned Night-Heron *			U	U
Fulvous Whistling-Duck		V	\mathbf{V}		White Ibis *		R	R	\mathbf{R}
Greater White-fronted Goose	\mathbf{C}	FC		\mathbf{C}	Glossy Ibis		V	V	ъ
Snow Goose	\mathbf{C}	\mathbf{C}		\mathbf{C}	White-faced Ibis	J	R	R R	\mathbf{R}
Ross's Goose	U	U		U	Roseate Spoonbill			ĸ	
Cackling Goose	${ m R}$	\mathbf{R}		\mathbf{R}	Vultures, Kites, Eagles and Hawks				
Canada Goose *	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}		R (O	O	0
Trumpeter Swan	V						Ŭ	Ŭ	Ŭ
Wood Duck *	U	FC	FC	FC	Osprey		R		
Gadwall	\mathbf{C}	\mathbf{C}	\mathbf{R}	\mathbf{C}	Mississippi Kite *		U	U	\mathbf{U}
American Wigeon	FC	FC	\mathbf{R}	FC			FC	U	FC
American Black Duck	R	R		R			FC	V	С
Mallard	\mathbf{C}	C	U	\mathbf{C}			0	D	U
Mottled Duck		$\underset{\sim}{\mathrm{R}}$	\mathbf{R}	~			O U	R U	U U
Blue-winged Teal		С	O	\mathbf{C}	Red-shouldered Hawk Broad-winged Hawk	_	Ö	U	Ö
Cinnamon Teal	~	$\overset{\mathbf{V}}{\sim}$	_	~	Swainson's Hawk		V		O
Northern Shoveler	$\stackrel{ ext{C}}{\sim}$	$\stackrel{\text{C}}{\sim}$	R	$\stackrel{ ext{C}}{\sim}$			Ù	U	FC
Northern Pintail	$\stackrel{ ext{C}}{\sim}$	\mathbf{C}	R	\mathbf{C}		V			
Green-winged Teal	С	С	R	C	G				
Canvasback	U	U	R	U	Falcons				
Redhead	0	0	R	0			U	R	Ü
Ring-necked Duck	U	U	R	O	· · · ·	0	_	R	0
Greater Scaup		V	V		Peregrine Falcon	(O	0	O
Lesser Scaup		R	\mathbf{R}		Rails, Gallinules, and Cranes				
Bufflehead		R			Yellow Rail				R
Common Goldeneye	0	V	_	0	King Rail *	1	R	R	10
Hooded Merganser	O	0	O	0	Virginia Rail		O	10	
Red-breasted Merganser		V	D		Sora		FC		
Ruddy Duck		FC	R		Common Gallinule		V		
Turkey and Quail						C (C	U	FC
Northern Bobwhite *	FC	FC	FC	FC	Sandhill Crane \	V V	V		V
Wild Turkey *	U	U	U	U	Players Sandningra Gulla and Tarna				
Loons	Ü	O	C	O	Plovers, Sandpipers, Gulls and Terns Black-bellied Plover		O	U	U
Common Loon		V	V		Black-belied 1 lovel American Golden-Plover		FC	Ü	Ü
		V	V		Semipalmated Plover		0	$\widetilde{F}C$	Ŭ
Grebes		EC	TT	TT	Piping Plover		Ř	R	$\ddot{ m R}$
Pied-billed Grebe * Eared Grebe		FC V	U	U	Killdeer *	U (\mathbf{C}	\mathbf{C}	\mathbf{C}
Eared Grebe		V			Black-necked Stilt *		FC	FC	FC
Storks					American Avocet		0	0	0
Wood Stork			\mathbf{R}	V	Spotted Sandpiper		U	U	U
					Solitary Sandpiper		O C	U C	U C
Cormorants and Anhinga					Greater Yellowlegs Willet		R	$\overset{ ext{C}}{ ext{R}}$	$\overset{ ext{C}}{ ext{R}}$
Neotropic Cormorant		V	V	0	Vinet Lesser Yellowlegs		C	C	C
Double-crested Cormorant	O	C	0	O	Upland Sandpiper		$\ddot{ m R}$	ŏ	ŏ
Anhinga *		R	R		Whimbrel	7	V		
Pelicans, Herons, Ibis and Spoonb	ille				Hudsonian Godwit		R		
American White Pelican	1113	U	U	U	Marbled Godwit		R	\mathbf{R}	\mathbf{R}
Brown Pelican		O	$\overset{\circ}{ m V}$	O	Ruddy Turnstone		R	R	
American Bittern	V	\mathbf{R}	-	V	Red Knot		V R	0	\circ
Least Bittern		R			Sanderling Semipalmated Sandpiper		к FC	$_{ m FC}^{ m O}$	$_{ m FC}^{ m O}$
Great Blue Heron *	\mathbf{C}	\mathbf{C}	\mathbf{C}	\mathbf{C}	Sempamaced Sandpiper Western Sandpiper		0	U	U
Great Egret *		FC	FC	U	Western Sandpiper Least Sandpiper		Č	$\ddot{\mathrm{C}}$	$\ddot{\mathrm{C}}$
Snowy Egret *		U	FC	U	White-rumped Sandpiper		$\widetilde{\mathrm{FC}}$	$\overset{\smile}{ m V}$	$\overset{\circ}{ m V}$
Little Blue Heron *		$_{ m V}^{ m U}$	$_{ m V}^{ m U}$		Baird's Sandpiper		0	O	Ó
Tricolored Heron Cattle Egret *	V	$^{ m v}_{ m FC}$	v FC	FC	Dunlin	Ţ	U	U	U
Green Heron *	٧	U	U	I O	Stilt Sandpiper	Ţ	U	FC	FC
Green Heron		O	U						

U.S. Fish & Wildlife Service

	SP	S	F	W		SP	S	F	W
Buff-breasted Sandpiper Ruff		V	О	R	Great Crested Flycatche Western Kingbird	r *	$\overset{\mathrm{C}}{v}$	C	
Short-billed Dowitcher Long-billed Dowitcher Wilson's Snipe	FC	O C FC	U C R	U C FC	Eastern Kingbird * Scissor-tailed Flycatcher	, *	FC C	FC C	U U
American Woodcock Wilson's Phalarope Red-necked Phalarope		R O V	O R	O R	ShrikesLoggerhead Shrike	0	R	R	R
Bonaparte's GullLaughing GullFranklin's GullRing-billed Gull		R V R R	V	R	VireosWhite-eyed Vireo *Bell's Vireo *		C U	C U	U
Least Tern Caspian Tern Black Tern		O R FC	O R U	R	Yellow-throated Vireo Blue-headed Vireo Warbling Vireo		R O U		
Common Tern Forster's Tern		R O	O	O	Philadelphia Vireo Red-eyed Vireo *		U U	U	
Pigeons and DovesRock Pigeon *Eurasian Collared-DoveMourning Dove *	O R C	O R C	O R C	O R C	Jays and CrowsBlue Jay *American Crow *Fish Crow *	C C	C C FC	C C U	C C FC
Cuckoos and RoadrunnersYellow-billed Cuckoo *Greater Roadrunner		$_{ m R}^{ m C}$	C R	0	LarksHorned Lark	0	R	U	0
Owls Barn Owl *	0	0	O	O	Swallows Purple Martin		U	U	
Eastern Screech-Owl * Great Horned Owl * Barred Owl * Short-eared Owl	R U FC U	R U FC	R U FC	R U FC U	Tree Swallow Northern Rough-winged Bank Swallow Cliff Swallow	Swallow *	FC FC U FC	U U U	FC FC U FC
Nighthawks and NightjarsCommon NighthawkChuck-will's-widow		O R	0	0	Barn Swallow * Chickadees and Titmice	T/C	С	С	С
Swifts and HummingbirdsChimney Swift *Ruby-throated Hummingbird	d *	U	U U	U U	Carolina Chickadee *Tufted Titmouse * U Nuthatches	FC C	FC C	FC C	FC C
Kingfishers Belted Kingfisher *	U	U	U	U	Red-breasted Nuthatch White-breasted Nuthatch	h* R U	U	U	R U
WoodpeckersRed-headed Woodpecker *Red-bellied Woodpecker *	0 C	0 C	O C	0 C	CreepersBrown Creeper	0			0
Yellow-bellied Sapsucker Downy Woodpecker * Hairy Woodpecker * Northern Flicker *	U FC	FC R	FC	U FC	WrensCarolina Wren *House Wren	C U	C U	C	C U
Pileated Woodpecker *	U U	U U	U	U U	Winter Wren Sedge Wren Marsh Wren	U	U U		U U U
Flycatchers Olive-sided FlycatcherEastern Wood-Pewee *Acadian Flycatcher		C C	O C C	U	KingletsGolden-crowned KingletRuby-crowned Kinglet	O U	U		O U
Alder FlycatcherWillow FlycatcherLeast FlycatcherEastern Phoebe *	0	R R U U	U	U	GnatcatchersBlue-gray Gnatcatcher *		С	C	O

U.S. Fish & Wildlife Serv	ice								
	SP	S	F	W		SP	S	F	W
Bluebirds and ThrushesEastern Bluebird *Veery	U	U R	U		Clay-colored SparrowField Sparrow *Vesper Sparrow	U	R U O	U	U O
Gray-cheeked ThrushSwainson's ThrushHermit Thrush Wood Thrush *	U	U U U	U	U	Lark Sparrow *Savannah SparrowGrasshopper Sparrow * Henslow's Sparrow	C	O C R V	R R	С
American Robin	U	Ü	Ŭ	U	LeConte's Sparrow Nelson's Sparrow	R	•		R R
Mockingbirds and ThrashersGray CatbirdNorthern Mockingbird *	FC	O FC	FC	R FC	Fox SparrowSong SparrowLincoln's Sparrow	U FC	FC U		U FC U
Brown Thrasher * Starlings	U	U	U	U	Swamp Sparrow White-throated Sparrow Harris's Sparrow	FC C R	FC C		FC C R
European Starling * Pipits American Pipit	FC U	FC U	U	FC U	White-crowned Sparrow Dark-eyed Junco	U U	U U	V	U U
Waxwings	0	0		0	Tanagers, Cardinals and GrosbeaksSummer Tanager * Northern Cardinal *	с	FC C	FC C	\mathbf{C}
Cedar Waxwing Longspurs		U			Rose-breasted Grosbeak Blue Grosbeak *	C	$_{ m FC}^{ m U}$	FC	О
Lapland Longspur Wood Warblers	R			R	Indigo Bunting * Painted Bunting * Dickcissel *		C O C	C O C	FC U
Louisiana Waterthrush *Northern WaterthrushGolden-winged WarblerBlue-winged Warbler *Black-and-white Warbler * _Prothonotary Warbler *		O U R R U C	O U C		Blackbirds and OriolesBobolinkRed-winged Blackbird *Eastern Meadowlark *Western Meadowlark	C U R	FC C U	C U	O C U
Swainson's Warbler *Tennessee WarblerNashville WarblerMourning WarblerKentucky Warbler * Common Yellowthroat *		U FC U R U C	U U C	FC	Yellow-headed Blackbird Rusty Blackbird Brewer's Blackbird Common Grackle * Brown-headed Cowbird *	U U U C	V U U U C	U C	U U U C
Hooded Warbler American Redstart Cerulean Warbler *		R U R	R R	ro	Orchard Oriole * Baltimore Oriole		U O	U	
Northern Parula * Magnolia Warbler Blackburnian Warbler Yellow Warbler		FC U R U	FC		FinchesHouse FinchAmerican Goldfinch	O U	O U	0	O U
Chestnut-sided Warbler Blackpoll Warbler Palm Warbler		R R R			Old World SparrowsHouse Sparrow *	С	С	C	C
Yellow-rumped WarblerYellow-throated Warbler *Black-throated Green WarblerWilson's Warbler Yellow-breasted Chat *	U	O R R U	0 U	U					
		Ü	J						
New World SparrowsEastern Towhee * American Tree Sparrow	O V	О	O	O					
Chipping Sparrow	R	0		O					

Sighting Notes	
Date	
Time	
Weather	
No. of species	
Route or area	
Observers	
Remarks	
	THE STATE OF THE S
	Ethics for Birdwatching Take care not to disturb nesting birds. This exposes eggs and young to extreme temperatures and predation.
	Disturb wintering bird life as little as possible, particularly during critical feeding and resting periods. They need all of their energy reserves to withstand the stresses of harsh weather and migration.
	Do not litter Many birds die when they become entangled in fishing lines, 6-pack rings and other trash, or when they mistake garbage for food.