Krystel Joy F. Halimao Oct 11, 2026

Activity 5

INDIVIDUAL ASSIGNMENT: Code Organization with PHP Include and Form Validation Using Regular Expression

Index

index.php

```php
<?php include 'includes/head.php'; ?>
<?php include 'includes/navigation.php'; ?>
<?php include 'includes/luffy.php'; ?>
<?php include 'includes/zoro.php'; ?>
<?php include 'includes/nami.php'; ?>
<?php include 'includes/footer.php'; ?>

```

Index Output


localhost/onepiecee/
ONE PIECE
Home
Luffy
Crew
Gallery
Devil Fruits
Log Out
Monkey D. Luffy
Monkey D. Luffy is a fictional pirate captain who dreams of finding the legendary treasure known as the "One Piece" to become the Pirate King. After eating the Gomu Gomu no Mi, his body gained the properties of rubber.

Log In code

login.php

```php
<?php
include 'includes/validation.php';

$errors = [];

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    $username = clean($_POST['username'] ?? '');
    $password = $_POST['password'] ?? '';

    if ($username === '') {
        $errors['username'] = 'Please enter your username or email.';
    } elseif (!preg_match(RX_USERNAME, $username) && !preg_match(RX_EMAIL, $username)) {
        $errors['username'] = 'Enter a valid username (letters, numbers, _) or email address.';
    }

    if ($password === '') {
        $errors['password'] = 'Please enter your password.';
    } elseif (!preg_match(RX_LOGIN_PASSWORD, $password)) {
        $errors['password'] = 'Password must be at least 6 characters with no spaces.';
    }

    if (!$errors) {
        header('Location: index.php');
        exit;
    }
}
?>
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>One piece</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.13.1/font/bootstrap-icons.min.css">
    <link href="css/login.css" rel="stylesheet">
  </head>
  <body>

    <div class="login-card">
      <img src="Images/one piece logo.png" alt="One Piece Logo" class="login-logo">
      <form id="loginForm" method="post" action="login.php" novalidate>
        <div class="mb-3">
          <input type="text" id="loginUsername" name="username" class="<?php echo field_class($errors, 'username'); ?>" placeholder="Username" value="<?php echo old('username'); ?>" required>
          <div class="fb-error<?php echo isset($errors['username']) ? ' show' : ''; ?>" id="loginUsernameError">
            <i class="bi bi-exclamation-circle-fill"></i>
            <span><?php echo htmlspecialchars($errors['username'] ?? ''); ?></span>
          </div>
        </div>

        <div class="mb-3">
          <input type="password" id="loginPassword" name="password" class="<?php echo field_class($errors, 'password'); ?>" placeholder="Password" required>
          <div class="fb-error<?php echo isset($errors['password']) ? ' show' : ''; ?>" id="loginPasswordError">
            <i class="bi bi-exclamation-circle-fill"></i>
            <span><?php echo htmlspecialchars($errors['password'] ?? ''); ?></span>
          </div>
        </div>

        <div class="d-flex justify-content-between align-items-center mb-3 options-row">
          <div class="form-check">
            <input type="checkbox" class="form-check-input" id="rememberMe">
            <label class="form-check-label" for="rememberMe">Remember me</label>
          </div>
          <a href="#" class="forgot-link">Forgot password?</a>
        </div>


        <button type="submit" class="btn btn-login w-100">Login</button>

        <div class="text-center mt-3 register-text">
          <span>Don't have an account? </span>
          <a href="register.php" class="register-link">Register</a>
        </div>
      </form>
    </div>


    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
  </body>
</html>

```

Log In Output



Log In Validation errors



Register Code



```php
<?php
include 'includes/validation.php';

$errors = [];

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    $username = clean($_POST['username'] ?? '');
    $email    = clean($_POST['email'] ?? '');
    $phone    = clean($_POST['phone'] ?? '');
    $password = $_POST['password'] ?? '';
    $confirm  = $_POST['confirmPassword'] ?? '';

    $checks = [
        'username'        => validate_username($username),
        'email'           => validate_email($email),
        'phone'           => validate_phone($phone),
        'password'        => validate_password($password, $username),
        'confirmPassword' => validate_confirm($confirm, $password),
    ];
    foreach ($checks as $key => $msg) {
        if ($msg !== null) $errors[$key] = $msg;
    }

    if (!$errors) {
        header('Location: login.php');
        exit;
    }
}
?>
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Register Page</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.13.1/font/bootstrap-icons.min.css">
    <link href="css/register.css" rel="stylesheet">
  </head>
  <body>

    <div class="login-card">
        <img src="Images/one piece logo.png" alt="One Piece Logo" class="login-logo">
      <form id="registerForm" method="post" action="register.php" novalidate>
        <div class="mb-3 input-wrapper">
          <input type="text" id="username" name="username" class="<?php echo field_class($errors, 'username'); ?>" placeholder="Username" value="<?php echo old('username'); ?>" required>
          <i class="bi bi-person icon"></i>
          <div class="fb-error<?php echo isset($errors['username']) ? ' show' : ''; ?>" id="usernameError">
            <i class="bi bi-exclamation-circle-fill"></i>
            <span><?php echo htmlspecialchars($errors['username'] ?? ''); ?></span>
          </div>
        </div>

        <div class="mb-3 input-wrapper">
          <input type="email" id="email" name="email" class="<?php echo field_class($errors, 'email'); ?>" placeholder="Email Address" value="<?php echo old('email'); ?>" required>
          <i class="bi bi-envelope icon"></i>
          <div class="fb-error<?php echo isset($errors['email']) ? ' show' : ''; ?>" id="emailError">
            <i class="bi bi-exclamation-circle-fill"></i>
            <span><?php echo htmlspecialchars($errors['email'] ?? ''); ?></span>
          </div>
        </div>

        <div class="mb-3 input-wrapper">
          <input type="tel" id="phone" name="phone" class="<?php echo field_class($errors, 'phone'); ?>" placeholder="Phone Number" value="<?php echo old('phone'); ?>" required>
          <i class="bi bi-telephone icon"></i>
          <div class="fb-error<?php echo isset($errors['phone']) ? ' show' : ''; ?>" id="phoneError">
            <i class="bi bi-exclamation-circle-fill"></i>
            <span><?php echo htmlspecialchars($errors['phone'] ?? ''); ?></span>
          </div>
        </div>

        <div class="mb-3 input-wrapper">
          <input type="password" id="password" name="password" class="<?php echo field_class($errors, 'password'); ?>" placeholder="Password" required>
          <i class="bi bi-lock icon"></i>
          <div class="fb-error<?php echo isset($errors['password']) ? ' show' : ''; ?>" id="passwordError">
            <i class="bi bi-exclamation-circle-fill"></i>
            <span><?php echo htmlspecialchars($errors['password'] ?? ''); ?></span>
          </div>
        </div>

        <div class="mb-3 input-wrapper">
          <input type="password" id="confirmPassword" name="confirmPassword" class="<?php echo field_class($errors, 'confirmPassword'); ?>" placeholder="Confirm Password" required>
          <i class="bi bi-shield-lock icon"></i>
          <div class="fb-error<?php echo isset($errors['confirmPassword']) ? ' show' : ''; ?>" id="confirmPasswordError">
            <i class="bi bi-exclamation-circle-fill"></i>
            <span><?php echo htmlspecialchars($errors['confirmPassword'] ?? ''); ?></span>
          </div>
        </div>


        <button type="submit" class="btn btn-login w-100">Register</button>

        <div class="text-center mt-3 register-text">
          <span>Already have an account? </span>
          <a href="login.php" class="register-link">Login Here</a>
        </div>
      </form>
    </div>


    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
  </body>
</html>


```

Register Output



Register Validation errors


localhost/onepiecee/register.php
Username
Please enter a username.
Email Address
Please enter your email address.
Phone Number
Please enter your phone number.
Password
Please enter a password.
Confirm Password
Please re-enter your password.
Register
Already have an account? Login Here


localhost/onepiecee/register.php
41
Username must be 3-20 characters, start with a letter, and use only letters, numbers or underscores.
12
Please enter a valid email address (e.g. name@example.com).
312312312
Phone number must look like 09123456789 or +639123456789.
Password
Password must be at least 8 characters with an uppercase letter, a lowercase letter and a number.
Confirm Password
The two passwords that you entered do not match.
Register
Already have an account? Login Here