


Static List:



```
package com.example.sahil

import android.os.Bundle
import android.widget.ArrayAdapter
import android.widget.ListView
import androidx.appcompat.app.AppCompatActivity

class StaticListActivity : AppCompatActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_static_list)

        val listView = findViewById<ListView>(R.id.staticListView)

        val items = arrayOf(
```


```


        "Apple", "Banana", "Cherry", "Date", "Elderberry", "Fig", "Grape"
    )


    val adapter = ArrayAdapter(this, android.R.layout.simple_list_item_1,
items)
    listView.adapter = adapter
}
}

```

Dynamic List:







```

package com.example.sahil

import android.os.Bundle
import android.widget.ArrayAdapter
import android.widget.Button
import android.widget.EditText
import android.widget.ListView
import android.widget.Toast
import androidx.appcompat.app.AppCompatActivity

class DynamicListActivity : AppCompatActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_dynamic_list)

        val editTextItem = findViewById<EditText>(R.id.editTextItem)
        val buttonAdd = findViewById<Button>(R.id.buttonAdd)
        val listView = findViewById<ListView>(R.id.dynamicListView)


        val itemsList = ArrayList<String>()
        val adapter = ArrayAdapter<String>(this, android.R.layout.simple_list_item_1,
itemsList)
        listView.adapter = adapter

        buttonAdd.setOnClickListener {
            val newItem = editTextItem.text.toString().trim()
            if (newItem.isNotEmpty()) {
                itemsList.add(newItem)
                adapter.notifyDataSetChanged()
                editTextItem.text.clear()
            } else {
                Toast.makeText(this, "Please enter an item",
Toast.LENGTH_SHORT).show()
            }
        }

        listView.setOnItemClickListener { _, _, position, _ ->
            val removedItem = itemsList.removeAt(index=position)
            adapter.notifyDataSetChanged()
            Toast.makeText(this, "Item removed", Toast.LENGTH_SHORT).show()
        }
    }
}

```

Animal List:



[animal.kt](#)

```
package com.example.sahil

class animal(var name: String, var des: String, var image: Int)
```

[animaladapter.kt](#)

```
package com.example.sahil

import android.content.Context
import android.view.LayoutInflater
import android.view.View
import android.view.ViewGroup
import android.widget.BaseAdapter
import android.widget.ImageView
import android.widget.TextView

class AnimalAdapter(private val context: Context, private val list:
ArrayList<animal>) : BaseAdapter() {
    override fun getCount(): Int = list.size

    override fun getItem(position: Int): Any = list[position]
```

```
    override fun getItemId(position: Int): Long = position.toLong()

    override fun getView(position: Int, convertView: View?, parent:
ViewGroup?): View {
        val view: View = convertView ?:
LayoutInflater.from(context).inflate(R.layout.item_animal, parent, false)

        val animal = list[position]

        val img = view.findViewById<ImageView>(R.id.imgAnimal)
        val name = view.findViewById<TextView>(R.id.tvAnimalName)
        val des = view.findViewById<TextView>(R.id.tvAnimalDes)

        animal.image?.let { img.setImageResource(it) }
        name.text = animal.name
        des.text = animal.des

        return view
    }
}
```