


2403A51L04

batch-51


#Task1

Write a python program for palindrome without using function



```
1 #Task-1
2 #write a python program using without using function
3 n=int(input())
4 temp=n
5 rev=0
6 while n!=0:
7     rem=n%10
8     rev=rev*10+rem
9     n//=10
10 if temp==rev:
11     print(f"{rev} is palindrome")
12 else:
13     print(f"{rev} is not palindrome")
```

Output:



```
PS C:\Users\nanip\OneDrive\Desktop\AIAssistedcoding> & C:\Users\nanip\AppData\Local\Programs\Python\Python313\python.exe c:\Users\nanip\OneDrive\Desktop\AIAssistedcoding\palindrome.py
121
True
PS C:\Users\nanip\OneDrive\Desktop\AIAssistedcoding> & C:\Users\nanip\AppData\Local\Programs\Python\Python313\python.exe c:\Users\nanip\OneDrive\Desktop\AIAssistedcoding\palindrome.py
121
True
PS C:\Users\nanip\OneDrive\Desktop\AIAssistedcoding>
```

Palindrome check steps for the given code

1. Read input:
 - Take an integer from the user and store it in n.
2. Store original number:

- Copy n into temp so you can compare later after reversing.
3. Initialize reverse:
- Set rev = 0. This will be built digit by digit into the reversed number.
4. Loop until n becomes 0:
- Keep extracting the last digit and removing it from n using integer division.
5. Extract last digit:
- $rem = n \% 10$
 - This gives the rightmost digit of n.
6. Append digit to reversed number:
- $rev = rev * 10 + rem$
 - Shifts existing digits in rev left and adds the new last digit.
7. Remove last digit from n:
- $n /= 10$
 - Drops the rightmost digit from n to process the next one.
8. End of loop:
- When n becomes 0, rev now holds the full reversed number.
9. Compare original with reversed:
- If $temp == rev$, the original number reads the same backward → it's a palindrome.
 - Otherwise, it's not a palindrome.
10. Output result:
- Print "rev is palindrome" if equal, else "rev is not palindrome".

#Task2:

Write optimal solution for palindrome solution

```
50 #palindrome using two pointers
51 def is_palindrome_two_pointers(s):
52     s = str(s)
53     left = 0
54     right = len(s) - 1
55
56     while left < right:
57         if s[left] != s[right]:
58             return False
59         left += 1
60         right -= 1
61     return True
62
63 num = int(input())
64 print(is_palindrome_two_pointers(num))
```

Terminal output:

```
PS C:\Users\nanip\OneDrive\Desktop\AIAssistedcoding> & C:\Users\nanip\AppData\Local\Programs\Python\Python313\python.exe c:/Users/nanip/OneDrive/Desktop/AIAssite
dcoding/palindrome.py
121
121 is palindrome
121
True
PS C:\Users\nanip\OneDrive\Desktop\AIAssistedcoding> & C:\Users\nanip\AppData\Local\Programs\Python\Python313\python.exe c:/Users/nanip/OneDrive/Desktop/AIAssite
dcoding/palindrome.py
121
121 is palindrome
121
True
121
True
PS C:\Users\nanip\OneDrive\Desktop\AIAssistedcoding>
```

Output:

```
50 #palindrome using two pointers
51 def is_palindrome_two_pointers(s):
52     s = str(s)
53     left = 0
54     right = len(s) - 1
55
56     while left < right:
57         if s[left] != s[right]:
58             return False
59         left += 1
60         right -= 1
61     return True
62
63 num = int(input())
64 print(is_palindrome_two_pointers(num))
```

Terminal output:

```
PS C:\Users\nanip\OneDrive\Desktop\AIAssistedcoding> & C:\Users\nanip\AppData\Local\Programs\Python\Python313\python.exe c:/Users/nanip/OneDrive/Desktop/AIAssite
dcoding/palindrome.py
121
True
PS C:\Users\nanip\OneDrive\Desktop\AIAssistedcoding>
```

Explanation:

Create function

Pass the input with some value

In two pointer if last and first value are equal then

Last-=1


And first+=1

So if all index values are equal checking the last and first return True

If not return False


#Task 3

Write python program for palindrome using function



```
1 #Task 3
2 #Write python program for palindrome using function
3
4 def palindrome(num):
5     temp=num
6     rev=0
7     while num!=0:
8         rem=num%10
9         rev=rev*10+rem
10        num//=10
11    if temp==rev:
12        return True
13    else:
14        return False
15
16 num=int(input("Enter a number: "))
17 print(palindrome(num))
```

Output:



```
13 print(f"rev is not palindrome")
14
15 #Task2
16 def palindrome(num):
17     temp=num
18     rev=0
19     while num!=0:
20         rem=num%10
21         rev=rev*10+rem
22         num//=10
23     if temp==rev:
24         return True
25     else:
26         return False
27
28 num=int(input())
29 print(palindrome(num))
```

PS C:\Users\nanip\OneDrive\Desktop\AIAssistedcoding> & c:\Users\nanip\AppData\Local\Programs\Python\Python313\python.exe c:\Users\nanip\OneDrive\Desktop\AIAssistedcoding\palindrome.py

121 is palindrome

True

Explanation:

Step-by-Step Explanation

1. Function Definition

- def palindrome(num):

- A function named `palindrome` is created that takes one argument `num`.

2. Store Original Number

- `temp = num`
- The original number is stored in `temp` so we can compare later.

3. Initialize Reverse

- `rev = 0`
- This variable will hold the reversed number.

4. Loop to Reverse Number

- `while num != 0`: → keep looping until `num` becomes 0.
- Inside the loop:
- `rem = num % 10` → extract the last digit.
- `rev = rev * 10 + rem` → build the reversed number digit by digit.
- `num //= 10` → remove the last digit from `num`.

5. Check Palindrome

- After the loop ends, `rev` contains the reversed number.
- Compare `temp` (original number) with `rev`.
- If they are equal → return `True`.
- Otherwise → return `False`.

Main Program

- `num = int(input())` → take user input.
- `print(palindrome(num))` → call the function and print the result (`True` or `False`).

Example Walkthrough

Suppose input is 121:

- `temp = 121, rev = 0`

- Loop:
 - Iteration 1: rem = 1, rev = 1, num = 12
 - Iteration 2: rem = 2, rev = 12, num = 1
 - Iteration 3: rem = 1, rev = 121, num = 0
- Loop ends → rev = 121
- Compare: temp == rev → 121 == 121 → True
- Output: True

If input is 123:

- Reverse becomes 321
- Compare: 123 != 321 → False
- Output: False

#Task4:

Write Python program with using function and without using function


The screenshot shows a Visual Studio Code editor window with a file named 'palindrome.py'. The code is as follows:

```

1 #Task-1
2 #write a python program using without using function
3 n=int(input())
4 temp=n
5 rev=0
6 while n!=0:
7     rem=n%10
8     rev=rev*10+rem
9     n//=10
10 if temp==rev:
11     print(f"{rev} is palindrome")
12 else:
13     print(f"{rev} is not palindrome")

```

The interface includes a sidebar with 'EXPLORER' and 'OUTLINE' views, a main editor area, and a 'CHAT' panel on the right with a 'Build with Agent' prompt. The status bar at the bottom shows 'Ln 13, Col 46', 'Spaces: 4', 'UTF-8', 'CRLF', 'Python', '3.11.7', and the date '09-01-2020'.



```
66 def is_palindrome_stack(s):
67     s = str(s)
68     stack = []
69     for char in s:
70         stack.append(char)
71
72     for char in s:
73         if char != stack.pop():
74             return False
75     return True
76
77 num = int(input())
78 print(is_palindrome_stack(num))
```

PS C:\Users\nanip\OneDrive\Desktop\AIAssistedCoding> & c:/Users/nanip/AppData/Local/Programs/Python/Python313/python.exe c:/Users/nanip/OneDrive/Desktop/AIAssistedCoding/palindrome.py
121
True
PS C:\Users\nanip\OneDrive\Desktop\AIAssistedCoding>

Output:

Step-by-Step

1. **Input:** User enters a number → stored in n.
2. **Save original:** temp = n keeps the original number safe.
3. **Reverse logic:**
 - Extract last digit using $rem = n \% 10$.
 - Build reversed number: $rev = rev * 10 + rem$.
 - Remove last digit: $n //= 10$.
 - Repeat until n becomes 0.
4. **Compare:** If $temp == rev$, the number is palindrome.
5. **Output:** Prints directly whether palindrome or not.


Step-by-Step

1. **Function defined:** `palindrome(num)` encapsulates the logic.
2. **Inside function:**
 - Store original number in temp.
 - Reverse the number using same loop logic.

- Compare temp with rev.
- Return True if palindrome, else False.

3. Main program:

- Take input from user.
- Call the function: palindrome(num).
- Print the returned result (True or False).



```
66 def is_palindrome_stack(s):
67     s = str(s)
68     stack = []
69     for char in s:
70         stack.append(char)
71
72     for char in s:
73         if char != stack.pop():
74             return False
75     return True
76
77 num = int(input())
78 print(is_palindrome_stack(num))
```


PROBLEMS PORTS TERMINAL OUTPUT DEBUG CONSOLE

```
PS C:\Users\nanip\OneDrive\Desktop\AIAssistedcoding> & C:\Users\nanip\AppData\Local\Programs\Python\Python313\python.exe c:\Users\nanip\OneDrive\Desktop\AIAssistedcoding\palindrome.py
121
True
PS C:\Users\nanip\OneDrive\Desktop\AIAssistedcoding> & C:\Users\nanip\AppData\Local\Programs\Python\Python313\python.exe c:\Users\nanip\OneDrive\Desktop\AIAssistedcoding\palindrome.py
121
True
PS C:\Users\nanip\OneDrive\Desktop\AIAssistedcoding>
```

Ln 78, Col 32 Spaces: 4 UTF-8 Python 3.13.7


#Task5:

Write python program for palindrome using recursion



```
15 def palindrome(num):
16     return True
24     return False
25 num=int(input())
26 print(palindrome(num))
27
28 #Task 3
29 #palindrome using recursion
30 def is_palindrome_recursive(num, original=None):
31     if original is None:
32         original = num
33     if num == 0:
34         return original == 0
35     rem = num % 10
36     return rem == (original % (10 ** len(str(original)))) // (10 ** (len(str(original)) - 1)) and is_palindrome_recursive(num // 10)
37
38 # Alternative simpler approach using string reversal
39 def is_palindrome_recursive_str(s):
40     if len(s) <= 1:
41         return True
42     return s[0] == s[-1] and is_palindrome_recursive_str(s[1:-1])
43
44 num = int(input())
45 print(is_palindrome_recursive_str(str(num)))
```

Output:



```
PS C:\Users\nanip\OneDrive\Desktop\AIAssistedcoding> & c:\Users\nanip\AppData\Local\Programs\Python\Python313\python.exe c:\Users\nanip\OneDrive\Desktop\AIAssistedcoding\palindrome.py
121
121 is palindrome
121
PS C:\Users\nanip\OneDrive\Desktop\AIAssistedcoding> & c:\Users\nanip\AppData\Local\Programs\Python\Python313\python.exe c:\Users\nanip\OneDrive\Desktop\AIAssistedcoding\palindrome.py
121
121 is palindrome
121
True
121
True
PS C:\Users\nanip\OneDrive\Desktop\AIAssistedcoding>
```

Step-by-Step Explanation

1. Convert number to string
 - `str(num)` turns the input number into a string.
 - Example: if user enters 121, then `s = "121"`.
2. Recursive function logic
 - `is_palindrome_recursive_str(s)` checks if the string `s` is a palindrome.

3 Execution Example: Input = 121

- `s = "121"`
- Step 1: Compare "1" (first) and "1" (last) → equal → recurse on "2".
- Step 2: "2" has length 1 → base case → return True.
- Final result: True.