STEP 1 — Install and Import Required Libraries

```
!pip install transformers
!pip install torch
!pip install sentencepiece
```

```
Requirement already satisfied: transformers in /usr/local/lib/python3.12/dist-packages (5.0.0)
Requirement already satisfied: filelock in /usr/local/lib/python3.12/dist-packages (from transform
Requirement already satisfied: huggingface-hub<2.0,>=1.3.0 in /usr/local/lib/python3.12/dist-packa
Requirement already satisfied: numpy>=1.17 in /usr/local/lib/python3.12/dist-packages (from transf
Requirement already satisfied: packaging>=20.0 in /usr/local/lib/python3.12/dist-packages (from tr
Requirement already satisfied: pyyaml>=5.1 in /usr/local/lib/python3.12/dist-packages (from transf
Requirement already satisfied: regex!=2019.12.17 in /usr/local/lib/python3.12/dist-packages (from
Requirement already satisfied: tokenizers<=0.23.0,>=0.22.0 in /usr/local/lib/python3.12/dist-packa
Requirement already satisfied: typer-slim in /usr/local/lib/python3.12/dist-packages (from transfo
Requirement already satisfied: safetensors>=0.4.3 in /usr/local/lib/python3.12/dist-packages (from
Requirement already satisfied: tqdm>=4.27 in /usr/local/lib/python3.12/dist-packages (from transfo
Requirement already satisfied: fsspec>=2023.5.0 in /usr/local/lib/python3.12/dist-packages (from h
Requirement already satisfied: hf-xet<2.0.0,>=1.3.2 in /usr/local/lib/python3.12/dist-packages (fr
Requirement already satisfied: httpx<1,>=0.23.0 in /usr/local/lib/python3.12/dist-packages (from h
Requirement already satisfied: typer in /usr/local/lib/python3.12/dist-packages (from huggingface-
Requirement already satisfied: typing-extensions>=4.1.0 in /usr/local/lib/python3.12/dist-packages
Requirement already satisfied: anyio in /usr/local/lib/python3.12/dist-packages (from httpx<1,>=0.
Requirement already satisfied: certifi in /usr/local/lib/python3.12/dist-packages (from httpx<1,>=
Requirement already satisfied: httpcore==1.* in /usr/local/lib/python3.12/dist-packages (from http
Requirement already satisfied: idna in /usr/local/lib/python3.12/dist-packages (from httpx<1,>=0.2
Requirement already satisfied: h11>=0.16 in /usr/local/lib/python3.12/dist-packages (from httpcore
Requirement already satisfied: click>=8.2.1 in /usr/local/lib/python3.12/dist-packages (from typer
Requirement already satisfied: shellingham>=1.3.0 in /usr/local/lib/python3.12/dist-packages (from
Requirement already satisfied: rich>=12.3.0 in /usr/local/lib/python3.12/dist-packages (from typer
Requirement already satisfied: annotated-doc>=0.0.2 in /usr/local/lib/python3.12/dist-packages (fr
Requirement already satisfied: markdown-it-py>=2.2.0 in /usr/local/lib/python3.12/dist-packages (f
Requirement already satisfied: pygments<3.0.0,>=2.13.0 in /usr/local/lib/python3.12/dist-packages
Requirement already satisfied: mdurl~=0.1 in /usr/local/lib/python3.12/dist-packages (from markdow
Requirement already satisfied: torch in /usr/local/lib/python3.12/dist-packages (2.10.0+cpu)
Requirement already satisfied: filelock in /usr/local/lib/python3.12/dist-packages (from torch) (3
Requirement already satisfied: typing-extensions>=4.10.0 in /usr/local/lib/python3.12/dist-package
Requirement already satisfied: setuptools in /usr/local/lib/python3.12/dist-packages (from torch)
Requirement already satisfied: sympy>=1.13.3 in /usr/local/lib/python3.12/dist-packages (from torc
Requirement already satisfied: networkx>=2.5.1 in /usr/local/lib/python3.12/dist-packages (from to
Requirement already satisfied: jinja2 in /usr/local/lib/python3.12/dist-packages (from torch) (3.1
Requirement already satisfied: fsspec>=0.8.5 in /usr/local/lib/python3.12/dist-packages (from torc
Requirement already satisfied: mpmath<1.4,>=1.1.0 in /usr/local/lib/python3.12/dist-packages (from
Requirement already satisfied: MarkupSafe>=2.0 in /usr/local/lib/python3.12/dist-packages (from ji
Requirement already satisfied: sentencepiece in /usr/local/lib/python3.12/dist-packages (0.2.1)
```

STEP 2 — Import Required Libraries

```
from transformers import pipeline, AutoTokenizer, AutoModelForSeq2SeqLM
```

STEP 3 — Load Translation Models

```
# English to French model
model_name_en_fr = "Helsinki-NLP/opus-mt-en-fr"
tokenizer_en_fr = AutoTokenizer.from_pretrained(model_name_en_fr)
model_en_fr = AutoModelForSeq2SeqLM.from_pretrained(model_name_en_fr)

# English to German model
model_name_en_de = "Helsinki-NLP/opus-mt-en-de"
tokenizer_en_de = AutoTokenizer.from_pretrained(model_name_en_de)
model_en_de = AutoModelForSeq2SeqLM.from_pretrained(model_name_en_de)

# English to Hindi model
model_name_en_hi = "Helsinki-NLP/opus-mt-en-hi"
```

```
tokenizer_en_hi = AutoTokenizer.from_pretrained(model_name_en_hi)
model_en_hi = AutoModelForSeq2SeqLM.from_pretrained(model_name_en_hi)

# Dataset sentences
sentences = [
    "The weather is very pleasant today.",
    "Artificial Intelligence is transforming modern technology.",
    "Students are preparing for their final exams.",
    "Can you help me with this assignment?",
    "Machine learning models require large datasets."
]

# Translation
for s in sentences:
    # English to French
    inputs_fr = tokenizer_en_fr(s, return_tensors="pt")
    translated_tokens_fr = model_en_fr.generate(**inputs_fr)
    fr = tokenizer_en_fr.decode(translated_tokens_fr[0], skip_special_tokens=True)

    # English to German
    inputs_de = tokenizer_en_de(s, return_tensors="pt")
    translated_tokens_de = model_en_de.generate(**inputs_de)
    de = tokenizer_en_de.decode(translated_tokens_de[0], skip_special_tokens=True)

    # English to Hindi
    inputs_hi = tokenizer_en_hi(s, return_tensors="pt")
    translated_tokens_hi = model_en_hi.generate(**inputs_hi)
    hi = tokenizer_en_hi.decode(translated_tokens_hi[0], skip_special_tokens=True)

    print("Original:", s)
    print("French:", fr)
    print("German:", de)
    print("Hindi:", hi)
    print("-----------------------------------------------")
```

```
/usr/local/lib/python3.12/dist-packages/transformers/models/marian/tokenization_marian.py:176: Use
  warnings.warn("Recommended: pip install sacremoses.")
Loading weights: 100%|| 258/258 [00:00<00:00, 1276.52it/s, Materializing param=model.shared.weight]
The tied weights mapping and config for this model specifies to tie model.shared.weight to model.d
The tied weights mapping and config for this model specifies to tie model.shared.weight to model.e
config.json: 1.33k/?|| [00:00<00:00, 80.4kB/s]
tokenizer_config.json: 100%|| 42.0/42.0 [00:00<00:00, 4.55kB/s]
source.spm: 100%|| 768k/768k [00:00<00:00, 38.0MB/s]
target.spm: 100%|| 797k/797k [00:00<00:00, 46.6MB/s]
vocab.json: 1.27M/?|| [00:00<00:00, 33.4MB/s]
pytorch_model.bin: 100%|| 298M/298M [00:04<00:00, 123MB/s]
Loading weights: 100%|| 258/258 [00:00<00:00, 593.21it/s, Materializing param=model.shared.weight]
model.safetensors: 100%|| 298M/298M [00:05<00:00, 102MB/s]
The tied weights mapping and config for this model specifies to tie model.shared.weight to model.d
The tied weights mapping and config for this model specifies to tie model.shared.weight to model.e
generation_config.json: 100%|| 293/293 [00:00<00:00, 35.8kB/s]
config.json: 1.39k/?|| [00:00<00:00, 130kB/s]
tokenizer_config.json: 100%|| 44.0/44.0 [00:00<00:00, 4.37kB/s]
source.spm: 100%|| 812k/812k [00:00<00:00, 33.9MB/s]
target.spm: 100%|| 1.07M/1.07M [00:00<00:00, 53.0MB/s]
vocab.json: 2.10M/?|| [00:00<00:00, 39.8MB/s]
pytorch_model.bin: 100%|| 306M/306M [00:05<00:00, 77.4MB/s]
Loading weights: 100%|| 258/258 [00:00<00:00, 550.02it/s, Materializing param=model.shared.weight]
model.safetensors: 100%|| 306M/306M [00:03<00:00, 138MB/s]
The tied weights mapping and config for this model specifies to tie model.shared.weight to model.d
The tied weights mapping and config for this model specifies to tie model.shared.weight to model.e
generation_config.json: 100%|| 293/293 [00:00<00:00, 18.2kB/s]
Original: The weather is very pleasant today.
French: Le temps est très agréable aujourd'hui.
German: Das Wetter ist heute sehr angenehm.
Hindi: मौसम आज बहुत सुखद है.
--------------------------------------------------
Original: Artificial Intelligence is transforming modern technology.
French: L'intelligence artificielle transforme la technologie moderne.
German: Künstliche Intelligenz transformiert moderne Technologie.
Hindi: कलावादी तत्व आधुनिक तकनीक को परिवर्तित कर रहा है।
--------------------------------------------------
Original: Students are preparing for their final exams.
French: Les étudiants se préparent à leurs examens finaux.
German: Die Studierenden bereiten sich auf ihre Abschlussprüfungen vor.
Hindi: विद्यार्थी अपने अंतिम परीक्षा के लिए तैयारी कर रहे हैं ।
--------------------------------------------------
Original: Can you help me with this assignment?
French: Pouvez-vous m'aider pour cette mission ?
German: Können Sie mir bei diesem Auftrag helfen?
Hindi: क्या आप इस नियुक्ति के साथ मेरी मदद कर सकते हैं?
--------------------------------------------------
Original: Machine learning models require large datasets.
French: Les modèles d'apprentissage automatique nécessitent de gros ensembles de données.
German: Maschinelle Lernmodelle erfordern große Datensätze.
Hindi: मशीन सीखने वाले मॉडलों को बड़े डेटासेटों की ज़रूरत होती है.
--------------------------------------------------
```

STEP 4 — Prepare Dataset Sentences

```
sentences = [
    "The weather is very pleasant today.",
    "Artificial Intelligence is transforming modern technology.",
    "Students are preparing for their final exams.",
    "Can you help me with this assignment?",
    "She completed the project before the deadline.",
    "Machine learning models require large datasets.",
    "The meeting will start at 10 AM tomorrow.",
    "He likes reading books and watching documentaries.",
    "Cyber security is important for protecting data.",
    "I enjoy learning new programming languages.",
    "The research paper was published in a reputed journal.",
    "How does machine translation work?",
    "The professor explained the concept clearly.",
    "Natural Language Processing helps computers understand text.",
    "We should submit the report by Monday."
]
```

STEP 5 — Perform Translation (English → French)

```
print("English to French Translation\n")

for sentence in sentences:
    inputs_fr = tokenizer_en_fr(sentence, return_tensors="pt")
    translated_tokens_fr = model_en_fr.generate(**inputs_fr)
    fr_translation = tokenizer_en_fr.decode(translated_tokens_fr[0], skip_special_tokens=True)

    print("Original:", sentence)
    print("French:", fr_translation)
    print()
```

```
English to French Translation

Original: The weather is very pleasant today.
French: Le temps est très agréable aujourd'hui.

Original: Artificial Intelligence is transforming modern technology.
French: L'intelligence artificielle transforme la technologie moderne.

Original: Students are preparing for their final exams.
French: Les étudiants se préparent à leurs examens finaux.

Original: Can you help me with this assignment?
French: Pouvez-vous m'aider pour cette mission ?

Original: She completed the project before the deadline.
French: Elle a terminé le projet avant la date limite.

Original: Machine learning models require large datasets.
French: Les modèles d'apprentissage automatique nécessitent de gros ensembles de données.

Original: The meeting will start at 10 AM tomorrow.
French: La réunion commencera demain à 10 heures.

Original: He likes reading books and watching documentaries.
French: Il aime lire des livres et regarder des documentaires.

Original: Cyber security is important for protecting data.
French: La cybersécurité est importante pour protéger les données.

Original: I enjoy learning new programming languages.
French: J'aime apprendre de nouveaux langages de programmation.

Original: The research paper was published in a reputed journal.
French: Le document de recherche a été publié dans une revue réputée.

Original: How does machine translation work?
French: Comment fonctionne la traduction automatique?
```

```
Original: The professor explained the concept clearly.
French: Le professeur a expliqué clairement le concept.

Original: Natural Language Processing helps computers understand text.
French: Le traitement du langage naturel aide les ordinateurs à comprendre le texte.

Original: We should submit the report by Monday.
French: Nous devrions soumettre le rapport d'ici lundi.
```

STEP 6 — Perform Translation (English → German)

```
print("English to German Translation\n")

for sentence in sentences:
    inputs_de = tokenizer_en_de(sentence, return_tensors="pt")
    translated_tokens_de = model_en_de.generate(**inputs_de)
    de_translation = tokenizer_en_de.decode(translated_tokens_de[0], skip_special_tokens=True)

    print("Original:", sentence)
    print("German:", de_translation)
    print()
```

```
English to German Translation

Original: The weather is very pleasant today.
German: Das Wetter ist heute sehr angenehm.

Original: Artificial Intelligence is transforming modern technology.
German: Künstliche Intelligenz transformiert moderne Technologie.

Original: Students are preparing for their final exams.
German: Die Studierenden bereiten sich auf ihre Abschlussprüfungen vor.

Original: Can you help me with this assignment?
German: Können Sie mir bei diesem Auftrag helfen?

Original: She completed the project before the deadline.
German: Sie hat das Projekt vor Ablauf der Frist abgeschlossen.

Original: Machine learning models require large datasets.
German: Maschinelle Lernmodelle erfordern große Datensätze.

Original: The meeting will start at 10 AM tomorrow.
German: Das Treffen beginnt morgen um 10.00 Uhr.

Original: He likes reading books and watching documentaries.
German: Er liest gern Bücher und schaut sich Dokumentarfilme an.

Original: Cyber security is important for protecting data.
German: Cyber-Sicherheit ist wichtig für den Schutz von Daten.

Original: I enjoy learning new programming languages.
German: Ich genieße es, neue Programmiersprachen zu lernen.

Original: The research paper was published in a reputed journal.
German: Das Forschungspapier wurde in einer renommierten Zeitschrift veröffentlicht.

Original: How does machine translation work?
German: Wie funktioniert die maschinelle Übersetzung?

Original: The professor explained the concept clearly.
German: Der Professor erklärte das Konzept klar.

Original: Natural Language Processing helps computers understand text.
German: Natürliche Sprachverarbeitung hilft Computern, Text zu verstehen.

Original: We should submit the report by Monday.
German: Wir sollten den Bericht bis Montag vorlegen.
```

STEP 7 — Perform Translation (English → Hindi)

```
print("English to Hindi Translation\n")

for sentence in sentences:
    inputs_hi = tokenizer_en_hi(sentence, return_tensors="pt")
    translated_tokens_hi = model_en_hi.generate(**inputs_hi)
    hi_translation = tokenizer_en_hi.decode(translated_tokens_hi[0], skip_special_tokens=True)

    print("Original:", sentence)
    print("Hindi:", hi_translation)
    print()
```

```
English to Hindi Translation

Original: The weather is very pleasant today.
Hindi: मौसम आज बहुत सुखद है.

Original: Artificial Intelligence is transforming modern technology.
Hindi: कलावादी तत्व आधुनिक तकनीक को परिवर्तित कर रहा है।

Original: Students are preparing for their final exams.
Hindi: विद्यार्थी अपने अंतिम परीक्षा के लिए तैयारी कर रहे हैं ।

Original: Can you help me with this assignment?
Hindi: क्या आप इस नियुक्ति के साथ मेरी मदद कर सकते हैं?

Original: She completed the project before the deadline.
Hindi: उसने इस परियोजना को मृतलाइन से पहले पूरा किया.

Original: Machine learning models require large datasets.
Hindi: मशीन सीखने वाले मॉडलों को बड़े डेटासेटों की ज़रूरत होती है.

Original: The meeting will start at 10 AM tomorrow.
Hindi: बैठक 10 कल 10 बजे शुरू होगा.

Original: He likes reading books and watching documentaries.
Hindi: वह किताबों को पढ़ना पसंद करता है और दस्तावेज़ों को देखना पसंद करता है.

Original: Cyber security is important for protecting data.
Hindi: Cyबेर सुरक्षा डेटा की रक्षा करने के लिए महत्वपूर्ण है।

Original: I enjoy learning new programming languages.
Hindi: मैं नई प्रोग्रामिंग भाषा सीखने का आनंद लें.

Original: The research paper was published in a reputed journal.
Hindi: एक जानी - मानी पत्रिका में शोध कागज प्रकाशित किया गया ।

Original: How does machine translation work?
Hindi: मशीन अनुवाद कैसे काम करता है?

Original: The professor explained the concept clearly.
Hindi: प्रोफेसर ने इस धारणा को स्पष्ट रूप से समझाया ।

Original: Natural Language Processing helps computers understand text.
Hindi: स्वाभाविक भाषा प्रक्रिया कंप्यूटर को पाठ को समझने में मदद करती है.

Original: We should submit the report by Monday.
Hindi: हमें सोमवार तक रिपोर्ट स्वीकार करना चाहिए.
```

STEP 8 — Translate Complex Sentences

```
complex_sentences = [
    "Although machine learning models are powerful, they require large amounts of data for trainin
    "If the system detects unusual network activity, it immediately alerts the administrator.",
    "Cybersecurity experts recommend using strong passwords and enabling two factor authentication
    "How can artificial intelligence improve healthcare systems in developing countries?",
```

```
    "The research conducted by the university focuses on deep learning algorithms."
]

for sentence in complex_sentences:
    # English to French
    inputs_fr = tokenizer_en_fr(sentence, return_tensors="pt")
    translated_tokens_fr = model_en_fr.generate(**inputs_fr)
    fr = tokenizer_en_fr.decode(translated_tokens_fr[0], skip_special_tokens=True)

    # English to German
    inputs_de = tokenizer_en_de(sentence, return_tensors="pt")
    translated_tokens_de = model_en_de.generate(**inputs_de)
    de = tokenizer_en_de.decode(translated_tokens_de[0], skip_special_tokens=True)

    # English to Hindi
    inputs_hi = tokenizer_en_hi(sentence, return_tensors="pt")
    translated_tokens_hi = model_en_hi.generate(**inputs_hi)
    hi = tokenizer_en_hi.decode(translated_tokens_hi[0], skip_special_tokens=True)

    print("Original:", sentence)
    print("French:", fr)
    print("German:", de)
    print("Hindi:", hi)
    print("-------------------------------------")
```

```
Original: Although machine learning models are powerful, they require large amounts of data for tr
French: Bien que les modèles d'apprentissage automatique soient puissants, ils exigent de grandes
German: Obwohl Modelle des maschinellen Lernens leistungsfähig sind, benötigen sie große Datenmeng
Hindi: हालाँकि मशीन सीखने के मॉडल बहुत शक्तिशाली हैं, फिर भी उन्हें ट्रेनिंग के लिए काफी मात्रा में डेटा की ज़रूरत होती
-------------------------------------
Original: If the system detects unusual network activity, it immediately alerts the administrator.
French: Si le système détecte une activité de réseau inhabituelle, il alerte immédiatement l'admir
German: Wenn das System ungewöhnliche Netzwerkaktivitäten erkennt, alarmiert es sofort den Adminis
Hindi: यदि तंत्र असाधारण नेटवर्क क्रिया का पता लगाएँ, तो यह तत्काल प्रशासक को चेतावनी देता है.
-------------------------------------
Original: Cybersecurity experts recommend using strong passwords and enabling two factor authentic
French: Les experts en cybersécurité recommandent d'utiliser des mots de passe forts et de permett
German: Cybersecurity-Experten empfehlen, starke Passwörter zu verwenden und die Zwei-Faktor-Authe
Hindi: Cyrenrisiriririric विशेषज्ञ मजबूत पासवर्ड का प्रयोग करने और दो कारक प्रमाणीकरण को सक्रिय करने की सला
-------------------------------------
Original: How can artificial intelligence improve healthcare systems in developing countries?
French: Comment l'intelligence artificielle peut-elle améliorer les systèmes de santé dans les pay
German: Wie können künstliche Intelligenz Gesundheitssysteme in Entwicklungsländern verbessern?
Hindi: विकासशील देशों में कृत्रिम बुद्धि स्वास्थ्यिक व्यवस्थाओं को कैसे बेहतर बना सकती है?
-------------------------------------
Original: The research conducted by the university focuses on deep learning algorithms.
French: La recherche menée par l'université se concentre sur les algorithmes d'apprentissage profo
German: Die Forschung der Universität konzentriert sich auf Deep-Learning-Algorithmen.
Hindi: विश्वविद्यालय द्वारा संचालित शोध गहरी सीखने की एल्गोरिथ्म पर ध्यान केंद्रित करता है ।
-------------------------------------
```

STEP 9 — Compare Translations (All Languages Together)

```
for sentence in sentences:
    # English to French
    inputs_fr = tokenizer_en_fr(sentence, return_tensors="pt")
    translated_tokens_fr = model_en_fr.generate(**inputs_fr)
    fr = tokenizer_en_fr.decode(translated_tokens_fr[0], skip_special_tokens=True)

    # English to German
    inputs_de = tokenizer_en_de(sentence, return_tensors="pt")
    translated_tokens_de = model_en_de.generate(**inputs_de)
    de = tokenizer_en_de.decode(translated_tokens_de[0], skip_special_tokens=True)

    # English to Hindi
    inputs_hi = tokenizer_en_hi(sentence, return_tensors="pt")
    translated_tokens_hi = model_en_hi.generate(**inputs_hi)
```

```
    hi = tokenizer_en_hi.decode(translated_tokens_hi[0], skip_special_tokens=True)

    print("Original:", sentence)
    print("French:", fr)
    print("German:", de)
    print("Hindi:", hi)
    print("==================================================")
```

```
Original: The weather is very pleasant today.
French: Le temps est très agréable aujourd'hui.
German: Das Wetter ist heute sehr angenehm.
Hindi: मौसम आज बहुत सुखद है.
==================================================
Original: Artificial Intelligence is transforming modern technology.
French: L'intelligence artificielle transforme la technologie moderne.
German: Künstliche Intelligenz transformiert moderne Technologie.
Hindi: कलावादी तत्व आधुनिक तकनीक को परिवर्तित कर रहा है।
==================================================
Original: Students are preparing for their final exams.
French: Les étudiants se préparent à leurs examens finaux.
German: Die Studierenden bereiten sich auf ihre Abschlussprüfungen vor.
Hindi: विद्यार्थी अपने अंतिम परीक्षा के लिए तैयारी कर रहे हैं ।
==================================================
Original: Can you help me with this assignment?
French: Pouvez-vous m'aider pour cette mission ?
German: Können Sie mir bei diesem Auftrag helfen?
Hindi: क्या आप इस नियुक्ति के साथ मेरी मदद कर सकते हैं?
==================================================
Original: She completed the project before the deadline.
French: Elle a terminé le projet avant la date limite.
German: Sie hat das Projekt vor Ablauf der Frist abgeschlossen.
Hindi: उसने इस परियोजना को मृतलाइन से पहले पूरा किया.
==================================================
Original: Machine learning models require large datasets.
French: Les modèles d'apprentissage automatique nécessitent de gros ensembles de données.
German: Maschinelle Lernmodelle erfordern große Datensätze.
Hindi: मशीन सीखने वाले मॉडलों को बड़े डेटासेटों की ज़रूरत होती है.
==================================================
Original: The meeting will start at 10 AM tomorrow.
French: La réunion commencera demain à 10 heures.
German: Das Treffen beginnt morgen um 10.00 Uhr.
Hindi: बैठक 10 कल 10 बजे शुरू होगा.
==================================================
Original: He likes reading books and watching documentaries.
French: Il aime lire des livres et regarder des documentaires.
German: Er liest gern Bücher und schaut sich Dokumentarfilme an.
Hindi: वह किताबों को पढ़ना पसंद करता है और दस्तावेज़ों को देखना पसंद करता है.
==================================================
Original: Cyber security is important for protecting data.
French: La cybersécurité est importante pour protéger les données.
German: Cyber-Sicherheit ist wichtig für den Schutz von Daten.
Hindi: Cyबेर सुरक्षा डेटा की रक्षा करने के लिए महत्वपूर्ण है।
==================================================
Original: I enjoy learning new programming languages.
French: J'aime apprendre de nouveaux langages de programmation.
German: Ich genieße es, neue Programmiersprachen zu lernen.
```