SCHOOLOFCOMI NTELLIGENCE	PUTER SCIENCE ANI	O ARTIFICIAL	DEPARTM	ENTOFCOMPUTER SCIEN ENGINEERING	CE
ProgramName:B. Tech		AssignmentType: Lab		AcademicYear:2025-2026	
CourseCoordinatorName		Venkataraman	a Veeramsetty	·	
Instructor(s)Name		Dr. V. Venka	taramana (Co-ordir	nator)	
		Dr. T. Sampa	th Kumar		
		Dr. Pramoda	Dr. Pramoda Patro		
		Dr. Brij Kish	or Tiwari		
		Dr.J.Ravichar	nder		
		Dr. Mohamm	and Ali Shaik		
		Dr. Anirodh l	Kumar		
		Mr. S.Naresh			
		Dr. RAJESH			
		Mr. Kundhan	Kumar		
		Ms. Ch.Rajith			
		Mr. M Prakas	sh		
		Mr. B.Raju			
		Intern 1 (Dha	<u>-</u>		
		Intern 2 (Sai)			
		Intern 3 (Sow			
		NS_2 (Mou			
CourseCode	24CS002PC215	CourseTitle	AI Assisted Cod	ding	
Year/Sem	II/I	Regulation	R24		
DateandDay of Assignment	Week3 - Wednesday	Time(s)			
Duration	2 Hours	Applicableto Batches			
AssignmentNu	mber: <mark>6.3</mark> (Presentas	<mark>signmentnumbe</mark>	r)/ 24 (Totalnumber	ofassignments)	
Name:SIRIVELL	A SANJANA				
ROLLNO:2403A	510D4				
BATCH NO:05	•				
1	estion			Ex mo	
					mplet
Lat	6: AI-Based Code Con	npletion – Classes, L	oops, and Conditionals		

To explore AI-powered auto-completion features for core Python constructs. To analyze how AI suggests logic for class definitions, loops, and conditionals.

1

Lab Objectives:

Week3 -

Wednesday

• To evaluate the completeness and correctness of code generated by AI assistants.

Lab Outcomes (LOs):

After completing this lab, students will be able to:

- Use AI tools to generate and complete class definitions and methods.
- Understand and assess AI-suggested loops for iterative tasks.
- Generate conditional statements through prompt-driven suggestions.
- Critically evaluate AI-assisted code for correctness and clarity.

Task Description#1(Classes)

- Use AI to complete a Student class with attributes and a method.
- Check output
- Analyze the code generated by AI tool

PROMPT:

Use AI to complete a Student class with attributes and a method.

- Check output
- Analyze the code generated by AI tool

```
class Student:
    def __init__(self, name, age, grade):
         self.name = name
         self.age = age
         self.grade = grade
         self.subjects = []
         self.gpa = 0.0
    def add_subject(self, subject):
    if subject not in self.subjects:
             self.subjects.append(subject)
print(f"Added {subject} for {self.name}")
    def update_gpa(self, new_gpa):
         if 0.0 <= new_gpa <= 4.0:
             self.gpa = new_gpa
             print(f"GPA updated to {self.gpa}")
         else:
             print("Invalid GPA! Must be between 0.0 and 4.0")
    def display_info(self):
        print(f"\nStudent: {self.name}")
         print(f"Age: {self.age}")
        print(f"Grade: {self.grade}")
print(f"Subjects: {', '.join(self.subjects) if self.subjects else 'None'}")
         print(f"GPA: {self.gpa:.2f}")
    def is_passing(self):
         return self.gpa >= 2.0
```

```
def is_passing(self):
    return self.gpa >= 2.0

# Test the class
if __name__ == "__main__":
    # Create a student
    student = Student("John Doe", 18, "12th Grade")

# Add subjects
    student.add_subject("Math")
    student.add_subject("Science")
    student.add_subject("English")

# Update GPA
    student.update_gpa(3.5)

# Display information
    student.display_info()

# Check if passing
    print(f"\nIs passing: {student.is_passing()}")

# Test invalid GPA
    student.update_gpa(5.0)
```

Expected Output#1

• Class with constructor and display_details() method

```
Added Math for John Doe
Added Science for John Doe
Added English for John Doe
GPA updated to 3.5

Student: John Doe
Age: 18
Grade: 12th Grade
Subjects: Math, Science, English
GPA: 3.50

Is passing: True
Invalid GPA! Must be between 0.0 and 4.0
```

Task Description#2 (Loops)

- Prompt AI to complete a function that prints the first 10 multiples of a number using a loop.
- Analyze the generated code
- Ask AI to generate code using other controlled looping

PROMPT:

Use AI to complete a Student class with attributes and a method.

- · Check output
- Analyze the code generated by AI tool

```
def print_multiples_for(number):
    """Print first 10 multiples using for loop"""
    print(f"First 10 multiples of {number} (using for loop):")
    for i in range(1, 11):
       multiple = number * i
       print(f"{number} x {i} = {multiple}")
def print_multiples_while(number):
    """Print first 10 multiples using while loop"""
   print(f"\nFirst 10 multiples of {number} (using while loop):")
    i = 1
   while i <= 10:
       multiple = number * i
       print(f"{number} x {i} = {multiple}")
def print_multiples_list_comprehension(number):
    """Print first 10 multiples using list comprehension"""
    print(f"\nFirst 10 multiples of {number} (using list comprehension):")
    multiples = [number * i for i in range(1, 11)]
    for i, multiple in enumerate(multiples, 1):
       print(f"{number} x {i} = {multiple}")
```

```
print(f"{number} x {i} = {multiple}")
def print_multiples_recursive(number, count=1):
    """Print first 10 multiples using recursion"""
    if count == 1:
        print(f"\nFirst 10 multiples of {number} (using recursion):")
    if count <= 10:
        multiple = number * count
        print(f"{number} x {count} = {multiple}")
        print_multiples_recursive(number, count + 1)
if __name__ == "__main__":
    test_number = 7
   print("=" * 50)
   print("DIFFERENT WAYS TO PRINT FIRST 10 MULTIPLES")
    print("=" * 50)
    print_multiples_for(test_number)
    print_multiples_while(test_number)
   print_multiples_list_comprehension(test_number)
    print_multiples_recursive(test_number)
if __name__ == "__main__":
    test_number = 7
    print("=" * 50)
    print("DIFFERENT WAYS TO PRINT FIRST 10 MULTIPLES")
    print("=" * 50)
    print_multiples_for(test_number)
    print_multiples_while(test_number)
    print_multiples_list_comprehension(test_number)
    print_multiples_recursive(test_number)
    print("\n" + "=" * 50)
```

Expected Output#2

Correct loop-based implementation

```
DIFFERENT WAYS TO PRINT FIRST 10 MULTIPLES
First 10 multiples of 7 (using for loop):
7 \times 1 = 7
7 \times 2 = 14
7 \times 3 = 21
7 \times 4 = 28
7 \times 5 = 35
7 \times 6 = 42
7 \times 7 = 49
7 \times 8 = 56
7 \times 9 = 63
7 \times 10 = 70
First 10 multiples of 7 (using while loop):
7 \times 1 = 7
7 \times 2 = 14
7 \times 3 = 21
7 \times 4 = 28
7 \times 5 = 35
7 \times 6 = 42
7 \times 7 = 49
7 \times 8 = 56
7 \times 9 = 63
7 \times 10 = 70
```

```
First 10 multiples of 7 (using list comprehension):
     7 \times 1 = 7
     7 \times 2 = 14
     7 \times 3 = 21
     7 \times 4 = 28
     7 \times 5 = 35
     7 \times 6 = 42
     7 \times 7 = 49
     7 \times 8 = 56
     7 \times 9 = 63
     7 \times 10 = 70
     First 10 multiples of 7 (using recursion):
     7 \times 1 = 7
     7 \times 2 = 14
     7 \times 3 = 21
     7 \times 4 = 28
     7 \times 5 = 35
     7 \times 6 = 42
     7 \times 7 = 49
     7 \times 8 = 56
     7 \times 9 = 63
     7 \times 10 = 70
Task Description#3 (Conditional Statements)
```

- Ask AI to write nested if-elif-else conditionals to classify age groups.
- Analyze the generated code
- Ask AI to generate code using other conditional statements

PROMT:

Write a Python program using nested if-elif-else statements to classify people into age groups (child, teenager, adult, senior). Then analyze the code and explain how it works. After that, rewrite the program using a different type of conditional structure (like separate if conditions or match-case).

```
def classify_age_nested(age):
    """Classify age using nested if-elif-else"""
    if age < 0:
        return "Invalid age"
    elif age < 13:
       return "Child"
    elif age < 20:
        return "Teenager"
    elif age < 65:
        return "Adult"
    else:
        return "Senior"
def classify_age_separate(age):
    """Classify age using separate if statements"""
    result = "Invalid age"
    if age >= 0 and age < 13:
        result = "Child"
    if age >= 13 and age < 20:
       result = "Teenager"
    if age >= 20 and age < 65:
        result = "Adult"
    if age >= 65:
        result = "Senior"
    return result
```

```
def classify_age_match(age):
    """Classify age using match-case (Python 3.10+)"""
    if age < 0:
       return "Invalid age"
   match age:
       case age if age < 13:
           return "Child"
       case age if age < 20:
           return "Teenager"
       case age if age < 65:</pre>
           return "Adult"
       case _:
           return "Senior"
print("AGE CLASSIFIER TEST")
print("=" * 30)
ages = [-5, 0, 5, 12, 13, 15, 19, 20, 25, 64, 65, 80]
print("\nAge Classification Results:")
print("Age | Nested | Separate | Match")
print("-" * 35)
for age in ages:
   nested = classify_age_nested(age)
    separate = classify_age_separate(age)
    match_result = classify_age_match(age)
   print(f"{age:3d} | {nested:7s} | {separate:8s} | {match_result}")
print("\n" + "=" * 30)
print("AGE GROUPS:")
print("0-12: Child")
print("13-19: Teenager")
print("20-64: Adult")
                   Senior")
print("65+:
Expected Output#3
```

• Age classification function with appropriate conditions and with explanation

```
AGE CLASSIFIER TEST
Age Classification Results:
Age | Nested | Separate | Match
 -5 | Invalid age | Invalid age | Invalid age
 0 | Child | Child | Child
  5 | Child
                Child
                             | Child
 12 | Child | Child
                             | Child
 13 | Teenager | Teenager | Teenager
 15 | Teenager | Teenager | Teenager
 19 | Teenager | Teenager | Teenager
 20 | Adult | Adult
                             | Adult
 25 | Adult | Adult | Adult
                Adult
 64 | Adult
                             Adult
 65 | Senior | Senior
80 | Senior | Senior
                             Senior
                            Senior
AGE GROUPS:
0-12: Child
13-19: Teenager
20-64: Adult
65+: Senior
EXPLANATION:
· Checks conditions one by one
 · Stops at first true condition
 · Like a ladder - you only climb as far as needed
 Example with age = 15:
 1. Is 15 < 0? No → go to next
 2. Is 15 < 13? No → go to next
 3. Is 15 < 20? Yes → return "Teenager" and STOP
 Method 2 - Separate if statements:
  python
  if age >= 0 and age < 13: # Check child range</pre>
    result = "Child"
```

How it works:

- Checks every condition
- Can overwrite previous results
- · Like checking every box even if you found what you need

Example with age = 15:

- 1. Is 15 in child range? No → result stays "Invalid"
- 2. Is 15 in teenager range? Yes → result becomes "Teenager"
- 3. Is 15 in adult range? No → result stays "Teenager"
- 4. Is 15 in senior range? No → result stays "Teenager"

Task Description#4 (For and While loops)

- Generate a sum_to_n() function to calculate sum of first n numbers
- Analyze the generated code
- Get suggestions from AI with other controlled looping

PROOMT:

Write a Python function sum_to_n(n) that calculates the sum of the first n natural numbers using a loop. Explain how the code works. Then, suggest and show other ways to do it using different loops (like while loop, for loop, etc.).

```
def sum_to_n_for(n):
    """Sum using for loop"""
    total = 0
    for i in range(1, n + 1):
        total += i
    return total
def sum_to_n_while(n):
    """Sum using while loop"""
    total = 0
    i = 1
    while i <= n:
        total += i
        i += 1
    return total
def sum_to_n_recursive(n):
    """Sum using recursion"""
    if n <= 0:
        return 0
    return n + sum_to_n_recursive(n - 1)
def sum_to_n_formula(n):
    """Sum using mathematical formula: n*(n+1)/2"""
    return n * (n + 1) // 2
print("SUM OF FIRST N NATURAL NUMBERS")
print("=" * 40)
```

```
test numbers = [5, 10, 100]
for n in test numbers:
   print(f"\nFor n = {n}:")
   print(f"For loop: {sum_to_n_for(n)}")
   print(f"While loop: {sum_to_n_while(n)}")
   print(f"Recursive: {sum_to_n_recursive(n)}")
   print(f"Formula: {sum_to_n_formula(n)}")
   # Show the calculation
   numbers = list(range(1, n + 1))
   print(f"Numbers: {numbers}")
   print(f"Sum:
                        {sum(numbers)}")
print("\n" + "=" * 40)
print("HOW IT WORKS:")
print("1. For loop: uses range(1, n+1) to iterate")
print("2. While loop: manually increments counter")
print("3. Recursive: calls itself until n=0")
print("4. Formula: mathematical shortcut n*(n+1)/2")
```

Expected Output#4

• Python code with explanation

For Loop:

- Counts 1, 2, 3, 4, 5
- · Adds each number to total

While Loop:

- · Same thing but with while condition
- Keeps going until i > 5

Formula:

- Math trick: 5 × 6 ÷ 2 = 15
- · No counting needed!

Example with n=5:

- Numbers: 1, 2, 3, 4, 5
- Sum: 1+2+3+4+5 = 15

All three ways give the same answer!

Run python sum.py to see it work!

Task Description#5 (Class)

- Use AI to build a BankAccount class with deposit, withdraw, and balance methods.
- Analyze the generated code
- Add comments and explain code

PROMT:

Write a Python class BankAccount with methods to deposit money, withdraw money, and check balance. Explain how the code works. Then add comments in the code to make it easy to understand.

```
class BankAccount:
   def __init__(self, name, initial_balance=0):
        # Initialize account with owner name and starting balance
        self.name = name
       self.balance = initial_balance
       print(f"Account created for {name} with ${initial_balance}")
   def deposit(self, amount):
        if amount > 0:
           self.balance += amount
           print(f"Deposited ${amount}. New balance: ${self.balance}")
           print("Error: Cannot deposit negative amount")
           return False
    def withdraw(self, amount):
       if amount > 0:
           if self.balance >= amount:
               self.balance -= amount
               print(f"Withdrew ${amount}. New balance: ${self.balance}")
               print(f"Error: Insufficient funds. Balance: ${self.balance}")
               return False
       else:
           print("Error: Cannot withdraw negative amount")
           return False
    def check_balance(self):
       print(f"Balance for {self.name}: ${self.balance}")
```

```
print(f"Account Holder: {self.name}")
          print(f"Current Balance: ${self.balance}")
  print("BANK ACCOUNT TEST")
  print("=" * 30)
  # Create account
  print("\n1. Creating account:")
  account = BankAccount("John", 100)
  # Check balance
  print("\n2. Check balance:")
  account.check_balance()
  # Make deposits
  print("\n3. Making deposits:")
  account.deposit(50)
  account.deposit(25)
  account.deposit(-10) # Invalid deposit
  # Make withdrawals
  print("\n4. Making withdrawals:")
  account.withdraw(30)
  account.withdraw(200) # Insufficient funds
  account.withdraw(-20) # Invalid withdrawal
print("\n5. Final account status:
account.show_info()
Expected Output#5
  • Python code with explanation
```

BANK ACCOUNT TEST

1. Creating account:

Account created for John with \$100

2. Check balance:

Balance for John: \$100

3. Making deposits:

Deposited \$50. New balance: \$150 Deposited \$25. New balance: \$175

Error: Cannot deposit negative amount

4. Making withdrawals:

Withdrew \$30. New balance: \$145

Error: Insufficient funds. Balance: \$145 Error: Cannot withdraw negative amount

5. Final account status: Account Holder: John Current Balance: \$145

Note: Report should be submitted a word document for all tasks in a single document with prompts, comments & code explanation, and output and if required, screenshots

Evaluation Criteria:

Criteria	Max Marks
Class	1.0
Loops	1.0
Conditional Statements	0.5
Total	2.5 Marks