

NAME : P SAI VENKAT RAJU

ROLL NO : 2403A510G0

LAB TEST : 4

Q1. Build a microservice that consumes a book-search API and stores results.



- a) Write service flow using AI.
- b) Add resilience using retry and fallback logic.



PROMPT :



To build a simple microservice that only consumes a book search API and also stores results

- To include the service flow using API
- To add retry and fallback logic if API fails



CODE GENERATED :







OUTPUT:



Q2. AI suggests using REST vs gRPC.

a) Compare with use case.

b) Finalize suitable choice.

PROMPT :

To compare REST VS GRPC APIS with use cases and to finalise our suitable choice.

-Make it simple

-Explain the PROS AND CONS

-Finalise the better option

Compare REST vs gRPC with use case (Short)

REST

- Uses HTTP + JSON
- Easy to understand and debug
- Supported by browsers and tools like Postman
- Best for public APIs and web/mobile apps

gRPC

- Uses HTTP/2 + Protocol Buffers
- Much faster and efficient
- Supports streaming
- Best for internal microservices and low-latency systems

Use Case:

Our microservice calls the **Google Books API**, which is REST-based and returns JSON.

So REST fits naturally for this use case.

Finalize suitable choice

REST is the best choice because the microservice interacts with a public API, returns JSON, and needs easy testing and browser support. gRPC is faster but unnecessary for this scenario.