

SCHOOL OF COMPUTER SCIENCE AND ARTIFICIAL INTELLIGENCE		DEPARTMENT OF COMPUTER SCIENCE ENGINEERING	
ProgramName: B. Tech		Assignment Type: Lab	
CourseCoordinatorName		Venkataramana Veeramsetty	
Instructor(s)Name		Dr. V. Venkataramana (Co-ordinator) Dr. T. Sampath Kumar Dr. Pramoda Patro Dr. Brij Kishor Tiwari Dr.J.Ravichander Dr. Mohammand Ali Shaik Dr. Anirodh Kumar Mr. S.Naresh Kumar Dr. RAJESH VELPULA Mr. Kundhan Kumar Ms. Ch.Rajitha Mr. M Prakash Mr. B.Raju Intern 1 (Dharma teja) Intern 2 (Sai Prasad) Intern 3 (Sowmya) NS_2 (Mounika)	
CourseCode	24CS002PC215	CourseTitle	AI Assisted Coding
Year/Sem	II/I	Regulation	R24
Date and Day of Assignment	Week4 - Wednesday	Time(s)	
Duration	2 Hours	Applicableto Batches	
AssignmentNumber: 9.3(Present assignment number)/ 24 (Total number of assignments)			
Q.No.	Question		Expected Time to complete
1	Lab 8: Documentation Generation: Automatic documentation and code comments Lab Objectives: <ul style="list-style-type: none">• To understand the importance of documentation and code comments in software development.• To explore how AI-assisted coding tools can generate meaningful documentation and		Week4 - Wednesday

- inline comments.
- To practice generating function-level and module-level docstrings automatically.
 - To evaluate the quality, accuracy, and limitations of AI-generated documentation.
 - To develop a small automated tool for documentation generation in Python..

Lab Outcomes (LOs):

After completing this lab, students will be able to:

- Apply AI-assisted coding tools to generate docstrings and inline comments for Python code.
- Critically analyze AI-generated documentation for correctness, completeness, and readability.
- Create structured documentation (function-level, module-level) following standard formats.
- Design and implement a mini documentation generator tool to automate code commenting and docstring creation.

Task Description#1 Basic Docstring Generation


- Write python function to return sum of even and odd numbers in the given list.
- Incorporate manual **docstring** in code with Google Style
- Use an AI-assisted tool (e.g., Copilot, Cursor AI) to generate a docstring describing the function.
- Compare the AI-generated docstring with your manually written one.

Expected Outcome#1: Students understand how AI can produce function-level documentation.

Prompt#1:

1. Generate a python code to return sum of even and odd numbers in the given list by the user.

AI-generated code:



```

CO Untitled18.ipynb ☆
File Edit View Insert Runtime Tools Help
Q Commands + Code + Text ▶ Run all ▾
[1] ✓ 2m
def sum_even_odd(numbers):
    """
    Calculates the sum of even and odd numbers in a list.

    Args:
        numbers: A list of numbers.

    Returns:
        A tuple containing the sum of even numbers and the sum of odd numbers.
    """
    even_sum = 0
    odd_sum = 0
    for number in numbers:
        if number % 2 == 0:
            even_sum += number
        else:
            odd_sum += number
    return even_sum, odd_sum

# Get input from the user
input_list_str = input("Enter a list of numbers separated by spaces: ")

# Convert the input string to a list of integers
try:
    user_list = [int(x) for x in input_list_str.split()]
    even_sum, odd_sum = sum_even_odd(user_list)
    print(f"Sum of even numbers: {even_sum}")
    print(f"Sum of odd numbers: {odd_sum}")
except ValueError:
    print("Invalid input. Please enter numbers separated by spaces.")

Enter a list of numbers separated by spaces: 1 2 3 4 5 6 7 8 9 11 22
Sum of even numbers: 42
Sum of odd numbers: 36

```

Manual code:

```

Untitled18.ipynb
File Edit View Insert Runtime Tools Help
Q Commands + Code + Text ▶ Run all ▾
[2] ✓ 6s
# Get input from the user
input_list_str = input("Enter a list of numbers separated by spaces: ")

try:
    # Convert the input string to a list of integers
    user_list = [int(x) for x in input_list_str.split()]

    # Initialize sums
    even_sum = 0
    odd_sum = 0

    # Loop through numbers and calculate sums
    for number in user_list:
        if number % 2 == 0:
            even_sum += number
        else:
            odd_sum += number

    # Print results
    print(f"Sum of even numbers: {even_sum}")
    print(f"Sum of odd numbers: {odd_sum}")

except ValueError:
    print("Invalid input. Please enter numbers separated by spaces.")
| Enter a list of numbers separated by spaces: 1 2 3 4 5 6 7 8 9
Sum of even numbers: 28
Sum of odd numbers: 25

```

Comparison Between AI-generated Docstring and Manual

1. Manual code writes everything step by step in the main program.
2. AI-generated code separates logic into a function with docstrings.
3. Manual code is less abstract, easy to understand line by line.
4. AI-generated code introduces functions and list.
5. Both versions use try/except for invalid input.

Code Explanation:

1. A function is defined to calculate the sum of even and odd numbers separately.
2. It takes a list of numbers as input and returns two values: even_sum and odd_sum.
3. If the user enters anything that's not a number, a ValueError occurs.
4. Program displays the sum of even numbers and the sum of odd numbers separately.

Task Description#2 Automatic Inline Comments

- Write python program for **sru_student** class with attributes like name, roll no., hostel_status and **fee_update** method and **display_details** method.
- Write comments manually for each line/code block
- Ask an AI tool to add inline comments explaining each line/step.
- Compare the AI-generated comments with your manually written one.

Expected Output#2: Students critically analyze AI-generated code comments.

Prompt#2:

Generate a python program for sru_student class with attributes like name, roll no., hostel_status and fee_update method and display_details method.

AI-generated code:

```

CO Untitled17.ipynb ⭐ 🌐
File Edit View Insert Runtime Tools Help
Commands + Code + Text ▶ Run all ▾

[1] ✓ 21s
● # Define a class named sru_student
class sru_student:
    # Constructor to initialize the student object
    def __init__(self, name, roll_no, hostel_status):
        # Assign the provided name to the object's name attribute
        self.name = name
        # Assign the provided roll_no to the object's roll_no attribute
        self.roll_no = roll_no
        # Assign the provided hostel_status to the object's hostel_status attribute
        self.hostel_status = hostel_status

    # Method to update the fee for the student
    def fee_update(self, amount):
        # Print a message indicating the fee update
        print(f"Fee updated for {self.name} (Roll No: {self.roll_no}). Amount: {amount}")

    # Method to display the details of the student
    def display_details(self):
        # Print the student's name
        print(f"Student Name: {self.name}")
        # Print the student's roll number
        print(f"Roll Number: {self.roll_no}")
        # Print the student's hostel status
        print(f"Hostel Status: {self.hostel_status}")

    # Take user input for a new student:
    # Prompt the user to enter the student's name and store it
    user_name = input("Enter student name: ")
    # Prompt the user to enter the student's roll number and store it
    user_roll_no = input("Enter roll number: ")
    # Prompt the user to enter the student's hostel status and store it
    user_hostel_status = input("Enter hostel status (Resident/Day Scholar): ")

    # Create a student object with user input
    # Create an instance of the sru_student class using the collected user input
new_student = sru_student(user_name, user_roll_no, user_hostel_status)

```

```

CO Untitled17.ipynb ⭐ 🌐
File Edit View Insert Runtime Tools Help
Commands + Code + Text ▶ Run all ▾

[1] ✓ 21s
● print("Details of the new student: ")
# Call the display_details method to show the new student's information
new_student.display_details()


# Example of updating fee for the new student (you could also take this input)
# Prompt the user to enter the fee amount to update and store it
user_fee_amount = input("Enter fee amount to update: ")
# Use a try-except block to handle potential errors during type conversion
try:
    # Convert the user input to an integer and call the fee_update method
    new_student.fee_update(int(user_fee_amount))
# Catch ValueError if the input cannot be converted to an integer
except ValueError:
    # Print an error message if the fee amount is invalid
    print("Invalid amount entered for fee update.")

Enter student name: vishnu
Enter roll number: 1120
Enter hostel status (Resident/Day Scholar): Resident

Details of the new student:
Student Name: vishnu
Roll Number: 1120
Hostel Status: Resident
Enter fee amount to update: 10000
Fee updated for vishnu (Roll No: 1120). Amount: 10000

```

Manual Code:



The screenshot shows a Jupyter Notebook interface with two code cells. The first cell contains Python code for creating a student class and demonstrating its use. The second cell shows the execution results, including user input for student details and the resulting student object's details.

```

CO Untitled17.ipynb
File Edit View Insert Runtime Tools Help
Q Commands + Code + Text ▶ Run all ▾

[2] ✓ 48s
# Create a class for SRU student
class sru_student:
    # Constructor (to set initial values)
    def __init__(self, name, roll_no, hostel_status):
        self.name = name # store student name
        self.roll_no = roll_no # store roll number
        self.hostel_status = hostel_status # store hostel status

    # Method to update fee
    def fee_update(self, amount):
        print(f"Fee updated for {self.name} (Roll No: {self.roll_no}). Amount: {amount}")

    # Method to display details
    def display_details(self):
        print(f"Student Name: {self.name}")
        print(f"Roll Number: {self.roll_no}")
        print(f"Hostel Status: {self.hostel_status}")

    # Take student details from user
    user_name = input("Enter student name: ")
    user_roll_no = input("Enter roll number: ")
    user_hostel_status = input("Enter hostel status (Resident/Day Scholar): ")


    # Create object of student
    new_student = sru_student(user_name, user_roll_no, user_hostel_status)

    # Show student details
    print("\nDetails of the new student:")
    new_student.display_details()

    # Take fee amount from user
    user_fee_amount = input("Enter fee amount to update: ")

    # Update fee with error handling
    +more+

```

The screenshot shows a Jupyter Notebook interface with two code cells. The first cell contains Python code for updating a student's fee with error handling. The second cell shows the execution results, including user input for the fee amount and the resulting output message.

```

CO Untitled17.ipynb
File Edit View Insert Runtime Tools Help
Q Commands + Code + Text ▶ Run all ▾

[2] ✓ 48s
# Take fee amount from user
user_fee_amount = input("Enter fee amount to update: ")

# Update fee with error handling
try:
    new_student.fee_update(int(user_fee_amount)) # convert to int
except ValueError:
    print("Invalid amount entered for fee update.")

→ Enter student name: vishnu
Enter roll number: 1120
Enter hostel status (Resident/Day Scholar): Resident

Details of the new student:
Student Name: vishnu
Roll Number: 1120
Hostel Status: Resident
Enter fee amount to update: 10000
Fee updated for vishnu (Roll No: 1120). Amount: 10000

```

Comparison Between AI-generated comments and Manual Comments

1. AI comments are long and descriptive, while manual comments are short and direct.
2. AI uses formal, full-sentence explanations; manual uses simple keywords or phrases.
3. AI comments are best for learning/teaching, while manual comments are best for real coding projects.
4. AI comments suit beginners and documentation; manual comments suit developers reading

code quickly.

Code Explanation:

1. A class sru_student is created to represent a student.
2. Initializes the student object with name, roll_no, and hostel_status.
3. Prints a message showing that the student's fee has been updated with the given amount.
4. Prints the student's name, roll number, and hostel status

Task Description#3

- Write a Python script with 3–4 functions (e.g., calculator: add, subtract, multiply, divide).
- Incorporate manual **docstring** in code with NumPy Style
- Use AI assistance to generate a module-level docstring + individual function docstrings.
- Compare the AI-generated docstring with your manually written one.

Expected Output#3: Students learn structured documentation for multi-function scripts

Prompt#3:

Generate a Python script with 3–4 functions (e.g., calculator: add, subtract, multiply, divide).with user input.

AI-generated code:

```
CO Untitled17.ipynb ⌂ ⌂
File Edit View Insert Runtime Tools Help
Commands | + Code + Text ▶ Run all ▾
def add(a, b):
    """
    Adds two numbers.

    Parameters
    -----
    a : float
        The first number.
    b : float
        The second number.

    Returns
    -----
    float
        The sum of a and b.
    """
    return a + b

def subtract(a, b):
    """
    Subtracts the second number from the first.

    Parameters
    -----
    a : float
        The first number.
    b : float
        The second number.

    Returns
    -----
    float
        The difference between a and b.
    """
    return a - b
```

```

CO Untitled17.ipynb ⭐ ⚙
File Edit View Insert Runtime Tools Help
Q Commands + Code + Text ▶ Run all ▾
[ ] ⏪ def multiply(a, b):
    """
    Multiplies two numbers.

    Parameters
    -----
    a : float
        The first number.
    b : float
        The second number.

    Returns
    -----
    float
        The product of a and b.
    """
    return a * b

def divide(a, b):
    """
    Divides the first number by the second.

    Parameters
    -----
    a : float
        The dividend.
    b : float
        The divisor.

    Returns
    -----
    float
        The result of the division.

    Raises
    -----
    """

```



```

CO Untitled17.ipynb ⭐ ⚙
File Edit View Insert Runtime Tools Help
Q Commands + Code + Text ▶ Run all ▾
[ ] ⏪
    If the divisor (b) is zero.
"""
if b == 0:
    raise ValueError("Cannot divide by zero")
return a / b

# Get user input
try:
    num1 = float(input("Enter the first number: "))
    num2 = float(input("Enter the second number: "))
    operation = input("Enter the operation (add, subtract, multiply, divide): ").lower()

    if operation == 'add':
        result = add(num1, num2)
        print(f"Result: {result}")
    elif operation == 'subtract':
        result = subtract(num1, num2)
        print(f"Result: {result}")
    elif operation == 'multiply':
        result = multiply(num1, num2)
        print(f"Result: {result}")
    elif operation == 'divide':
        result = divide(num1, num2)
        print(f"Result: {result}")
    else:
        print("Invalid operation entered.")

except ValueError as e:
    print(f"Error: {e}")
except Exception as e:
    print(f"An unexpected error occurred: {e}")

⠁⠃⠄ Enter the first number: 1
Enter the second number: 2
Enter the operation (add, subtract, multiply, divide): add
Result: 3.0

```

Manual Code:

```
CO Untitled17.ipynb ☆
File Edit View Insert Runtime Tools Help
Q Commands + Code + Text ▶ Run all ▾
[3] ✓ 10s
def add(a, b):
    """Return the sum of two numbers."""
    return a + b

def subtract(a, b):
    """Return the difference (a - b)."""
    return a - b

def multiply(a, b):
    """Return the product of two numbers."""
    return a * b

def divide(a, b):
    """Return the result of division (a / b). Raise error if b is 0."""
    if b == 0:
        raise ValueError("Cannot divide by zero")
    return a / b

# ---- Main Program ----
try:
    # Take input from user
    num1 = float(input("Enter the first number: "))
    num2 = float(input("Enter the second number: "))
    operation = input("Enter the operation (add, subtract, multiply, divide): ").lower()

    # Check and perform the operation
    if operation == 'add':
        result = add(num1, num2)
        print(f"Result: {result}")
    elif operation == 'subtract':
        result = subtract(num1, num2)
        print(f"Result: {result}")
    elif operation == 'multiply':
        result = multiply(num1, num2)
        print(f"Result: {result}")


```

```
CO Untitled17.ipynb ☆ ⏴
File Edit View Insert Runtime Tools Help
```

```
Q Commands + Code + Text ▶ Run all ▾
[3] ✓ 10s
    else:
        print("Invalid operation entered.")

    # Handle errors
    except ValueError as e:
        print(f"Error: {e}")
    except Exception as e:
        print(f"An unexpected error occurred: {e}")


```

```
 ↗ Enter the first number: 2
Enter the second number: 3
Enter the operation (add, subtract, multiply, divide): subtract
Result: -1.0
```

Comparison:

1. AI docstring explains the function in a formal, structured way (with Parameters, Returns, Raises).
2. Manual docstring explains it in a short and direct way (one-liner focusing only on what the function does).
3. AI docstrings are best for documentation, while Manual docstrings are best for real projects .
4. AI docstrings focus on explaining *how inputs/outputs work*, while Manual docstrings focus on *what the function does*.

Code Explanation:

- 1.Four functions are defined → add, subtract, multiply, divide.
- 2.The program asks the user to enter two numbers.

	<p>3.The user chooses which operation to perform based on that choice ,the result is printed. 4.If the user enters wrong input the program shows an error message.</p> <p>Push documentation whole workspace as .md file in GitHub Repository</p> <p>Note: Report should be submitted a word document for all tasks in a single document with prompts, comments & code explanation, and output and if required, screenshots</p>	
--	---	--