		OF COMPUTER SCIENCE AND DEPARTMENT OF COMPUTER SCIENCE ENGINEERING				
Progr	amN	ame: <mark>B. Tech</mark>	Assignm	ent Type: Lab	AcademicYear:2025-2026	
CourseC	oord	inatorName	Venkataran	nana Veeramsetty	y	
Instructo			Dr. V. Venka Dr. T. Sampa Dr. Pramoda Dr. Brij Kisho Dr.J.Ravichar Dr. Mohamm Dr. Anirodh I Mr. S.Naresh Dr. RAJESH Mr. Kundhan Ms. Ch.Rajith Mr. M Prakas Mr. B.Raju Intern 1 (Dha Intern 2 (Sai)	taramana (Co-ordina th Kumar  Patro or Tiwari nder and Ali Shaik Kumar Kumar VELPULA Kumar na th		
			Intern 3 (Sow NS_2 ( Mour			
CourseCod	е	24CS002PC215	CourseTitle	AI Assisted Codi	ng	
Year/Sem		II/I	Regulation	R24		
Date and D		Week3 - Tuesday	Time(s)			
Duration		2 Hours	Applicableto Batches			
Assignmen	itNum	ber: 5.2 (Present ass	ignment numb	er)/ <b>24</b> (Total number	of assignments	s)
Q.No.	Que	estion				Expecte dTime to complet e
1	Pra	$\mathcal{E}$		Week3 - Wednesd ay		

- To explore the ethical risks associated with AI-generated code.
- To recognize issues related to security, bias, transparency, and copyright.
- To reflect on the responsibilities of developers when using AI tools in software development.
- To promote awareness of best practices for responsible and ethical AI coding.

### Lab Outcomes (LOs):

After completing this lab, students will be able to:

- Identify and avoid insecure coding patterns generated by AI tools.
- Detect and analyze potential bias or discriminatory logic in AI-generated outputs.
- Evaluate originality and licensing concerns in reused AI-generated code.
- Understand the importance of explainability and transparency in AI-assisted programming.
- Reflect on accountability and the human role in ethical AI coding practices..

# Task Description#1 (Privacy and Data Security)

• Use an AI tool (e.g., Copilot, Gemini, Cursor) to generate a login system. Review the generated code for hardcoded passwords, plain-text storage, or lack of encryption.

# **Expected Output#1**

• Identification of insecure logic; revised secure version with proper password hashing and environment variable use.

**PROMPT:** Give me the python code for login system and let the user to enter login and password.

```
def login_system():

"""A simple login system that prompts the user for login and password."""

correct_login = "admin"  # Replace with your desired correct login
correct_password = "password123"  # Replace with your desired correct password
allowed_names = ["Alice", "Bob", "Charlie"]  # Add a list of allowed names

name = input("Enter your name: ")  # Prompt for name
login = input("Enter your login: ")
password = input("Enter your password: ")

if login == correct_login and password == correct_password and name in allowed_names: # Add name check
    print("Login successful!")
else:
    print("Invalid login, password, or name.")  # Update message for clarity

# Run the login system
login_system()

There your name: Alice
Enter your password: password123
Login successful!
```

**OBSERVATION:** while the code is functional for demonstrating a basic login flow, it lacks essential security features and is not suitable for any application where security is a concern.

# Task Description#2 (Bias)

• Use prompt variations like: "loan approval for John", "loan approval for Priya", etc. Evaluate whether the AI-generated logic exhibits bias or differing criteria based on names or genders.

# Expected Output#2

• Screenshot or code comparison showing bias (if any); write 3–4 sentences on mitigation techniques.

**PROMPT:** Check whether the loan is approved or not for the customer and generate the python code whether the basic approval is true or not.

```
def loan_approval():
    """Simulates a simple loan approval process, taking input from the user."""

# Example criteria (these are simplified and for demonstration only)
    min_income = 50000
    min_credit_score = 650

name = input("Enter applicant's name: ")
    income = float(input("Enter applicant's annual income: "))
    credit_score = int(input("Enter applicant's credit score: "))

# Basic approval logic
    if income >= min_income and credit_score >= min_credit_score:
        print(f"Loan approved for {name}.")
        return True
    else:
        print(f"Loan denied for {name}.")
        return False

# Run the loan approval system with user input
    loan_approval()

The enter applicant's name: hari
    Enter applicant's name: hari
    Enter applicant's credit score: 500000000
    Enter applicant's credit score: 500000000
    Loan approved for hari.
    True
```

**OBSERVATION:** We have explored two simple systems (login and loan approval) and examined their basic logic for the presence of name or gender bias, generating and modifying code to facilitate this exploration.

## Task Description#3 (Transparency)

• Write prompt to write function calculate the nth Fibonacci number using recursion and generate comments and explain code document

# Expected Output#3

- Code with explanation
- Assess: Is the explanation understandable and correct?

**PROMPT:** Write python program to calculate the nth Fibonacci number using recursion and generate code. Take input from the user

```
def fibonacci_recursive(n):
    """
    Calculates the nth Fibonacci number using recursion.

Args:
    n: The index of the Fibonacci number to calculate (non-negative integer).

Returns:
    The nth Fibonacci number.
    """
    if n <= 1:
        return n
    else:
        return fibonacci_recursive(n-1) + fibonacci_recursive(n-2)

# Example usage:
try:
    n_term = int(input("Enter the term number for the Fibonacci sequence: "))
    if n_term < 0:
        print("Please enter a non-negative integer.")
    else:
        fib_number = fibonacci_recursive(n_term)
        print("The (n_term)th Fibonacci number is: (fib_number)")
    except ValueError:
    print("Invalid input. Please enter an integer.")

Enter the term number for the Fibonacci sequence: 10
    The 10th Fibonacci number is: 55</pre>
```

**OBSERVATION:** The fibonacci\_recursive function calculates the number by calling itself, with base cases for 0 and 1. While this recursive method is clear and reflects the mathematical definition, it can become inefficient for larger inputs due to repeated calculations. We discussed these aspects, highlighting the code's functionality, its recursive nature, and potential performance considerations.

## Task Description#4 (Bias)

 Ask to generate a job applicant scoring system based on input features (e.g., education, experience, gender, age). Analyze the scoring logic for bias or unfair weightings.

# Expected Output#4

- Python code
- Analyze is there any bias with respect to gender or any

**PROMPT:** Write a python program for applicant scoring system based on some features like education experience, gender, age and generate the code.

```
import pandas as pd
def score_applicant(education, experience_years, gender, age):
    score = 0
    education_weights = {
        "thisp School": 10,
        "associate's": 20,
        "Bachelon's": 30,
        "Master's": 40,
        "PhD": 50
}
score += education_weights.get(education, 0)
score -= experience_years * 5
if gender == "Female":
        score += 5
        sif gender == "Other":
        score += 5
        if gender == "Other":
        score += 10

return score

# Example usage:
applicant1 = ("education": "Bachelor's", "experience_years": 5, "gender": "Female", "age": 30)
applicant2 = ("education": "Master's", "experience_years": 8, "gender": "Male", "age": 40)
applicant2 = ("education": "High School", "experience_years": 2, "gender": "Other", "age": 22)

print(f"Applicant 1 Score: (score_applicant(**applicant1))")
print(f"Applicant 2 Score: (score_applicant(**applicant2))")
print(f"Applicant 3 Score: (score_applicant(**applicant3))")

Applicant 1 Score: 70
Applicant 1 Score: 70
Applicant 3 Score: (score_applicant(**applicant3))")
```

**OBSERAVTION:** The code provides a basic framework for scoring applicants, but the current implementation includes explicit biases related to gender and age that would need to be addressed to create a fair and equitable system.

### Task Description#5 (Inclusiveness)

Code Snippet

```
def greet_user(name, gender):
    if gender.lower() == "male":
        title = "Mr."
    else:
        title = "Mrs."
    return f"Hello, {title} {name}! Welcome."
```

# Expected Output#5

• Regenerate code that includes **gender-neutral** also

**PROMPT:** Write a Python program that asks how many people to greet. For each person, it takes their name and gender, adds a title based on gender (Mr., Ms., Mx., or none), creates a personalized greeting, and then shows all greetings together at the end.

```
def generate_greeting(name, gender):
    """Generates a greeting with a title based on gender."""
    gender = gender.lower()
    if gender = "male':
        title = "Mr."
    elif gender = "fenale':
        title = "Ms."
    elif gender == "non-binary':
        title = 'ms."
              else:
title = '' # No title for other genders
               return f"Hello, {title} {name}!"
else:
    return f"Hello, {name}!"
        def main():
    """Collects names and genders, generates greetings, and displays them."""
    while True:
                             num people = int(input("How many people would you like to greet? "))
                         if num_people <= 0:
    print("Please enter a positive number.")
else:
                    except ValueError:
                             print("Invalid input. Please enter a number.")
0
         greetings = []
for i in range(num_people):
    name = input(f"Enter the name of person (i + 1): ")
    gender = input(f"Enter the gender of person (i + 1) (Male, Female, Non-binary, or Other): ")
                      greetings.append(generate_greeting(name, gender))
              print("\nHere are the greetings:")
for greeting in greetings:
                     print(greeting)
      if __name__ == "__main__":
               main()

→ How many people would you like to greet? 3
       Enter the name of person 1: krishna
Enter the gender of person 2: krishna
Enter the gender of person 1 (Male, Female, Non-binary, or Other): male
Enter the name of person 2: nadhiya
Enter the gender of person 2 (Male, Female, Non-binary, or Other): female
       Enter the name of person 3: harichandhana
Enter the gender of person 3 (Male, Female, Non-binary, or Other): female
       Hello, Mr. krishna!
Hello, Ms. nadhiya!
Hello, Ms. harichandhana!
```

**OBSERVATION:** The program dynamically greets multiple people based on their name and gender. It assigns appropriate titles (Mr., Ms., Mx.) and handles unknown gender gracefully. All greetings are stored and displayed together at the end. This ensures personalized and inclusive communication.

Note: Report should be submitted a word document for all tasks in a single document with prompts, comments & code explanation, and output and if required, screenshots

#### **Evaluation Criteria:**

Criteria	Max Marks
Transparency	0.5
Bias	1.0
Inclusiveness	0.5
Data security and Privacy	0.5
Total	2.5 Marks