LAB 4.4 ASSIGNMENTS

TASK 1:

Auto-Complete a Python Class for Bank Account

Write a class definition comment and start the constructor for a class called BankAccount with account_holder and balance attributes. Use GitHub Copilot to auto-complete the rest of the class, including methods to deposit, withdraw, and display balance.

CODE (CLASS):



CODE (INPUTS):



CODE EXPLANATION:

This code defines a simple bank account management system in Python using a class called BankAccount. Here's a breakdown:

- The BankAccount class has methods to deposit money, withdraw money, and display the current balance.
- The constructor (init) initializes the account holder's name and starting balance (default is 0).
- deposit(amount): Adds the specified amount to the balance if it's positive.
- withdraw(amount): Subtracts the specified amount from the balance if it's positive and does not exceed the current balance.
- display_balance(): Prints the current balance and account holder's name.
- str(): Returns a string representation of the account for debugging or display.

The main section:

- Prompts the user to enter their name and creates a BankAccount object.
- Displays a menu in a loop, allowing the user to deposit, withdraw, check balance, or exit.
- Handles invalid input and ensures only valid transactions are processed.
- This script is interactive and runs in the terminal, providing basic banking operations for a single user.

CODE OUTPUTS:



TASK 2:

Auto-Complete a For Loop to Sum Even Numbers in a List

Write a comment and the initial line of a loop to iterate over a list. Allow GitHub Copilot to complete the logic to sum all even numbers in the list.

CODE:



CODE EXPLANATION:

This code calculates the sum of all even numbers in a given list:
It defines a list numbers = [1, 2, 3, 4, 5, 6].
It initializes even_sum to 0.
It loops through each number in the list.
If the number is even (num % 2 == 0), it adds it to even_sum.
After the loop, it prints the total sum of even numbers.
For this list, the even numbers are 2, 4, and 6, so the output is: The sum of even numbers is: 12.

CODE OUTPUTS:



TASK 3:

Auto-Complete Conditional Logic to Check Age Group

Start a function that takes age as input and returns whether the person is a child, teenager, adult, or senior using if-elif-else. Use Copilot to complete the conditionals.

CODE:



CODE EXPLANATION:

This code classifies a person's age group based on their input:

1. The function age_group(age) checks the value of age and returns a string:
   - If age is less than 0, it returns "Invalid age".
   - If age is less than 13, it returns "Child".
   - If age is less than 20, it returns "Teenager".
   - If age is less than 65, it returns "Adult".
   - Otherwise, it returns "Senior".
2. The user is prompted to input their age, which is converted to an integer.
3. The program prints the classification result using the age_group function.

In summary, it asks for your age and tells you if you are a child, teenager, adult, or senior.

CODE OUTPUTS:



TASK 4:

Auto-Complete a While Loop to Reverse Digits of a Number

Write a comment and start a while loop to reverse the digits of a number. Let Copilot complete the loop logic.

CODE:



CODE EXPLANATION:

This code reverses the digits of a number using a while loop:

1. It starts with num = 1234 and reversed_num = 0.
2. While num is greater than 0:
   - It gets the last digit of num using num % 10.
   - It adds this digit to reversed_num, shifting previous digits left (reversed_num * 10 + digit).
   - It removes the last digit from num using integer division (num //= 10).
3. After the loop, reversed_num contains the digits of the original number in reverse order.
4. It prints: The reversed number is: 4321.

CODE OUTPUTS:



TASK 5:

Auto-Complete Class with Inheritance (Employee → Manager)

Begin a class Employee with attributes name and salary. Then, start a derived class Manager that inherits from Employee and adds department. Let GitHub Copilot complete the methods and constructor chaining.

CODE:



CODE EXPLANATION:

This code demonstrates object-oriented programming with inheritance in Python:

1. It defines a base class Employee with attributes name and id, and a method display_info() to print employee details.
2. It defines a derived class Manager that inherits from Employee, adds a department attribute, and overrides display_info() to also print the department.
3. In the main section, the program:
   - Prompts the user to enter an employee's name and ID, creates an Employee object, and displays its info.
   - Prompts for a manager's name, ID, and department, creates a Manager object, and displays its info.

In summary, the code shows how to use inheritance and method overriding to manage employee and manager information.

CODE OUTPUTS:


lab5_bank_account.py U
evennumsai.py U
checkage.py U
reversenumai.py U
empmng.py U
empmng.py > ...
class Employee:
def display_info(self):
print(f"Employee Name: {self.name}, ID: {self.id}")
class Manager(Employee):
def __init__(self, name, id, department):
super().__init__(name, id)
self.department = department
def display_info(self):
super().display_info()
PROBLEMS
OUTPUT
DEBUG CONSOLE
AUGMENT NEXT EDIT
CODE REFERENCE LOG
PORTS
TERMINAL
6653/OneDrive/Desktop/ai labs projects/empmng.py"
Enter employee name: IBRAHIM
Enter employee ID: 1276
Employee Name: IBRAHIM, ID: 1276
Enter manager name: SRU
Enter manager ID: 1102
Enter manager department: CSE
Employee Name: SRU, ID: 1102
Department: CSE
PS C:\Users\96653\OneDrive\Desktop\ai labs projects>