

# Cucumber Report

20-Mar-2023 14:13:56

Start : Mar 20, 2:13:45.591 PM

End : Mar 20, 2:13:55.295 PM

Duration : 9.704 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 3  
SKIPPED - 0

PASSED - 0  
FAILED - 3  
SKIPPED - 7




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login</u>	9.704 s	3	0	3	0	10	0	3	7

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Chrome	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login	3	0	3	0	9.704 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login</u>	<u>Login</u>	3	0	1	2	5.454 s
2	<u>Login</u>	<u>invalid Login details</u>	3	0	1	2	1.989 s
3	<u>Login</u>	<u>I log out</u>	4	0	1	3	2.157 s

## Login

FAILED	DURATION - 9.704 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 10 Pass - 0 Fail - 3 Skip - 7	
/ 2:13:45.591 PM // 2:13:55.295 PM /					

## Login



FAILED	DURATION - 5.454 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 2:13:45.594 PM // 2:13:51.048 PM /				
Login				
@Chrome				

#	Step / Hook Details	Status	Duration
1	<p>Given I enter username "abdullah.darsot@roq.co.uk" and password "Trello123!"</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class steps.LoginSteps            at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)            at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)            at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)            at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)            at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)            at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)            at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)            at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)            at io.cucumber.core.runner.TestStep.run(TestStep.java:56)            at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)            at io.cucumber.core.runner.TestCase.run(TestCase.java:84)            at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)            at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)            at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130)            at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)            at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)</p>	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.lang.reflect.Method.invoke(Method.java:498)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)</p> <p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.util.ArrayList.forEach(ArrayList.java:1259)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:808)</p> <p>at org.testng.TestRunner.run(TestRunner.java:603)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:429)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423)</p> <p>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383)</p> <p>at org.testng.SuiteRunner.run(SuiteRunner.java:326)</p> <p>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)</p> <p>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)</p> <p>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249)</p> <p>at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)</p> <p>at org.testng.TestNG.runSuites(TestNG.java:1092)</p> <p>at org.testng.TestNG.run(TestNG.java:1060)</p> <p>at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)</p> <p>at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)</p> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)</p> <p>... 44 more Caused by: java.io.FileNotFoundException: C:\Users\abdullah.darsot\IdeaProjects\AutomationFrameworkMain1\src\test\resources\environment\UserDetails.properties (The system cannot find the path specified)</p> <p>at java.io.FileInputStream.open0(Native Method)</p> <p>at java.io.FileInputStream.open(FileInputStream.java:195)</p> <p>at java.io.FileInputStream.&lt;init&gt;(FileInputStream.java:138)</p>		

#	Step / Hook Details	Status	Duration
	at java.io.FileInputStream.<init>(FileInputStream.java:93) at utils.config.ConfigurationParser.parse(ConfigurationParser.java:10) at steps.LoginSteps.<init>(LoginSteps.java:20)		
2	When I click a board	SKIPPED	0.001 s
3	Then I can see the correct board	SKIPPED	0.003 s
	AFTER - utils.hooks.CucumberHooks.tearDownGetScreenshots(io.cucumber.java.Scenario)	PASSED	0.101 s
	Login		

## invalid Login details

FAILED	DURATION - 1.989 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 2:13:51.140 PM // 2:13:53.129 PM /				
Login				
@Chrome				



#	Step / Hook Details	Status	Duration
1	Given I enter invalid username "dfdfdfdf" and password "Test"	FAILED	0.002 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class steps.LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.util.ArrayList.forEach(ArrayList.java:1259) at org.testng.TestRunner.privateRun(TestRunner.java:808) at org.testng.TestRunner.run(TestRunner.java:603) at org.testng.SuiteRunner.runTest(SuiteRunner.java:429) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383) at org.testng.SuiteRunner.run(SuiteRunner.java:326) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.runSuites(TestNG.java:1092) at org.testng.TestNG.run(TestNG.java:1060) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109) Caused by: java.lang.reflect.InvocationTargetException </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 44 more Caused by: java.io.FileNotFoundException: C:\Users\abdullah. darso\IdeaProjects\AutomationFrameworkMain1\src\test\resources\environment\UserDetails.properties (The system cannot find the path specified) at java.io.FileInputStream.open0(Native Method) at java.io.FileInputStream.open(FileInputStream.java:195) at java.io.FileInputStream.&lt;init&gt;(FileInputStream.java:138) at java.io.FileInputStream.&lt;init&gt;(FileInputStream.java:93) at utils.config.ConfigurationParser.parse(ConfigurationParser.java:10) at steps.LoginSteps.&lt;init&gt;(LoginSteps.java:20) </pre>		
2	When I click submit	SKIPPED	0.000 s
3	Then I can see the error message	SKIPPED	0.000 s
	AFTER - utils.hooks.CucumberHooks.tearDownGetScreenshots(io.cucumber.java.Scenario)	PASSED	0.070 s
	invalid_Login_details		

I log out

FAILED	DURATION - 2.157 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 2:13:53.138 PM // 2:13:55.295 PM /				
Login				
@Chrome				

#	Step / Hook Details	Status	Duration
1	<p>Given I enter username "abdullah.darsot@roq.co.uk" and password "Trello123!"</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class steps.LoginSteps  at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)  at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.lang.reflect.Method.invoke(Method.java:498)  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135)  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673)  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220)  at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)  at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945)  at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193)</p>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.util.ArrayList.forEach(ArrayList.java:1259) at org.testng.TestRunner.privateRun(TestRunner.java:808) at org.testng.TestRunner.run(TestRunner.java:603) at org.testng.SuiteRunner.runTest(SuiteRunner.java:429) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383) at org.testng.SuiteRunner.run(SuiteRunner.java:326) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.runSuites(TestNG.java:1092) at org.testng.TestNG.run(TestNG.java:1060) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 44 more Caused by: java.io.FileNotFoundException: C:\Users\abdullah. darso\IdeaProjects\AutomationFrameworkMain1\src\test\resources\environment\UserDetails.properties (The system cannot find the path specified) at java.io.FileInputStream.open0(Native Method) at java.io.FileInputStream.open(FileInputStream.java:195) at java.io.FileInputStream.&lt;init&gt;(FileInputStream.java:138) at java.io.FileInputStream.&lt;init&gt;(FileInputStream.java:93) at utils.config.ConfigurationParser.parse(ConfigurationParser.java:10) at steps.LoginSteps.&lt;init&gt;(LoginSteps.java:20) </pre>		
2	When I click on my profile	SKIPPED	0.001 s
3	And I click log out	SKIPPED	0.001 s
4	Then I am sent back to Trello home page	SKIPPED	0.000 s
	AFTER - utils.hooks.CucumberHooks.tearDownGetScreenshots(io.cucumber.java.Scenario)	PASSED	0.067 s
	I_log_out		

#	Step / Hook Details	Status	Duration