

# Rajalakshmi Engineering College

Name: MADHUMITHA P  
Email: 240701297@rajalakshmi.edu.in  
Roll no: 240701297  
Phone: 7904260818  
Branch: REC  
Department: I CSE AH  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## NeoColab\_REC\_CS23221\_Python Programming

### REC\_Python\_Week 6\_MCQ

Attempt : 1  
Total Mark : 20  
Marks Obtained : 1

#### Section 1 : MCQ

1. What happens if an exception is not caught in the except clause?

**Answer**

The program will display a traceback error and stop execution

**Status : Correct**

**Marks : 1/1**

2. What will be the output of the following Python code?

```
# Predefined lines to simulate the file content
lines = [
    "This is 1st line",
    "This is 2nd line",
    "This is 3rd line",
    "This is 4th line",
```

```

    "This is 5th line"
]

print("Name of the file: foo.txt")

# Print the first 5 lines from the predefined list
for index in range(5):
    line = lines[index]
    print("Line No %d - %s" % (index + 1, line.strip()))

```

**Answer**

**Status :** Skipped

**Marks :** 0/1

3. Fill in the blanks in the following code of writing data in binary files.

```

import _____ (1)
rec=[]
while True:
    rn=int(input("Enter"))
    nm=input("Enter")
    temp=[rn, nm]
    rec.append(temp)
    ch=input("Enter choice (y/N)")
    if ch.upper=="N":
        break
f.open("stud.dat", "_____")(2)
_____.dump(rec,f)(3)
_____.close()(4)

```

**Answer**

-

**Status :** -

**Marks :** 0/1

4. Match the following:

a) f.seek(5,1) i) Move file pointer five characters behind from the current position

b) f.seek(-5,1) ii) Move file pointer to the end of a file

c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position

d) f.seek(0) iv) Move file pointer to the beginning of a file

**Answer**

-

**Status :** -

**Marks :** 0/1

5. Fill the code to in order to read file from the current position.

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Meri,25

John,21

Raj,20

Ouputput:

['John,21\n','Raj,20\n']

```
f = open("exp.txt", "w+")
```

```
_____ (1)
```

```
print _____ (2)
```

**Answer**

-

**Status :** -

**Marks :** 0/1

6. What is the difference between r+ and w+ modes?

**Answer**

-

**Status :** -

**Marks :** 0/1

7. What is the output of the following code?

```
class MyError(Exception):  
    pass  
  
try:  
    raise MyError("Something went wrong")  
except MyError as e:  
    print(e)
```

**Answer**

-

**Status :** -

**Marks :** 0/1

8. Fill in the code in order to get the following output:

Output:

Name of the file: ex.txt

```
fo = open(_____(1), "wb")  
print("Name of the file: ", _____)(2)
```

**Answer**

-

**Status :** -

**Marks :** 0/1

9. What is the output of the following code?

```
try:  
    x = 1 / 0  
except ZeroDivisionError:  
    print("Caught division by zero error")  
finally:  
    print("Executed")
```

**Answer**

-

Status : -

Marks : 0/1

10. What will be the output of the following Python code?

```
f = None
for i in range (5):
    with open("data.txt", "w") as f:
        if i > 2:
            break
print(f.closed)
```

Answer

-

Status : -

Marks : 0/1

11. How do you create a user-defined exception in Python?

Answer

-

Status : -

Marks : 0/1

12. What happens if no arguments are passed to the seek function?

Answer

-

Status : -

Marks : 0/1

13. How do you rename a file?

Answer

-

**Status :** -

**Marks :** 0/1

14. Which clause is used to clean up resources, such as closing files in Python?

**Answer**

-

**Status :** -

**Marks :** 0/1

15. What is the purpose of the except clause in Python?

**Answer**

-

**Status :** -

**Marks :** 0/1

16. What is the correct way to raise an exception in Python?

**Answer**

-

**Status :** -

**Marks :** 0/1

17. Which of the following is true about `fp.seek(10,1)`

**Answer**

-

**Status :** -

**Marks :** 0/1

18. What is the default value of `reference_point` in the following code?

`file_object.seek(offset [,reference_point])`

**Answer**

-

**Status :** -

**Marks :** 0/1

19. Which of the following is true about the finally block in Python?

**Answer**

-

**Status :** -

**Marks :** 0/1

20. What is the output of the following code?

```
try:
    x = "hello" + 5
except TypeError:
    print("Type Error occurred")
finally:
    print("This will always execute")
```

**Answer**

-

**Status :** -

**Marks :** 0/1