

Mobile Layout Design



<div class = "Logo"> <div class = "Nav-Bar"> <div class = "Resume-page"> <div class = "contact">

Desktop Layout Design



```
<div class = "logo">
 <div class = "nav-bar">
<div class = "profile-pic">
<div class = "about-me">
<div class = "contact">
  <div class = "logo">
 <div class = "nav-bar">
  <div class = "blog">
<div class = "contact">
```


Image of Color Palette


primary color	secondary color	background color	font color

Icons


```
me the text runs across the
<html> <p style="font-weight book"
<html> <body style="background">
<html>text - :200px;"> < todolistid **
/ Non - text - :200px: >persisted
 <html> <errorMessage = ko , db
style="color:orange;">HTML for
     function todoitem(data) : Change
         var self = this <htal> (m)
         data = dta 11 <html> (erro
 / / Non _ persisted propertie function
   <errorMessage = text - 2000***</pre>
  style="font-weight:bold;">HTML font code is 4
   "body style="background-color:yellowgreen;
  todolistid = data.todolistid = data.todod
    - text - :200px; >persisted propert
      errorMessage = ko , observable()
```











References

References

Web Design and Development Sources

Stack Overflow. (2012, April 18). Entire website shrink to fit browser window? Retrieved from https://stackoverflow.com/questions/10202087/entire-website-shrink-to-fit-browser-window

W3Schools. (n.d.). HTML element reference. Retrieved from https://www.w3schools.com/TAGS/default.asp