MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
> use stockDB
< switched to db stockDB
> db.createCollection("stocks")
< { ok: 1 }
> show collections
< stocks
> show dbs
< admin        40.00 KiB
  config       72.00 KiB
  local        64.00 KiB
  mydb         72.00 KiB
  stockDB       8.00 KiB
  timecapsule  64.00 KiB
> db.runCommand({
   collMod: "stocks",
   validator: {
    $jsonSchema: {
     bsonType: "object",
     required: ["symbol","price","prediction"],
     properties: {
      symbol: {
       bsonType: "string"
      },
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
    required: ["symbol","price","prediction"],
    properties: {
     symbol: {
      bsonType: "string"
     },
     price: {
      bsonType: ["int","double","long","decimal"]
     },
     prediction: {
      bsonType: "string"
     },
     date: {
      bsonType: "date"
     },
     model: {
      bsonType: "string"
     },
     status: {
      bsonType: "string"
     }
    }
   }
  }
 })
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

- Assignment CONNECT
- first
- project
  - admin
  - config
  - local
  - mydb
  - stockDB
  - timecapsule

Welcome | mongosh: project

>_MONGOSH

```
  })
< { ok: 1 }
> db.stocks.insertOne({
   symbol: "AAPL",
   price: 180,
   prediction: "UP",
   date: new Date(),
   model: "LSTM"
  })
< {
    acknowledged: true,
    insertedId: ObjectId('69c158e567fdaa9f52d86568')
  }
> db.stocks.insertOne({
   symbol: "NIFTY",
   price: 22000,
   prediction: "UP",
   model: "AI",
   status: "BUY",
   date: new Date()
  })
< {
    acknowledged: true,
    insertedId: ObjectId('69c158e967fdaa9f52d86569')
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
> db.stocks.insertMany([
  { symbol: "TSLA", price: 250, prediction: "DOWN", date: new Date() },
  { symbol: "GOOG", price: 2800, prediction: "UP", date: new Date() },
  { symbol: "MSFT", price: 320, prediction: "UP", date: new Date() }
 ])
< {
    acknowledged: true,
    insertedIds: {
      '0': ObjectId('69c158f267fdaa9f52d8656a'),
      '1': ObjectId('69c158f267fdaa9f52d8656b'),
      '2': ObjectId('69c158f267fdaa9f52d8656c')
    }
  }
> db.stocks.insertMany([
  { symbol: "INFY", price: 1500, prediction: "UP" },
  { symbol: "TCS", price: 3600, prediction: "DOWN" },
  { symbol: "HDFC", price: 1700, prediction: "UP" }
 ])
< {
    acknowledged: true,
    insertedIds: {
      '0': ObjectId('69c158f967fdaa9f52d8656d'),
      '1': ObjectId('69c158f967fdaa9f52d8656e'),
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

- Assignment CONNECT
- first
- project
  - admin
  - config
  - local
  - mydb
  - stockDB
  - timecapsule

Welcome | mongosh: project

>_MONGOSH

```
      '2': ObjectId('69c158f967fdaa9f52d8656f')
    }
  }
> db.stocks.find()
< {
    _id: ObjectId('69c158e567fdaa9f52d86568'),
    symbol: 'AAPL',
    price: 180,
    prediction: 'UP',
    date: 2026-03-23T15:14:45.652Z,
    model: 'LSTM'
  }
  {
    _id: ObjectId('69c158e967fdaa9f52d86569'),
    symbol: 'NIFTY',
    price: 22000,
    prediction: 'UP',
    model: 'AI',
    status: 'BUY',
    date: 2026-03-23T15:14:49.504Z
  }
  {
    _id: ObjectId('69c158f267fdaa9f52d8656a'),
    symbol: 'TSLA',
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
  _id: ObjectId('69c158f267fdaa9f52d8656a'),
  symbol: 'TSLA',
  price: 250,
  prediction: 'DOWN',
  date: 2026-03-23T15:14:58.641Z
}
{
  _id: ObjectId('69c158f267fdaa9f52d8656b'),
  symbol: 'GOOG',
  price: 2800,
  prediction: 'UP',
  date: 2026-03-23T15:14:58.641Z
}
{
  _id: ObjectId('69c158f267fdaa9f52d8656c'),
  symbol: 'MSFT',
  price: 320,
  prediction: 'UP',
  date: 2026-03-23T15:14:58.641Z
}
{
  _id: ObjectId('69c158f967fdaa9f52d8656d'),
  symbol: 'INFY',
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
  {
    _id: ObjectId('69c158f967fdaa9f52d8656d'),
    symbol: 'INFY',
    price: 1500,
    prediction: 'UP'
  }
  {
    _id: ObjectId('69c158f967fdaa9f52d8656e'),
    symbol: 'TCS',
    price: 3600,
    prediction: 'DOWN'
  }
  {
    _id: ObjectId('69c158f967fdaa9f52d8656f'),
    symbol: 'HDFC',
    price: 1700,
    prediction: 'UP'
  }
> db.stocks.find({symbol:"AAPL"})
< {
    _id: ObjectId('69c158e567fdaa9f52d86568'),
    symbol: 'AAPL',
    price: 180,
    prediction: 'UP',
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
> db.stocks.find({symbol:"AAPL"})
< {
    _id: ObjectId('69c158e567fdaa9f52d86568'),
    symbol: 'AAPL',
    price: 180,
    prediction: 'UP',
    date: 2026-03-23T15:14:45.652Z,
    model: 'LSTM'
  }
> db.stocks.find({prediction:"UP"})
< {
    _id: ObjectId('69c158e567fdaa9f52d86568'),
    symbol: 'AAPL',
    price: 180,
    prediction: 'UP',
    date: 2026-03-23T15:14:45.652Z,
    model: 'LSTM'
  }
  {
    _id: ObjectId('69c158e967fdaa9f52d86569'),
    symbol: 'NIFTY',
    price: 22000,
    prediction: 'UP',
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
{
  _id: ObjectId('69c158e967fdaa9f52d86569'),
  symbol: 'NIFTY',
  price: 22000,
  prediction: 'UP',
  model: 'AI',
  status: 'BUY',
  date: 2026-03-23T15:14:49.504Z
}
{
  _id: ObjectId('69c158f267fdaa9f52d8656b'),
  symbol: 'GOOG',
  price: 2800,
  prediction: 'UP',
  date: 2026-03-23T15:14:58.641Z
}
{
  _id: ObjectId('69c158f267fdaa9f52d8656c'),
  symbol: 'MSFT',
  price: 320,
  prediction: 'UP',
  date: 2026-03-23T15:14:58.641Z
}
{
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
}
{
  _id: ObjectId('69c158f967fdaa9f52d8656d'),
  symbol: 'INFY',
  price: 1500,
  prediction: 'UP'
}
{
  _id: ObjectId('69c158f967fdaa9f52d8656f'),
  symbol: 'HDFC',
  price: 1700,
  prediction: 'UP'
}
> db.stocks.find({price:{$gt:200}})
< {
  _id: ObjectId('69c158e967fdaa9f52d86569'),
  symbol: 'NIFTY',
  price: 22000,
  prediction: 'UP',
  model: 'AI',
  status: 'BUY',
  date: 2026-03-23T15:14:49.504Z
}
{
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
}
{
  _id: ObjectId('69c158f267fdaa9f52d8656a'),
  symbol: 'TSLA',
  price: 250,
  prediction: 'DOWN',
  date: 2026-03-23T15:14:58.641Z
}
{
  _id: ObjectId('69c158f267fdaa9f52d8656b'),
  symbol: 'GOOG',
  price: 2800,
  prediction: 'UP',
  date: 2026-03-23T15:14:58.641Z
}
{
  _id: ObjectId('69c158f267fdaa9f52d8656c'),
  symbol: 'MSFT',
  price: 320,
  prediction: 'UP',
  date: 2026-03-23T15:14:58.641Z
}
{
  _id: ObjectId('69c158f967fdaa9f52d8656d'),
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
  }
  {
    _id: ObjectId('69c158f967fdaa9f52d8656d'),
    symbol: 'INFY',
    price: 1500,
    prediction: 'UP'
  }
  {
    _id: ObjectId('69c158f967fdaa9f52d8656e'),
    symbol: 'TCS',
    price: 3600,
    prediction: 'DOWN'
  }
  {
    _id: ObjectId('69c158f967fdaa9f52d8656f'),
    symbol: 'HDFC',
    price: 1700,
    prediction: 'UP'
  }
> db.stocks.find().pretty()
< {
    _id: ObjectId('69c158e567fdaa9f52d86568'),
    symbol: 'AAPL',
    price: 180,
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
> db.stocks.find().pretty()
< {
    _id: ObjectId('69c158e567fdaa9f52d86568'),
    symbol: 'AAPL',
    price: 180,
    prediction: 'UP',
    date: 2026-03-23T15:14:45.652Z,
    model: 'LSTM'
  }
  {
    _id: ObjectId('69c158e967fdaa9f52d86569'),
    symbol: 'NIFTY',
    price: 22000,
    prediction: 'UP',
    model: 'AI',
    status: 'BUY',
    date: 2026-03-23T15:14:49.504Z
  }
  {
    _id: ObjectId('69c158f267fdaa9f52d8656a'),
    symbol: 'TSLA',
    price: 250,
    prediction: 'DOWN',
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
{
  _id: ObjectId('69c158f267fdaa9f52d8656b'),
  symbol: 'GOOG',
  price: 2800,
  prediction: 'UP',
  date: 2026-03-23T15:14:58.641Z
}
{
  _id: ObjectId('69c158f267fdaa9f52d8656c'),
  symbol: 'MSFT',
  price: 320,
  prediction: 'UP',
  date: 2026-03-23T15:14:58.641Z
}
{
  _id: ObjectId('69c158f967fdaa9f52d8656d'),
  symbol: 'INFY',
  price: 1500,
  prediction: 'UP'
}
{
  _id: ObjectId('69c158f967fdaa9f52d8656e'),
  symbol: 'TCS',
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
  }
  {
    _id: ObjectId('69c158f967fdaa9f52d8656f'),
    symbol: 'HDFC',
    price: 1700,
    prediction: 'UP'
  }
> db.stocks.updateOne(
   {symbol:"AAPL"},
   {$set:{price:190}}
  )
< {
    acknowledged: true,
    insertedId: null,
    matchedCount: 1,
    modifiedCount: 1,
    upsertedCount: 0
  }
> db.stocks.updateMany(
   {prediction:"UP"},
   {$set:{status:"BUY"}}
  )
< {
    acknowledged: true,
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
> db.stocks.updateMany(
  {prediction:"UP"},
  {$set:{status:"BUY"}}
 )
< {
   acknowledged: true,
   insertedId: null,
   matchedCount: 6,
   modifiedCount: 5,
   upsertedCount: 0
 }
> db.stocks.updateOne(
  {symbol:"TSLA"},
  {$set:{prediction:"UP"}}
 )
< {
   acknowledged: true,
   insertedId: null,
   matchedCount: 1,
   modifiedCount: 1,
   upsertedCount: 0
 }
> db.stocks.deleteOne({symbol:"TCS"})
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
> db.stocks.deleteOne({symbol:"TCS"})
< {
    acknowledged: true,
    deletedCount: 1
  }
> db.stocks.deleteMany({prediction:"DOWN"})
< {
    acknowledged: true,
    deletedCount: 0
  }
> db.stocks.deleteMany({price:{$lt:200}})
< {
    acknowledged: true,
    deletedCount: 1
  }
> db.stocks.find().sort({price:1})
< {
    _id: ObjectId('69c158f267fdaa9f52d8656a'),
    symbol: 'TSLA',
    price: 250,
    prediction: 'UP',
    date: 2026-03-23T15:14:58.641Z
  }
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
{
  _id: ObjectId('69c158f267fdaa9f52d8656c'),
  symbol: 'MSFT',
  price: 320,
  prediction: 'UP',
  date: 2026-03-23T15:14:58.641Z,
  status: 'BUY'
}
{
  _id: ObjectId('69c158f967fdaa9f52d8656d'),
  symbol: 'INFY',
  price: 1500,
  prediction: 'UP',
  status: 'BUY'
}
{
  _id: ObjectId('69c158f967fdaa9f52d8656f'),
  symbol: 'HDFC',
  price: 1700,
  prediction: 'UP',
  status: 'BUY'
}
{
  _id: ObjectId('69c158f267fdaa9f52d8656b'),
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
{
  _id: ObjectId('69c158f967fdaa9f52d8656f'),
  symbol: 'HDFC',
  price: 1700,
  prediction: 'UP',
  status: 'BUY'
}
{
  _id: ObjectId('69c158f267fdaa9f52d8656b'),
  symbol: 'GOOG',
  price: 2800,
  prediction: 'UP',
  date: 2026-03-23T15:14:58.641Z,
  status: 'BUY'
}
{
  _id: ObjectId('69c158e967fdaa9f52d86569'),
  symbol: 'NIFTY',
  price: 22000,
  prediction: 'UP',
  model: 'AI',
  status: 'BUY',
  date: 2026-03-23T15:14:49.504Z
}
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
> db.stocks.find().sort({price:-1})
< {
    _id: ObjectId('69c158e967fdaa9f52d86569'),
    symbol: 'NIFTY',
    price: 22000,
    prediction: 'UP',
    model: 'AI',
    status: 'BUY',
    date: 2026-03-23T15:14:49.504Z
  }
  {
    _id: ObjectId('69c158f267fdaa9f52d8656b'),
    symbol: 'GOOG',
    price: 2800,
    prediction: 'UP',
    date: 2026-03-23T15:14:58.641Z,
    status: 'BUY'
  }
  {
    _id: ObjectId('69c158f967fdaa9f52d8656f'),
    symbol: 'HDFC',
    price: 1700,
    prediction: 'UP',
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

- Assignment CONNECT
- first
- project
  - admin
  - config
  - local
  - mydb
  - stockDB
  - timecapsule

Welcome | mongosh: project

>_MONGOSH

```
{
  _id: ObjectId('69c158f967fdaa9f52d8656d'),
  symbol: 'INFY',
  price: 1500,
  prediction: 'UP',
  status: 'BUY'
}
{
  _id: ObjectId('69c158f267fdaa9f52d8656c'),
  symbol: 'MSFT',
  price: 320,
  prediction: 'UP',
  date: 2026-03-23T15:14:58.641Z,
  status: 'BUY'
}
{
  _id: ObjectId('69c158f267fdaa9f52d8656a'),
  symbol: 'TSLA',
  price: 250,
  prediction: 'UP',
  date: 2026-03-23T15:14:58.641Z
}
> db.stocks.find().limit(3)
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

- Assignment CONNECT
- first
- project
  - admin
  - config
  - local
  - mydb
  - stockDB
  - timecapsule

Welcome | mongosh: project

>_MONGOSH

```
> db.stocks.find().limit(3)
< {
    _id: ObjectId('69c158e967fdaa9f52d86569'),
    symbol: 'NIFTY',
    price: 22000,
    prediction: 'UP',
    model: 'AI',
    status: 'BUY',
    date: 2026-03-23T15:14:49.504Z
  }
  {
    _id: ObjectId('69c158f267fdaa9f52d8656a'),
    symbol: 'TSLA',
    price: 250,
    prediction: 'UP',
    date: 2026-03-23T15:14:58.641Z
  }
  {
    _id: ObjectId('69c158f267fdaa9f52d8656b'),
    symbol: 'GOOG',
    price: 2800,
    prediction: 'UP',
    date: 2026-03-23T15:14:58.641Z,
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

- Assignment CONNECT
- first
- project
  - admin
  - config
  - local
  - mydb
  - stockDB
  - timecapsule

Welcome | mongosh: project

>_MONGOSH

```
  }
> db.stocks.countDocuments()
< 6
> db.stats()
< {
    db: 'stockDB',
    collections: Long('1'),
    views: Long('0'),
    objects: Long('6'),
    avgObjSize: 94.16666666666667,
    dataSize: 565,
    storageSize: 36864,
    indexes: Long('1'),
    indexSize: 36864,
    totalSize: 73728,
    scaleFactor: Long('1'),
    fsUsedSize: 163207319552,
    fsTotalSize: 511045529600,
    ok: 1
  }
> db.stocks.aggregate([
   {
    $group:{
     _id:"$prediction",
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

>_MONGOSH

```
> db.stocks.aggregate([
   {
    $group:{
     _id:"$prediction",
     total:{$sum:1}
    }
   }
  ])
< {
    _id: 'UP',
    total: 6
  }
> db.stocks.aggregate([
   {
    $group:{
     _id:null,
     avgPrice:{$avg:"$price"}
    }
   }
  ])
< {
    _id: null,
    avgPrice: 4761.666666666667
  }
```

MongoDB Compass - project/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

Assignment CONNECT

first

project

admin

config

local

mydb

stockDB

timecapsule

Welcome | mongosh: project

```
>_MONGOSH
  $group:{
   _id:null,
   avgPrice:{$avg:"$price"}
  }
 }
])
< {
  _id: null,
  avgPrice: 4761.666666666667
}
> db.stocks.aggregate([
 {
  $group:{
   _id:null,
   maxPrice:{$max:"$price"}
  }
 }
])
< {
  _id: null,
  maxPrice: 22000
}
stockDB>
```