

# SHELL SCRIPT

## 1.ARITHMETIC

```
#!/bin/bash
read -p "Enter two numbers: " a b
echo "sum= $((a+b))"
echo "sub=$((a-b))"
echo "multi=$((a*b));"
echo "div = $((a/b));"
-
```

```
[tejini@localhost shellscript]$ ls
arithmetic.sh date.sh evenorodd.sh Hello.sh userinput.sh
[tejini@localhost shellscript]$ vi arithmetic.sh
[tejini@localhost shellscript]$ chmod +x arithmetic.sh
[tejini@localhost shellscript]$ ./arithmetic.sh
Enter two numbers: 10 2
sum= 12
sub=8
multi=20;
echo div = 5
```

## 2.EVEN OR ODD

```
#!/bin/bash
read -p "Enter number" n
if (( n%2 == 0 ))
then
    echo "$n is even"
else
    echo "$n is odd"
fi
-
```

```
echo div = 5
[tejini@localhost shellscript]$ vi evenorodd.sh
[tejini@localhost shellscript]$ chmod +x evenorodd.sh
[tejini@localhost shellscript]$ ./evenorodd.sh
Enter number6
6 is even
```

## 3.Study.txt

```
Original Content:
Line 1: Linux is powerful.
Line 2: Linux is used for OS lab.
-
```

## Sed\_study.sh

```
#!/bin/bash
#Demonstrate Stream Editor (sed) operations
echo "Original Content:" > study.txt
echo "Line 1: Linux is powerful." >> study.txt
echo "Line 2: Linux is used for OS lab." >> study.txt
cat study.txt

echo -e "\n1. Replacing 'Linux' with 'Docs' globally:"
sed 's/Linux/Docs/g' study.txt

echo -e "\n2. Deleting the first line:"
sed '1 d' study.txt
-
```

```
[tejini@localhost shellscript]$ chmod +x sed_study.sh
[tejini@localhost shellscript]$ ./sed_study.sh
Original Content:
Line 1: Linux is powerful.
Line 2: Linux is used for OS lab.

1. Replacing 'Linux' with 'Docs' globally:
Original Content:
Line 1: Docs is powerful.
Line 2: Docs is used for OS lab.

2. Deleting the first line:
Line 1: Linux is powerful.
Line 2: Linux is used for OS lab.
```

