

EXPERIMENT12

Name: Mohd Rehan Khan

UID: 24BAI70004

Branch: B.E. CSE (AIML)

Section: 24AIT_KRG-1_A

Semester: 5

Date of Performance: 22.09.2026 Subject Name: ADBMS Subject

Code: 24CSP-310

1.

Design a trigger which:

Whenever there is an insertion or deletion on the Student table, the currently inserted or deleted row should be printed as it is on the output console window.

Solution:

```
CREATE OR REPLACE FUNCTION FN_STUDENT_AUDIT()
```

```
RETURNS TRIGGER
```

```
LANGUAGE PLPGSQL
```

```
AS
```

```
$$
```

```
BEGIN
```

```
IF TG_OP = 'INSERT' THEN
```

```
    RAISE NOTICE 'INSERTED ROW -> ID: %, NAME: %, AGE: %, CLASS: %',  
    NEW.ID, NEW.NAME, NEW.AGE, NEW.CLASS; RETURN NEW;
```

```
ELSIF TG_OP = 'DELETE' THEN
```

```
    RAISE NOTICE 'DELETED ROW -> ID: %, NAME: %, AGE: %, CLASS: %',  
    OLD.ID, OLD.NAME, OLD.AGE, OLD.CLASS; RETURN OLD; END IF;  
    RETURN NULL;
```

```
END;
```

```
$$;
```

```
CREATE TRIGGER TRG_STUDENT_AUDIT
```

```
AFTER INSERT OR DELETE
```

```
ON STUDENT
```

```
FOR EACH ROW
```

```
EXECUTE FUNCTION FN_STUDENT_AUDIT();
```

```
INSERT INTO STUDENT(NAME, AGE, CLASS)
```

```
VALUES ('JOHN', 17, 11);
```

```
DELETE FROM STUDENT
```

```
WHERE NAME = 'JACK';
```

2.

Design a PostgreSQL trigger that:

Whenever a new employee is inserted into the tbl_employee table, a record should be added to the tbl_employee_audit table in the following format:

Employee name <emp_name> has been added at <current_time>

Whenever an employee is deleted from the tbl_employee table, a record should be added to the tbl_employee_audit table in the following format:

Employee name <emp_name> has been deleted at <current_time>

The solution must use PostgreSQL triggers.

Solution:

```
CREATE OR REPLACE FUNCTION AUDIT_EMPLOYEE_CHANGES()
RETURNS TRIGGER
LANGUAGE PLPGSQL
AS
$$
BEGIN
    IF TG_OP = 'INSERT' THEN
        INSERT INTO TBL_EMPLOYEE_AUDIT(MESSAGE)
        VALUES ('EMPLOYEE NAME ' || NEW.EMP_NAME || ' HAS BEEN ADDED AT ' ||
NOW());
        RETURN NEW;
    ELSIF TG_OP = 'DELETE' THEN
        INSERT INTO TBL_EMPLOYEE_AUDIT(MESSAGE)
        VALUES ('EMPLOYEE NAME ' || OLD.EMP_NAME || ' HAS BEEN DELETED AT ' ||
NOW());
        RETURN OLD;
    END IF;
    RETURN NULL;
END;
$$;

CREATE TRIGGER TRG_EMPLOYEE_AUDIT
AFTER INSERT OR DELETE
ON TBL_EMPLOYEE
FOR EACH ROW
EXECUTE FUNCTION AUDIT_EMPLOYEE_CHANGES();

INSERT INTO TBL_EMPLOYEE(EMP_NAME, EMP_SALARY) VALUES
('AMAN', 50000);

DELETE FROM TBL_EMPLOYEE
WHERE EMP_NAME = 'AMAN';
```

```
SELECT * FROM TBL_EMPLOYEE_AUDIT;
```