

## **Week-11**

### **STEP 1: Create Oracle Table**

Open SQL\*Plus and execute:

```
CREATE database vbit;
```

Use vbit;

```
CREATE TABLE users(  
    uname VARCHAR2(50),  
    pwd VARCHAR2(50));
```

#### **Check table:**

```
SELECT * FROM users;
```

### **STEP 2: Registration Page (register.html)**

```
<html>
```

```
<body>
```

```
<h2>Registration Form</h2>
```

```
<form action="register" method="post">
```

```
Username: <input type="text" name="uname"/><br/><br/>
```

```
Password: <input type="password" name="pwd"/><br/><br/>
```

```
<input type="submit" value="Register"/>
```

```
</form>
```

```
</body>
```

```
</html>
```

### **STEP 3: Login Page (login.html)**

```
<html>
```

```
<body>
<h2>Login Form</h2>
<form action="login" method="post">
Username: <input type="text" name="uname"/><br/><br/>
Password: <input type="password" name="pwd"/><br/><br/>
<input type="submit" value="Login"/>
</form>
</body>
</html>
```

#### STEP 4: RegisterServlet.java

```
import java.io.*;

import javax.servlet.*;

import javax.servlet.http.*;

import java.sql.*;

public class RegisterServlet extends HttpServlet {

    protected void doPost(HttpServletRequest request,
        HttpServletResponse response) throws IOException {

        response.setContentType("text/html");

        PrintWriter out = response.getWriter();
```

```
String uname = request.getParameter("uname");

String pwd = request.getParameter("pwd");


try {

    Class.forName("com.mysql.cj.jdbc.Driver");


    Connection con = DriverManager.getConnection(

        "jdbc:mysql://localhost:3306/vbit",

        "root",

        "root"

    );


    PreparedStatement ps =

        con.prepareStatement("INSERT INTO users VALUES (?, ?)");


    ps.setString(1, uname);

    ps.setString(2, pwd);


    ps.executeUpdate();


    out.println("Registration Successful");


    ps.close();
```

```
con.close();

} catch(Exception e) {

    out.println(e.getMessage());

}

}

}
```

### **STEP 5: LoginServlet.java**

```
import java.io.*;

import javax.servlet.*;

import javax.servlet.http.*;

import java.sql.*;

public class LoginServlet extends HttpServlet {

    protected void doPost(HttpServletRequest request,

        HttpServletResponse response) throws IOException {

        response.setContentType("text/html");

        PrintWriter out = response.getWriter();

        String uname = request.getParameter("uname");

        String pwd = request.getParameter("pwd");

        try {

            Class.forName("com.mysql.cj.jdbc.Driver");

            Connection con = DriverManager.getConnection(
```

```

        "jdbc:mysql://localhost:3306/vbit",
        "root",
        "root"
    );

    PreparedStatement ps =
    con.prepareStatement(
    "select * from users where uname=? and pwd=?");

    ps.setString(1, uname);

    ps.setString(2, pwd);

    ResultSet rs = ps.executeQuery();

    if(rs.next())

        out.println("Welcome " + uname);

    else

        out.println("Invalid Username or Password");

    con.close();

} catch(Exception e) {

    out.println(e);

}

}

}

```

## STEP 6: web.xml

```
<web-app>
```

```
<servlet>
```

```
<servlet-name>reg</servlet-name>

<servlet-class>RegisterServlet</servlet-class>

</servlet>

<servlet-mapping>

<servlet-name>reg</servlet-name>

<url-pattern>/register</url-pattern>

</servlet-mapping>

<servlet>

<servlet-name>log</servlet-name>

<servlet-class>LoginServlet</servlet-class>

</servlet>

<servlet-mapping>

<servlet-name>log</servlet-name>

<url-pattern>/login</url-pattern>

</servlet-mapping>

<welcome-file-list>

<welcome-file>register.html</welcome-file>

</welcome-file-list>

</web-app>
```

## STEP 7: Add JDBC Driver

Copy:

ojdbc.jar

Into:

apache-tomcat → lib

Very Important

STEP 8: Compile Servlets

**STEP 9: Start Tomcat**

**STEP 10: Execute Program**

Open browser:

`http://localhost:8080/MyApp`

- 1.Registration page opens
- 2 .Enter username & password
- 3.Click Register → Data inserted

Now open:

`http://localhost:8080/MyApp/login.html`

- 4.Enter same username & password
- 5.Click Login

Correct → Welcome message

Wrong → Invalid message