

### Project Executable Files

|                      |                              |
|----------------------|------------------------------|
| <b>Date</b>          | <b>25 September<br/>2026</b> |
| <b>Team ID</b>       | SWTID-2026-6721              |
| <b>Project Name</b>  | AI FAQ Assistant API         |
| <b>Maximum Marks</b> | 3 Marks                      |

### Project Executable Files

The AI FAQ Assistant API source code is organized into backend source files, configuration files, database models, API routes, middleware, and AI service integration. The project can be executed locally using Node.js and MongoDB.


#### Step 1: Submission Checklist

| <b>S.No</b> | <b>Item to Submit</b>                                           | <b>Submitted (Yes / No / NA)</b> |
|-------------|-----------------------------------------------------------------|----------------------------------|
| 1           | Complete source code (all files and folders)                    | YES                              |
| 2           | README / Setup Guide (instructions to run the project)          | YES                              |
| 3           | requirements.txt / package.json / dependency file               | YES                              |
| 4           | Database schema / seed files (if applicable)                    | YES                              |
| 5           | Environment configuration file (.env.example or similar)        | YES                              |
| 6           | Deployed application URL (if hosted)                            | N/A – Local Execution            |
| 7           | APK / Executable binary (if applicable for mobile/desktop apps) | N/A – Backend API                |

|    |                                          |                              |
|----|------------------------------------------|------------------------------|
| 8  | Dockerfile / Containerization config (if | N/A                          |
| 9  | applicable) Test files and test results  | Yes – Thunder Client/Postman |
| 10 | Demo video or walkthrough (if required)  | As Required                  |

## Step 2: File / Folder Structure

Provide an overview of your project's file and folder structure below:



### Step 3: Deployment / Access Details

| Field                       | Details                                         |
|-----------------------------|-------------------------------------------------|
| Hosted / Deployed URL       | N/A – Local Development                         |
| Login Credentials (Demo)    | Created and tested through the registration API |
| Platform / Hosting Provider | Localhost / Node.js                             |
| Repository Link             | 24bsccs22-cmd/AI-FAQ-Assistant                  |

Demo Video Link

## Step 4: Run Instructions

Provide clear, step-by-step instructions for the evaluator to run your project locally:

### 1. Install Node.js

Install Node.js version 18 or above.

### 2. Open the Project

Open the **AI-FAQ-Assistant** folder in Visual Studio Code.

### 3. Install Dependencies

Open the VS Code terminal and run:

```
npm install
```

### 4. Configure Environment Variables

Create a `.env` file in the project root:

```
PORT=5000
```

```
MONGO_URI=mongodb://127.0.0.1:27017/ai_faq_assistant
```

```
JWT_SECRET=your_secret_key
```

```
GEMINI_API_KEY=your_gemini_api_key
```

### 5. Start MongoDB

Make sure the MongoDB service is running.

### 6. Start the Server

Run:

```
npm start
```

The API will run on:

http://localhost:5000

## 7. Test the API

Use **Thunder Client** or **Postman** to test:

- User Registration
- User Login
- User Profile
- Create FAQ
- Get FAQs
- Update FAQ
- Delete FAQ
- Search FAQ
- AI Answer Generation
- AI FAQ Generation

### Step 5: Known Issues / Limitations

| S.No | Known Issue / Limitation                                       | Workaround / Status                                             |
|------|----------------------------------------------------------------|-----------------------------------------------------------------|
| 1    | Application currently runs in a local development environment. | Start the Node.js server locally before testing the API.        |
| 2    | Gemini AI features require a valid API key.                    | Configure <b>GEMINI_API_KEY</b> in the local <b>.env</b> file.  |
| 3    | MongoDB must be available for database operations.             | Start the local MongoDB service before running the application. |