

Practical 1

AIM

Create a React application using Vite for a student portfolio page. The application must include at least 4 reusable components: Header, About, Skills, and Footer. Each component must be independently structured and composed into a single-page layout. No logic or JSX should be duplicated across components. Props must be used to pass at least one piece of data into a minimum of 2 components.

CODE

● frontend/src/components/Header.jsx

```
function Header({ name, themeColor }) {  
  return (  
    <header style={{ backgroundColor: themeColor }} className="header">  
      <h1>{name}</h1>  
      <p>Student Portfolio</p>  
    </header>  
  );  
}  
  
export default Header;
```

● frontend/src/components/About.jsx

```
function About() {
  return (
    <section className="about">
      <h2>About Me</h2>
      <p>
        I'm a 5th-semester IT student learning full-stack web development
        with React, Node.js, and MongoDB as part of ITUE301.
      </p>
    </section>
  );
}

export default About;
```

● frontend/src/components/Skills.jsx

```
function Skills({ skillList }) {
  return (
    <section className="skills">
      <h2>Skills</h2>
      <ul>
        {skillList.map((skill) => (
          <li key={skill}>{skill}</li>
        ))}
      </ul>
    </section>
  );
}

export default Skills;
```

● frontend/src/components/Footer.jsx

```
function Footer() {
  return (
    <footer className="footer">
      <p>&copy; {new Date().getFullYear()} | Contact: 24dce092@charusat.edu.in</p>
    </footer>
  );
}

export default Footer;
```

● frontend/src/App.jsx

```
import Header from './components/Header';
import About from './components/About';
import Skills from './components/Skills';
import Footer from './components/Footer';
import './App.css';

function App() {
  const skilllList = ['React', 'Node.js', 'Express', 'MongoDB', 'JavaScript'];

  return (
    <>
      <Header name="Kalp Patel" themeColor="#2563eb" />
      <main>
        <About />
        <Skills skilllList={skilllList} />
      </main>
      <Footer />
    </>
  );
}

export default App;
```

- ✓ **4 reusable components** — Header, About, Skills, Footer, each in its own file and independently structured.
- ✓ **Composed into one layout** — assembled in `App.jsx` with no logic or JSX repeated across files.
- ✓ **Props into 2+ components** — `name / themeColor` into Header, `skilllList` into Skills.

localhost:5173

Kalp Patel

Student Portfolio

About Me

I'm a 5th-semester IT student learning full-stack web development with React, Node.js, and MongoDB as part of ITUE301.

Skills

ReactNode.jsExpressMongoDBJavaScript

© 2026 | Contact: 24dce092@charusat.edu.in