


Municipal Infrastru

Req ID	Type	Description
FR-001	Functional	The system shall identify the location of a damage report from the GPS information in an uploaded photo.
FR-002	Functional	The system shall allow citizens to submit a report with a photo, damage type, description, and location.
FR-003	Functional	The system shall allow a damage report to be classified into a suitable category such as pothole, streetlight, or water leak.
FR-004	Functional	The system shall allow municipal engineers to view reports, assign them to a maintenance team, and update their status.
FR-005	Functional	The system shall inform citizens when there is a change in the status of their report.
NFR-001	Nonfunctional	The system shall allow users to save a report when there is no network connection and sync it when the connection is available.
NFR-002	Nonfunctional	The system shall restrict access to report information to authorized users and provide reasonable response time during normal use.

Structure Damage Reporting App – Requirements Table

Priority	Acceptance Criteria
High	Pass: The GPS location from a geotagged photo is shown on the map. Fail: The location cannot be identified or shown.
High	Pass: A report with all required details can be submitted and gets a report ID. Fail: An incomplete report is submitted.
High	Pass: The submitted report has a valid damage category. Fail: The report has no category or an invalid category.
High	Pass: An engineer can view a report, assign a team, and change its status. Fail: These actions cannot be completed by an authorized engineer.
Medium	Pass: A notification is sent when the report status changes. Fail: No notification is sent after a status change.
High	Pass: A report saved offline is synced after the network is restored without losing its details. Fail: The saved report is lost or not synced.
High	Pass: Unauthorized users cannot access protected reports and normal requests respond within the set response-time limit. Fail: Either condition is not met.



Rationale
Helps the concerned department find the reported problem.
Makes it easier for citizens to report infrastructure problems.
Helps in sending the report to the right department.
Helps engineers keep track of reported issues and their progress.
Keeps citizens updated about the progress of their complaint.
Useful when a user is in an area with poor network connectivity.
Protects report information while keeping the system usable.

